

Safety Data Sheet Sections

SECTION 1: IDENTIFICATION	2
SECTION 2: HAZARD IDENTIFICATION	2
PRECAUTIONARY STATEMENTS	2
SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS	3
SECTION 4: FIRST-AID MEASURES	
SECTION 5: FIRE-FIGHTING MEASURES	4
SECTION 6: ACCIDENTAL RELEASE MEASURES	4
SECTION 7: HANDLING AND STORAGE	5
SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION	5
EXPOSURE LIMITS:	5
INDIVIDUAL PROTECTION MEASURES / PERSONAL PROTECTIVE EQUIPMENT	5
SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES	5
SECTION 10: STABILITY AND REACTIVITY	6
SECTION 11: TOXICOLOGICAL INFORMATION	6
SECTION 12: ECOLOGICAL INFORMATION	7
SECTION 13: DISPOSAL CONSIDERATIONS	7
SECTION 14: TRANSPORT INFORMATION	7
SECTION 15: REGULATORY INFORMATION	8
SECTION 16: OTHER INFORMATION	8
ACRONYM LIST	۶

SECTION 1: IDENTIFICATION		
Product Trade Name:	Brite N Clean	
Product Code:	1300250LQ, 1300250	
Recommended Use:	Washroom acid cleaner	
Restrictions on Use:	For Industrial and Institutional use only	
Manufacturer Name:	Project Clean Inc.	
Manufacturer Address:	1607 Derwent Way, Delta, B.C. Canada V3M 6K8	
Manufacturer Phone Number:	800-663-9925	
Email Address of Competent Person Responsible for the SDS:	regulatory@projectclean.com	
Emergency Phone Number/ 24-Hour Number:	For Transportation Emergencies: Canutec 613-996-6666 Emergency Response Services: Chemtrec 800-424-9300	

Back to Top

SECTION 2: HAZARD IDENTIFICATION		
Physical Hazards:	CORROSIVE TO METALS – Category 1	
Health Hazards:	SKIN CORROSION/IRRITATION – Category 1	
	EYE DAMAGE/IRRITATION – Category 1	
	SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) – Category 2	
Symbol:		
Signal word:	DANGER	
Hazard Statement:	H290 May be corrosive to metals.	
	H314 Causes severe skin burns and eye damage.	
	H318 Causes serious eye damage.	
	H371 May cause damage to organs.	
PRECAUTIONARY STATEMENTS		
Prevention:	P234 Keep only in original packaging.	
	P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.	
	P264 Wash hands or affected area thoroughly after handling.	
	P280 Wear protective gloves/protective clothing/eye protection/face protection.	
	P270 Do not eat, drink or smoke when using this product.	

PREPARED BY:
Regulatory Division
Project Clean Inc.
(formerly Maxim Chemical International Inc.)

LAST UPDATE: 2020-05-26

	SECTION 2: HAZARD IDENTIFICATION
Responses:	P390 Absorb spillage to prevent material-damage.
	P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
	P302 + P361 + P354 IF ON SKIN: Take off immediately all contaminated clothing. Immediately rinse with water for several minutes.
	P363 Wash contaminated clothing before reuse.
	P304 + P340 + P316 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get emergency medical help immediately.
	P321 Specific treatment (see supplemental first aid information on this label).
	P305 + P354 + P338 + P317 IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical help.
	P308 + P316 IF exposed or concerned: Get emergency medical help immediately.
Storage:	P405 Store locked up.
	P406 Store in a corrosion resistant container with a resistant inner liner.
Disposal:	P501 Dispose of contents/ container to an approved waste disposal plant.

Back to Top

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS		
Ingredient	Approx. Wt.%	CAS Number
Phosphoric Acid	5-10	7664-38-2
Alcohol Ethoxylate	3-7	68439-46-3
Alkyl Dimethyl Benzyl Ammonium Chloride	1-5	68424-85-1

Back to Top

SECTION 4: FIRST-AID MEASURES		
General Information:	Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.	
Inhalation:	Immediately remove the affected victim to fresh air. If symptoms persist, obtain medical attention. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a POISON CENTER or doctor/physician if feeling unwell.	

SECTION 4: FIRST-AID MEASURES		
Skin Contact:	Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or poison control center immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse.	
Eye Contact:	Immediately flush with warm running water for at least 15 minutes, holding eyelids open during flushing. Remove contact lenses, if present and easy to do. If irritation persists, repeat flushing and obtain medical attention immediately.	
Ingestion:	Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.	
Self-Protection of the First Aider:	Remove all sources of ignition. Ensure that first aid personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.	
Most Important Symptoms/ Effects, Acute and Delayed:	Ingestion: None reasonably foreseeable. Inhalation: May cause respiratory irritation. Eyes and skin: Corrosive to eyes. Repeated or prolonged skin contact may cause defatting and drying of skin which may result in skin irritation and dermatitis.	
If irritation occurs or persists, get medical attention.		

Back to Top

SECTION 5: FIRE-FIGHTING MEASURES		
Suitable Extinguishing Media: Water fog, alcohol foam, or dry chemical.		
Unsuitable Extinguishing Media: None known.		
Flammability: Not flammable.		
Flash Point:	Not flammable.	
Special Firefighting Procedures:	Wear NIOSH/MSHA approved, self-contained breathing apparatus for firefighting situation. Use water spray to cool all nearby fire exposed surfaces.	
Unusual Fire / Explosion Hazards:	Contact with reactive metals may produce flammable hydrogen gas.	
Hazardous Decomposition Products:	Oxides of phosphorus and other unidentified organic substances.	

Back to Top

SECTION 6: ACCIDENTAL RELEASE MEASURES	
Environmental Protection Precautions:	Do not release to the environment or water source.

SECTION 6: ACCIDENTAL RELEASE MEASURES		
Steps to be Taken in Case Material is Released or Spilled:	Wear protective equipment. Soak up spills with absorbents, then dispose of in an appropriate waste container. Keep material away from sewers. Reuse if possible. Otherwise dispose recovered material in accordance with all local, Provincial or Federal regulations.	

SECTION 7: HANDLING AND STORAGE		
Precautions to be Taken in Handling and Storage:	Use good industrial hygiene. Do not get in eyes. Avoid contact with skin and clothing. Avoid breathing sprays or mists. Store in a cool, dry place away from incompatibles. Keep container closed when not in use. Do not mix with any other chemicals. Store at temperatures below 30°C and keep from freezing. Do not store in metal containers.	

Back to Top

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION				
	EXPOSURE LIMITS:			
OSHA (PEL): N/A	ACGIH TLV: N/A Other exposure limit: N/A			
INDIVIDUAL PROTECTION MEASURES / PERSONAL PROTECTIVE EQUIPMENT				
Appropriate Engineering Controls:	Good general ventilation.			
Skin Protection:	Hand Protection: Butyl rubber, neoprene, latex or nitrile gloves. Other Skin Protection: Personal protective equipment for the body should be selected based on the task being performed and the risks involved. Appropriate footwear should be selected based on the task being performed and the risks involved.			
Eye and Face Protection:	Safety glasses or chemical goggles. Face shield if splashing hazard exists.			
Respiratory Protection:	In case of insufficient ventilation, wear suitable respiratory equipment.			
Other Protective Equipment:	Eye wash, safety shower and full protective clothing recommended in the immediate work area.			

Back to Top

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES	
Appearance:	Light blue liquid gel.
Odour:	Cherry scent.
Odour threshold:	N/A
pH:	< 1.0

PREPARED BY:LAST UPDATE:Regulatory DivisionPage 5 of 92020-05-26

Project Clean Inc.

(formerly Maxim Chemical International Inc.)

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES	
Melting point/Freezing point:	N/A
Initial boiling point and boiling range:	N/A
Flash Point:	>100 °C
Evaporation Rate (Water=1):	N/A
Flammability:	Not flammable
Upper/Lower flammability or explosive limits:	None
Vapour pressure:	N/A
Vapour density:	N/A
Relative density/Specific gravity (Water = 1):	1.1 @ 20 °C
Solubility(ies):	Soluble in water
Partition coefficient: n-octanol/water:	N/A
Auto-ignition temperature:	Not flammable
Decomposition temperature:	N/A
Viscosity:	N/A
VOCs:	N/A

Back to Top

SECTION 10: STABILITY AND REACTIVITY	
Reactivity:	N/A
Chemical stability:	Stable under normal storage conditions.
Possibility of hazardous reactions:	Avoid contact with acid/oxidizers.
Conditions to avoid:	Temperatures above 30°C (86°F) and below 5°C (41°F). Avoid contact with reactive metals.
Incompatibility:	Corrosive to metals, producing flammable hydrogen gas. Not compatible with fluorine, strong oxidizing/reducing agents, bases, metals, sulfur trioxide, phosphorus pentoxide
Hazardous Decomposition Products:	Oxides of phosphorus, and other unidentifiable organic compounds.

Back to Top

SECTION 11: TOXICOLOGICAL INFORMATION	
Likely routes of exposure:	Ingestion, skin and eye contact.
Symptoms:	Corrosive to eyes and skin.
Acute Toxicity Estimates:	Oral >2000 mg/kg

PREPARED BY:
Regulatory Division
Project Clean Inc.
(formerly Maxim Chemical International Inc.)

LAST UPDATE: 2020-05-26

SECTION 11: TOXICOLOGICAL INFORMATION	
	Dermal >2000 mg/kg
	LD ₅₀ Inhalation ATE: N/A
Skin Sensitization:	0.025% of the components are classified as skin sensitizer.
Germinal Cell Mutagenicity:	Data available on components indicates no potential germinal cell mutagenicity.
Reproductive Toxicity:	Data available on components indicates no potential reproductive toxicity.
Carcinogenicity:	Not listed by NTP, IARC, OSHA, ACGIH.
Aspiration Hazard:	Data available on components indicates no potential aspiration hazard.

Back to Top

SECTION 12: ECOLOGICAL INFORMATION	
Toxicity to Fresh Water Algae:	Alcohol Ethoxylate (CAS# 68439-46-3):
	EC ₅₀ (algae)
	10-100 mg/L, Exposure Time: 72 h, Test Type: N/A
Toxicity to Fish Species:	Alcohol Ethoxylate (CAS# 68439-46-3):
	LC ₅₀ (fish)
	5-10 mg/L, Exposure Time, 96 h, Test Type: N/A
Toxicity to Aquatic Invertebrates:	Alcohol Ethoxylate (CAS# 68439-46-3):
, .	EC ₅₀ (Daphnia magna (water flea)):
	5-10 mg/L, Exposure Time: 48 h, Test Type: N/A
Persistence and degradability:	N/A

Back to Top

SECTION 13: DISPOSAL CONSIDERATIONS	
Recommended Waste Disposal Methods:	Reuse if possible. Otherwise dispose recovered material in accordance with all local, Provincial or Federal regulations.

Back to Top

SECTION 14: TRANSPORT INFORMATION	
Canadian TDG UN Number:	1805
UN Proper Shipping Name:	Phosphoric Acid, Solution
Transport Hazard Class(es):	8
Packing Group:	III
Environmental Hazards:	Not available.
Special Precautions for User:	Not available.

PREPARED BY:
Regulatory Division
Project Clean Inc.
(formerly Maxim Chemical International Inc.)

LAST UPDATE: 2020-05-26

SECTION 14: TRANSPORT INFORMATION		
Additional Information:		Limited Quantity Index: 5 Litres

Back to Top

SECTION 15: REGULATORY INFORMATION	
	HMIS
HAZARD RATING INFORMATION	3 Health
4 = Extreme	0 Flammability
3 = High 2 = Moderate	0 Reactivity
1 = Slight 0 = Insignificant	B Personal protection
	B = Safety Glasses + Gloves
HMIS Protection Group B	

All pertinent hazard information has been provided in this SDS, per the requirements of the U.S. Federal Occupational Safety and Health Administration Standard (29 CFR 1910.1200), U.S. State equivalent Standards, and the Canadian Workplace Hazardous Materials Identification System Standards (CPR 4).

Back to Top

SECTION 16: OTHER INFORMATION		
	ACRONYM LIST	
ACGIH	American Conference of Governmental Industrial Hygienists	
ATE	Acute Toxicity Estimate	
CAS	Chemical Abstracts Service	
CFR	Code of Federal Regulations	
DSL/NDSL	Domestic Substances List/ Non-domestic Substance List	
EC ₅₀	Half maximal effective concentration	
HMIS	Hazardous Materials Identification System	
IARC	International Agency for Research on Cancer	

PREPARED BY:
Regulatory Division
Project Clean Inc.
(formerly Maxim Chemical International Inc.)

LAST UPDATE: 2020-05-26

	SECTION 16: OTHER INFORMATION
LC ₅₀	Lethal concentration, 50%
LD ₅₀	Lethal dose, 50%
MSHA	Mine Safety and Health Administration
N/A	Not Available
NIOSH	The National Institute for Occupational Safety and Health
N.O.S.	Not Otherwise Specified
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
PNOC	Particulates not otherwise classified
PMMCC	Pensky-Martens Closed Cup
Pow	Partition Coefficient Octanol: Water
SDS	Safety Data Sheets
STOT – SE	Specific Target Organ Toxicity – Single Exposure
STOT – RE	Specific Target Organ Toxicity – Repeated Exposure
TDG	Transportation of Dangerous Goods
TLV	Threshold Limit Value
UN	United Nations
VOCs	Volatile Organic Compounds
WEL	Workplace Exposure Limit
WHMIS	Workplace Hazardous Materials Information System

Back to Top

It is the responsibility of the user to provide a safe workplace, using the health and safety information contained herein as a guide. Project Clean Inc. (formerly Maxim Chemical International Inc.) will accept no liability for damages or loss incurred from the improper handling and use of this product.

The information provided in the Safety Data Sheet has been obtained from current sources and is believed to be reliable.