

## **Safety Data Sheet Sections**

ECTION 1: IDENTIFICATION	
ECTION 2: HAZARD IDENTIFICATION	2
PRECAUTIONARY STATEMENTS	3
ECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS	2
ECTION 4: FIRST-AID MEASURES	4
ECTION 5: FIRE-FIGHTING MEASURES	5
ECTION 6: ACCIDENTAL RELEASE MEASURES	5
ECTION 7: HANDLING AND STORAGE	5
ECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION	e
EXPOSURE LIMITS:	e
INDIVIDUAL PROTECTION MEASURES / PERSONAL PROTECTIVE EQUIPMENT	e
ECTION 9: PHYSICAL AND CHEMICAL PROPERTIES	e
ECTION 10: STABILITY AND REACTIVITY	7
ECTION 11: TOXICOLOGICAL INFORMATION	7
ECTION 12: ECOLOGICAL INFORMATION	
ECTION 13: DISPOSAL CONSIDERATIONS	8
ECTION 14: TRANSPORT INFORMATION	8
ECTION 15: REGULATORY INFORMATION	8
ECTION 16: OTHER INFORMATION	g
ACRONYM LIST	c

SECTION 1: IDENTIFICATION		
Product Trade Name:	Citrus Power	
Product Code:	1400280	
Recommended Use:	Heavy duty alkaline orange oil degreaser	
Restrictions on Use:	For Industrial and Institutional use only	
Manufacturer Name:	Project Clean Inc.	
Manufacturer Address:	1607 Derwent Way, Delta, B.C. Canada V3M 6K8	
Manufacturer Phone Number:	800-663-9925	
Email Address of Competent Person Responsible for the SDS:	regulatory@projectclean.com	
Emergency Phone Number/ 24-Hour Number:	For Transportation Emergencies: Canutec 613-996-6666 Emergency Response Services: Chemtrec 800-424-9300	

**Back to Top** 

SECTION 2: HAZARD IDENTIFICATION			
Physical Hazards:	CORROSIVE TO METALS – Category 1		
	FLAMMABLE LIQUIDS – Category 3		
Health Hazards:	SKIN CORROSION/IRRITATION – Category 1		
	EYE DAMAGE/IRRITATION – Category 1		
	SENSITIZATION – SKIN – Category 1		
	SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) – Category 2 (by inhalation)		
	CARCINOGENICITY – Category 2		
	ASPIRATION HAZARD – Category 1		
Symbol:			
Signal word:	DANGER		
Hazard Statement:	H290 May be corrosive to metals.		
	H226 Flammable liquid and vapour.		
	H314 Causes severe skin burns and eye damage.		
	H318 Causes serious eye damage.		
	H317 May cause an allergic skin reaction.		
	H371 May cause damage to organs.		

PREPARED BY:
Regulatory Division
Project Clean Inc.
(formerly Maxim Chemical International Inc.)

LAST UPDATE: 2020-05-26

SECTION 2: HAZARD IDENTIFICATION		
	H351 Suspected of causing cancer.	
	H304 May be fatal if swallowed and enters airways.	
	PRECAUTIONARY STATEMENTS	
Prevention:	P234 Keep only in original packaging.	
	P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	
	P233 Keep container tightly closed.	
	P240 Ground and bond container and receiving equipment.	
	P241 Use explosion-proof equipment.	
	P242 Use non-sparking tools.	
	P243 Take action to prevent static discharges.	
	P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.	
	P260 Do not breathe dusts or mists.	
	P264 Wash hands or affected area thoroughly after handling.	
	P272 Contaminated work clothing should not be allowed out of the workplace.	
	P270 Do not eat, drink or smoke when using this product.	
	P203 Obtain, read and follow all safety instructions before use.	
Responses:	P390 Absorb spillage to prevent material-damage.	
	P303 + P361 + P354 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Immediately rinse with water for several minutes. Rinse affected areas with water [or shower].	
	P333 + P317 If skin irritation or rash occurs: Get medical help.	
	P362 + P364 Take off contaminated clothing and wash it before reuse.	
	P370 + P378 In case of fire: Use Water fog, alcohol foam, or dry chemical to extinguish.	
	P301 + P330 + P331 + P316 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Get emergency medical help immediately.	
	P304 + P340 + P316 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get emergency medical help immediately.	
	P321 Specific treatment (see supplement first aid information on this label).	
	P305 + P354 + P338 + P317 IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical help.	

PREPARED BY:LAST UPDATE:Regulatory DivisionPage 3 of 102020-05-26

SECTION 2: HAZARD IDENTIFICATION		
	P308 + P316 IF exposed or concerned: Get emergency medical help immediately.	
Storage:	P406 Store in a corrosion resistant container with a resistant inner liner.	
P403 + P235 Store in a well-ventilated place. Keep cool.		
	P405 Store locked up.	
Disposal:	P501 Dispose of contents/ container to an approved waste disposal plant.	

Back to Top

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS			
Ingredient	Approx. Wt.%	CAS Number	
Alcohol Ethoxylate	1-5	68131-39-5	
Sodium Hydroxide	1-5	1310-73-2	
Tetrasodium Salt of	1-5	64-02-8	
Ethylenediaminetetraacetic Acid			
D-Limonene	10-30	5989-27-5	
Trisodium Nitrilotriacetate	0.1-1	5064-31-3	

Back to Top

SECTION 4: FIRST-AID MEASURES		
General Information:	Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.	
Inhalation:	Immediately remove the affected victim to fresh air. If symptoms persist, obtain medical attention.	
Skin Contact:	Immediately flush exposed area with soap and water for at least 10 minutes. If irritation persists, or if contact has been prolonged, obtain medical attention. Remove contaminated clothing and launder before reuse. D'Limonene is a known skin sensitizer.	
Eye Contact:	Immediately flush with warm running water for at least 15 minutes, holding eyelids open during flushing. Remove contact lenses, if present and easy to do. If irritation persists, repeat flushing and obtain medical attention immediately.	
Ingestion:	Aspiration hazard. Do not induce vomiting. If the victim is fully conscious, give plenty of clean water to drink to dilute product. Never give anything by mouth if victim is unconscious, is rapidly losing consciousness, or is convulsing. Call a Physician or Poison Control Center immediately.	
Self-Protection of the First Aider:	Remove all sources of ignition. Ensure that first aid personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.	
Most Important Symptoms/	Ingestion: Aspiration into lungs may cause vomiting and lung injury.  Inhalation: Aspiration into lungs can cause lung injury. Inhaling may cause dizziness and drowsiness.	

PREPARED BY:
Regulatory Division
Project Clean Inc.
(formerly Maxim Chemical International Inc.)

LAST UPDATE: 2020-05-26

SECTION 4: FIRST-AID MEASURES		
Effects, Acute and Delayed:	<b>Eyes and skin:</b> Corrosive to eyes and skin. May cause an allergic skin reaction if user is allergic to d-limonene.	
If irritation occurs or persists, get medical attention.		

Back to Top

SECTION 5: FIRE-FIGHTING MEASURES		
Suitable Extinguishing Media: Water fog, alcohol foam, or dry chemical.		
Unsuitable Extinguishing Media:	Water spray.	
Flammability:	Flammable liquid and vapor.	
Flash Point:	54°C Pensky Martin Closed Cup.	
Special Firefighting Procedures:	Wear NIOSH/MSHA approved, self-contained breathing apparatus for firefighting situation. Use water spray to cool all nearby fire exposed surfaces.	
Unusual Fire / Explosion Hazards:	Avoid heat, flames and sparks. Avoid contact with Aldehydes, halogens, strong acids, strong oxidizing agents, alkalis, amines, ethylene oxide, halogenated hydrocarbons, isocyanates, do not use with aluminum equipment at temperatures above 50°C.	
Hazardous Decomposition Products:	Carbon dioxide, carbon monoxide.	

Back to Top

SECTION 6: ACCIDENTAL RELEASE MEASURES		
Environmental Protection Precautions:	Do not release to the environment or water source.	
Steps to be Taken in Case Material is Released or Spilled:	Wear protective equipment. Soak up spills with absorbents, then dispose of in an appropriate waste container. Keep material away from sewers. Reuse if possible. Otherwise dispose recovered material in accordance with all local, Provincial or Federal regulations.	

**Back to Top** 

SECTION 7: HANDLING AND STORAGE		
Precautions to be Taken in Handling and Storage:	Use good industrial hygiene. Do not get in eyes. Avoid contact with skin and clothing. Avoid breathing sprays or mists. Store in a cool, dry place away from incompatibles. Keep container closed when not in use. Do not mix with any other chemicals. Store at temperatures below 30°C and keep from freezing.	

**Back to Top** 

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION			
	EXPOSURE LIMITS:		
OSHA (PEL): N/A	ACGIH TLV: N/A Other exposure limit: N/A		
INDIVIDUAL PROTECTION MEASURES / PERSONAL PROTECTIVE EQUIPMENT			
Appropriate Engineering Controls:	Mechanical ventilation (dilution or local exhaust).		
Skin Protection:	Hand Protection: Butyl rubber, neoprene, latex or nitrile gloves. Other Skin Protection: Synthetic apron. Appropriate footwear should be selected based on the task being performed and the risks involved.		
Eye and Face Protection:	Splash goggles.		
Respiratory Protection:	Good general ventilation or local exhaust ventilation for spraying and misting in confined areas.		
Other Protective Equipment:	Eye wash, safety shower and full protective clothing recommended in the immediate work area.		

Back to Top

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES	
Appearance:	Clear orange liquid.
Odour:	Orange, citrus scent.
Odour threshold:	N/A
pH:	>13
Melting point/Freezing point:	N/A
Initial boiling point and boiling range:	N/A
Flash Point:	54°C (Pensky Martin Closed Cup)
Evaporation Rate (Water=1):	N/A
Flammability:	Flammable liquid and vapour
Upper/Lower flammability or explosive limits:	None
Vapour pressure:	N/A
Vapour density:	N/A
Relative density/Specific gravity (Water = 1):	0.97 @ 20°C
Solubility(ies):	Soluble in water
Partition coefficient: n-octanol/water:	N/A
Auto-ignition temperature:	N/A
Decomposition temperature:	N/A
Viscosity:	N/A

PREPARED BY:
Regulatory Division
Project Clean Inc.
(formerly Maxim Chemical International Inc.)

LAST UPDATE: 2020-05-26

SECTION 9: PHYSICAL AND CH	HEMICAL PROPERTIES
VOCs:	N/A

Back to Top

SECTION 10: STABILITY AND REACTIVITY	
Reactivity:	N/A
Chemical stability:	Stable under normal storage conditions.
Possibility of hazardous reactions:	This product is flammable.
Conditions to avoid:	Avoid heat, flames and sparks. Do not use with aluminum equipment at temperatures above 50°C.
Incompatibility:	Avoid contact with Aldehydes, halogens, strong acids, strong oxidizing agents, alkalis, amines, ethylene oxide, halogenated hydrocarbons, isocyanates.
Hazardous Decomposition Products:	Oxides of carbon

**Back to Top** 

SECTION 11: TOXICOLOGICAL INFORMATION	
Likely routes of exposure:	Ingestion, skin and eye contact.
Symptoms:	Inhalation may cause drowsiness and dizziness. Corrosive to skin and eyes.
Acute Toxicity Estimates:	LD <sub>50</sub> Oral ATE > 2000 mg/kg
	LD <sub>50</sub> Dermal ATE > 2000 mg/kg
	LD <sub>50</sub> Inhalation ATE: N/A
Skin Sensitization:	26.2% of the ingredients are classified as a skin sensitizer.
Germinal Cell Mutagenicity:	Data available on components indicates no potential germinal cell mutagenicity.
Reproductive Toxicity:	Data available on components indicates no potential reproductive toxicity.
Carcinogenicity:	This product contains < 0.485% Trisodium Nitrilotriacetate (CAS# 5064-31-3) which is listed as Group 2B carcinogen by IARC.
Aspiration Hazard:	26.2% of the ingredients are classified as an aspiration hazard.

Back to Top

SECTION 12: ECOLOGICAL INFORMATION	
Toxicity to Fresh Water Algae:	D-Limonene (CAS# 5989-27-5):
,	EC <sub>50</sub> (Desmodesmus subspicatus (green algae))
	150 mg/L, Exposure Time: 72 h, Test Type: Static

PREPARED BY:
Regulatory Division
Project Clean Inc.
(formerly Maxim Chemical International Inc.)

LAST UPDATE: 2020-05-26

SECTION 12: ECOLOGICAL INFORMATION		
Toxicity to Fish Species:	D-Limonene (CAS# 5989-27-5):	
	LC <sub>50</sub> (Pimephales promeals)	
	0.702 mg/L, Exposure Time, 96 h, Test Type: Flow-Through	
Toxicity to Aquatic Invertebrates:	icity to Aquatic Invertebrates: D-Limonene (CAS# 5989-27-5):	
, .	EC <sub>50</sub> (Daphnia magna (water flea)):	
	0.36 mg/L, Exposure Time: 48 h, Test Type: Static	
Persistence and degradability:	N/A	

**Back to Top** 

SECTION 13: DISPOSAL CONSIDERATIONS	
Recommended Waste Disposal Methods:	Reuse if possible. Otherwise dispose recovered material in accordance with all local, Provincial or Federal regulations.

Back to Top

SECTION 14: TRANSPORT INFORMATION	
Canadian TDG UN Number:	1993
UN Proper Shipping Name:	Flammable Liquid, N.O.S. (D-limonene)
Transport Hazard Class(es):	3
Packing Group:	III
Environmental Hazards:	Not available.
Special Precautions for User:	Not available.
Additional Information:	Limited Quantity Index: 5 Litres

**Back to Top** 

SECTION 15: REGULATORY INFORMATION		
	HMIS	
HAZARD RATING INFORMATION	3 Health	
4 = Extreme 3 = High 2 = Moderate 1 = Slight 0 = Insignificant	2 Flammability	
	0 Reactivity	
	B Personal protection	
	B = Safety glasses + Gloves	

## **SECTION 15: REGULATORY INFORMATION**

## HMIS Protection Group B



All pertinent hazard information has been provided in this SDS, per the requirements of the U.S. Federal Occupational Safety and Health Administration Standard (29 CFR 1910.1200), U.S. State equivalent Standards, and the Canadian Workplace Hazardous Materials Identification System Standards (CPR 4).

Back to Top

SECTION 16: OTHER INFORMATION		
ACRONYM LIST		
ACGIH	American Conference of Governmental Industrial Hygienists	
ATE	Acute Toxicity Estimate	
CAS	Chemical Abstracts Service	
CFR	Code of Federal Regulations	
DSL/NDSL	Domestic Substances List/ Non-domestic Substance List	
EC <sub>50</sub>	Half maximal effective concentration	
HMIS	Hazardous Materials Identification System	
IARC	International Agency for Research on Cancer	
LC <sub>50</sub>	Lethal concentration, 50%	
LD <sub>50</sub>	Lethal dose, 50%	
MSHA	Mine Safety and Health Administration	
N/A	Not Available	
NIOSH	The National Institute for Occupational Safety and Health	
N.O.S.	Not Otherwise Specified	
NTP	National Toxicology Program	
OSHA	Occupational Safety and Health Administration	
PEL	Permissible Exposure Limit	
PNOC	Particulates not otherwise classified	
PMMCC	Pensky-Martens Closed Cup	
Pow	Partition Coefficient Octanol: Water	

PREPARED BY:LAST UPDATE:Regulatory DivisionPage 9 of 102020-05-26

Project Clean Inc.

SECTION 16: OTHER INFORMATION	
SDS	Safety Data Sheets
STOT – SE	Specific Target Organ Toxicity – Single Exposure
STOT – RE	Specific Target Organ Toxicity – Repeated Exposure
TDG	Transportation of Dangerous Goods
TLV	Threshold Limit Value
UN	United Nations
VOCs	Volatile Organic Compounds
WEL	Workplace Exposure Limit
WHMIS	Workplace Hazardous Materials Information System

**Back to Top** 

It is the responsibility of the user to provide a safe workplace, using the health and safety information contained herein as a guide. Project Clean Inc. (formerly Maxim Chemical International Inc.) will accept no liability for damages or loss incurred from the improper handling and use of this product.

The information provided in the Safety Data Sheet has been obtained from current sources and is believed to be reliable.