




## Safety Data Sheet Sections

SECTION 1: IDENTIFICATION .....	2
SECTION 2: HAZARD IDENTIFICATION.....	2
PRECAUTIONARY STATEMENTS .....	2
SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS.....	3
SECTION 4: FIRST-AID MEASURES.....	4
SECTION 5: FIRE-FIGHTING MEASURES.....	5
SECTION 6: ACCIDENTAL RELEASE MEASURES .....	5
SECTION 7: HANDLING AND STORAGE .....	6
SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION .....	6
EXPOSURE LIMITS: .....	6
INDIVIDUAL PROTECTION MEASURES / PERSONAL PROTECTIVE EQUIPMENT.....	6
SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES .....	6
SECTION 10: STABILITY AND REACTIVITY.....	7
SECTION 11: TOXICOLOGICAL INFORMATION .....	7
SECTION 12: ECOLOGICAL INFORMATION.....	8
SECTION 13: DISPOSAL CONSIDERATIONS.....	8
SECTION 14: TRANSPORT INFORMATION.....	8
SECTION 15: REGULATORY INFORMATION.....	8
SECTION 16: OTHER INFORMATION .....	9
ACRONYM LIST .....	9

SECTION 1: IDENTIFICATION	
Product Trade Name:	Maxim Rough Rider II
Product Code:	1401165
Recommended Use:	Heavy duty cleaner and degreaser
Restrictions on Use:	For Industrial and Institutional use only
Manufacturer Name:	Project Clean Inc.
Manufacturer Address:	1607 Derwent Way, Delta, B.C. Canada V3M 6K8
Manufacturer Phone Number:	<a href="tel:800-663-9925">800-663-9925</a>
Email Address of Competent Person Responsible for the SDS:	<a href="mailto:regulatory@projectclean.com">regulatory@projectclean.com</a>
Emergency Phone Number/ 24-Hour Number:	For Transportation Emergencies: Canutec <a href="tel:613-996-6666">613-996-6666</a> Emergency Response Services: Chemtrec <a href="tel:800-424-9300">800-424-9300</a>

[Back to Top](#)

SECTION 2: HAZARD IDENTIFICATION	
Physical Hazards:	CORROSIVE TO METALS – Category 1
Health Hazards:	SKIN CORROSION/IRRITATION – Category 1
	EYE DAMAGE/IRRITATION – Category 1
	CARCINOGENICITY – Category 2
	SPECIFIC TARGET ORGAN TOXICITY – SINGLE EXPOSURE – Category 3
	ASPIRATION HAZARD – Category 1
Symbol:	
Signal word:	DANGER
Hazard Statement:	H290 May be corrosive to metals.
	H314 Causes severe skin burns and eye damage.
	H318 Causes serious eye damage.
	H351 Suspected of causing cancer.
	H335 May cause respiratory irritation.
	H304 May be fatal if swallowed and entered airways.
PRECAUTIONARY STATEMENTS	
Prevention:	P234 Keep only in original packaging.
	P260 Do not breathe dusts or mists.

PREPARED BY:

Regulatory Division

Project Clean Inc.

(formerly Maxim Chemical International Inc.)

Page 2 of 10

LAST UPDATE:

2020-04-16

SECTION 2: HAZARD IDENTIFICATION	
	P264 Wash hands or affected area thoroughly after handling.
	P280 Wear protective gloves/protective clothing/eye protection/face protection.
	P203 Obtain, read and follow all safety instructions before use.
	P271 Use only outdoors or in a well-ventilated area.
<b>Responses:</b>	P390 Absorb spillage to prevent material-damage.
	P301 + P330 + P331 + P316 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Get emergency medical help immediately.
	P302 + P361 + P354 IF ON SKIN: Take off immediately all contaminated clothing. Immediately rinse with water for several minutes.
	P363 Wash contaminated clothing before reuse.
	P304 + P340 + P316 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get emergency medical help immediately.
	P321 Specific treatment (see supplemental first aid information on this label).
	P305 + P354 + P338 + P317 IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical help.
	P318 IF exposed or concerned, get medical advice.
<b>Storage:</b>	P405 Store locked up.
	P406 Store in a corrosion resistant container with a resistant inner liner.
	P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
<b>Disposal:</b>	P501 Dispose of contents/ container to an approved waste disposal plant.

[Back to Top](#)

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS		
Ingredient	Approx. Wt.%	CAS Number
2-Butoxyethanol	7-13	111-76-2
Dodecylbenzenesulfonic Acid, Potassium Salt	3-7	27177-77-1
Sodium Metasilicate	1-5	6834-92-0
Diethanolamine	0.1-1	111-42-2
Perfume	<0.1	Mixture

[Back to Top](#)**PREPARED BY:**

Regulatory Division  
 Project Clean Inc.  
 (formerly Maxim Chemical International Inc.)

**LAST UPDATE:**

2020-04-16

SECTION 4: FIRST-AID MEASURES	
<b>General Information:</b>	Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.
<b>Inhalation:</b>	Immediately remove the affected victim to fresh air. If symptoms persist, obtain medical attention. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a POISON CENTER or doctor/physician if feeling unwell.
<b>Skin Contact:</b>	Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or poison control center immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse.
<b>Eye Contact:</b>	Immediately flush with warm running water for at least 15 minutes, holding eyelids open during flushing. Remove contact lenses, if present and easy to do. If irritation persists, repeat flushing and obtain medical attention immediately.
<b>Ingestion:</b>	Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
<b>Self-Protection of the First Aider:</b>	Remove all sources of ignition. Ensure that first aid personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.
<b>Most Important Symptoms/ Effects, Acute and Delayed:</b>	<b>Ingestion:</b> Small amounts swallowed incidental to normal handling operations are not likely to cause injury. May burn mouth and throat. May cause gastrointestinal irritation or ulceration. <b>Inhalation:</b> Low toxicity. <b>Eyes and skin:</b> May cause severe irritation with corneal injury which may result in permanent impairment of vision, even blindness. Brief contact may cause skin burns.
<b>Note to Physicians:</b>	Treatment based on sound judgment of physician and individual reactions of patient. Due to structural analogy and clinical data, this material may have a mechanism of intoxication similar to ethylene glycol. On that basis, treatment similar to ethylene glycol intoxication may be of benefit. In cases where several ounces (60 - 100 ml) have been ingested, consider the use of ethanol and hemodialysis in the treatment. Consult standard literature for details of treatment. If ethanol is used, a therapeutically effective blood concentration in the range of 100 - 150 mg/dl may be achieved by a rapid loading dose followed by a continuous intravenous infusion. Consult standard literature for details of treatment. 4-Methyl pyrazole (Antizol®) is an effective blocker of alcohol dehydrogenase and should be used in the treatment of ethylene glycol (EG), di- or triethylene glycol (DEG, TEG), ethylene glycol butyl ether (EGBE), or methanol intoxication if available. Fomepizole protocol (Brent, J. et al., New England Journal of Medicine, Feb. 8, 2001, 344:6, p. 424-9): loading dose 15 mg/kg intravenously, follow by bolus dose

**PREPARED BY:**

Regulatory Division  
Project Clean Inc.  
(formerly Maxim Chemical International Inc.)

**LAST UPDATE:**

2020-04-16

**SECTION 4: FIRST-AID MEASURES**

of 10 mg/kg every 12 hours; after 48 hours, increase bolus dose to 15 mg/kg every 12 hours. Continue fomepizole until serum methanol, EG, DEG, TEG or EGBE are undetectable. The signs and symptoms of poisoning include anion gap metabolic acidosis, CNS depression, renal tubular injury, and possible late stage cranial nerve involvement. Respiratory symptoms, including pulmonary edema, may be delayed. Persons receiving significant exposure should be observed 24-48 hours for signs of respiratory distress. Maintain adequate ventilation and oxygenation of the patient. In severe poisoning, respiratory support with mechanical ventilation and positive end expiratory pressure may be required. If lavage is performed, suggest endotracheal and/or esophageal control. Danger from lung aspiration must be weighed against toxicity when considering emptying the stomach. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.

**If irritation occurs or persists, get medical attention.**

[Back to Top](#)

**SECTION 5: FIRE-FIGHTING MEASURES**

<b>Suitable Extinguishing Media:</b>	Water fog, alcohol foam, dry chemical.
<b>Unsuitable Extinguishing Media:</b>	Direct water stream.
<b>Flammability:</b>	Not flammable.
<b>Flash Point:</b>	Not flammable.
<b>Special Firefighting Procedures:</b>	Wear NIOSH/MSHA approved, self-contained breathing apparatus for firefighting situation. Use water spray to cool all nearby fire exposed surfaces.
<b>Unusual Fire / Explosion Hazards:</b>	Flammable hydrogen may be generated from contact with metals such as aluminum. Avoid contact with nitrites, strong acids, halogenated hydrocarbons.
<b>Hazardous Decomposition Products:</b>	Oxides of sodium, carbon, and other unidentifiable organic compounds.

[Back to Top](#)

**SECTION 6: ACCIDENTAL RELEASE MEASURES**

<b>Environmental Protection Precautions:</b>	Do not release to the environment or water source.
<b>Steps to be Taken in Case Material is Released or Spilled:</b>	Wear protective equipment. Soak up spills with absorbents, then dispose of in an appropriate waste container. Keep material away from sewers. Reuse if possible. Otherwise dispose recovered material in accordance with all local, Provincial or Federal regulations.

[Back to Top](#)

**PREPARED BY:**

Regulatory Division  
Project Clean Inc.  
(formerly Maxim Chemical International Inc.)

**LAST UPDATE:**

2020-04-16

**SECTION 7: HANDLING AND STORAGE**

<b>Precautions to be Taken in Handling and Storage:</b>	Use good industrial hygiene. Do not get in eyes. Avoid contact with skin and clothing. Avoid breathing sprays or mists. Store in a cool, dry place away from incompatibles. Keep container closed when not in use. Do not mix with any other chemicals. Store at temperatures below 30oC (86oF) and keep from freezing. Do not store in aluminum, copper, copper alloys and galvanized containers.
---	--

[Back to Top](#)**SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION****EXPOSURE LIMITS:**

OSHA (PEL): N/A	ACGIH TLV: N/A	Other exposure limit: N/A
-----------------	----------------	---------------------------

**INDIVIDUAL PROTECTION MEASURES / PERSONAL PROTECTIVE EQUIPMENT**

<b>Appropriate Engineering Controls:</b>	Mechanical or good general ventilation.
<b>Skin Protection:</b>	Butyl rubber, neoprene, latex or nitrile gloves. Personal protective equipment for the body should be selected based on the task being performed and the risks involved. Appropriate footwear should be selected based on the task being performed and the risks involved.
<b>Eye and Face Protection:</b>	Safety glasses or chemical goggles. Face shield if splashing hazard exists.
<b>Respiratory Protection:</b>	Good general ventilation or local exhaust ventilation for spraying and misting in confined areas.
<b>Other Protective Equipment:</b>	Eye wash, safety shower and full protective clothing recommended in the immediate work area. Rubber boots.

[Back to Top](#)**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

<b>Appearance:</b>	Clear, pink liquid.
<b>Odour:</b>	Lemon.
<b>Odour threshold:</b>	N/A
<b>pH:</b>	13.0 - 14.0
<b>Melting point/Freezing point:</b>	N/A
<b>Initial boiling point and boiling range:</b>	N/A
<b>Flash Point:</b>	> 100°C
<b>Evaporation Rate (Water=1):</b>	N/A
<b>Flammability:</b>	Not flammable

**PREPARED BY:**

Regulatory Division  
Project Clean Inc.  
(formerly Maxim Chemical International Inc.)

**LAST UPDATE:**

2020-04-16

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES	
Upper/Lower flammability or explosive limits:	None
Vapour pressure:	N/A
Vapour density:	N/A
Relative density/Specific gravity (Water = 1):	1.04 @ 20 °C
Solubility(ies):	Soluble in water
Partition coefficient: n-octanol/water:	N/A
Auto-ignition temperature:	Not flammable
Decomposition temperature:	N/A
Viscosity:	Thin like water.
VOCs:	N/A

[Back to Top](#)

SECTION 10: STABILITY AND REACTIVITY	
Reactivity:	N/A
Chemical stability:	Stable under normal storage conditions.
Possibility of hazardous reactions:	Avoid contact with acid/oxidizers.
Conditions to avoid:	Temperatures above 30°C and below 5°C. Avoid contact with incompatible materials.
Incompatibility:	Metals such as aluminum, brass, copper. Nitrites, strong acids, halogenated hydrocarbons.
Hazardous Decomposition Products:	Oxides of sodium, carbon, and other unidentifiable organic compounds.

[Back to Top](#)

SECTION 11: TOXICOLOGICAL INFORMATION	
Likely routes of exposure:	Ingestion, skin and eye contact.
Symptoms:	Corrosive to eyes and skin.
Acute Toxicity Estimates:	LD <sub>50</sub> Oral ATE > 2000 mg/kg
	LD <sub>50</sub> Dermal ATE > 2000 mg/kg
	LD <sub>50</sub> Inhalation ATE: N/A
Skin Sensitization:	< 0.1% of the components are classified as skin sensitizer.
Germinal Cell Mutagenicity:	Data available on components indicates no potential germinal cell mutagenicity.
Reproductive Toxicity:	Data available on components indicates no potential reproductive toxicity.
Carcinogenicity:	This product contains < 0.05% Diethanolamine (CAS# 111-42-2) which is listed as Group 2B carcinogen by IARC.

**PREPARED BY:**

Regulatory Division  
Project Clean Inc.  
(formerly Maxim Chemical International Inc.)

**LAST UPDATE:**

2020-04-16

## SECTION 11: TOXICOLOGICAL INFORMATION

<b>Aspiration Hazard:</b>	10% of the components are classified as aspiration hazard.
---------------------------	--

[Back to Top](#)

## SECTION 12: ECOLOGICAL INFORMATION

<b>Toxicity to Fresh Water Algae:</b>	N/A
<b>Toxicity to Fish Species:</b>	<p><b>Sodium Metasilicate (CAS# 6834-92-0):</b> LC<sub>50</sub> (Brachydanio rerio) 210 mg/L, Exposure Time: 96h, Test Type: semi-static</p> <p><b>2-Butoxyethanol (CAS# 111-76-2) :</b> LC<sub>50</sub> (Lepomis macrochirus) 1490 mg/L, Exposure Time: 96 h, Test Type: Static</p>
<b>Toxicity to Aquatic Invertebrates:</b>	<p><b>2-Butoxyethanol (CAS# 111-76-2):</b> EC<sub>50</sub> (Daphnia magna (water flea)): &gt;1000 mg/L, Exposure Time: 48 h, Test Type: N/A</p>
<b>Persistence and degradability:</b>	N/A

[Back to Top](#)

## SECTION 13: DISPOSAL CONSIDERATIONS

<b>Recommended Waste Disposal Methods:</b>	Reuse if possible. Otherwise dispose recovered material in accordance with all local, Provincial or Federal regulations.
--	--

[Back to Top](#)

## SECTION 14: TRANSPORT INFORMATION

<b>Canadian TDG UN Number:</b>	3266
<b>UN Proper Shipping Name:</b>	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (potassium hydroxide, sodium metasilicate)
<b>Transport Hazard Class(es):</b>	8
<b>Packing Group:</b>	II
<b>Environmental Hazards:</b>	Not available.
<b>Special Precautions for User:</b>	Not available.
<b>Additional Information:</b>	Not available.

[Back to Top](#)

## SECTION 15: REGULATORY INFORMATION

<b>HAZARD RATING INFORMATION</b>	<b>HMIS</b>		
<p>4 = Extreme</p> <p>3 = High</p> <p>2 = Moderate</p>	<table border="1"> <tr> <td><b>3</b></td> <td>Health</td> </tr> </table>	<b>3</b>	Health
<b>3</b>	Health		


## PREPARED BY:

Regulatory Division  
Project Clean Inc.  
(formerly Maxim Chemical International Inc.)

## LAST UPDATE:

2020-04-16



SECTION 15: REGULATORY INFORMATION							
<b>1 = Slight</b> <b>0 = Insignificant</b>	<table border="1"> <tr> <td><b>0</b></td> <td>Flammability</td> </tr> <tr> <td><b>0</b></td> <td>Reactivity</td> </tr> <tr> <td><b>B</b></td> <td>Personal protection</td> </tr> </table> <p>B = Safety glasses + Gloves</p>	<b>0</b>	Flammability	<b>0</b>	Reactivity	<b>B</b>	Personal protection
<b>0</b>	Flammability						
<b>0</b>	Reactivity						
<b>B</b>	Personal protection						
<b>HMIS Protection</b> <b>Group B</b>							
<p>All pertinent hazard information has been provided in this SDS, per the requirements of the U.S. Federal Occupational Safety and Health Administration Standard (29 CFR 1910.1200), U.S. State equivalent Standards, and the Canadian Workplace Hazardous Materials Identification System Standards (CPR 4).</p>							

SECTION 16: OTHER INFORMATION	
ACRONYM LIST	
<b>ACGIH</b>	American Conference of Governmental Industrial Hygienists
<b>ATE</b>	Acute Toxicity Estimate
<b>CAS</b>	Chemical Abstracts Service
<b>CFR</b>	Code of Federal Regulations
<b>DSL/NDSL</b>	Domestic Substances List/ Non-domestic Substance List
<b>EC<sub>50</sub></b>	Half maximal effective concentration
<b>HMIS</b>	Hazardous Materials Identification System
<b>IARC</b>	International Agency for Research on Cancer
<b>LC<sub>50</sub></b>	Lethal concentration, 50%
<b>LD<sub>50</sub></b>	Lethal dose, 50%
<b>MSHA</b>	Mine Safety and Health Administration
<b>N/A</b>	Not Available
<b>NIOSH</b>	The National Institute for Occupational Safety and Health
<b>N.O.S.</b>	Not Otherwise Specified
<b>NTP</b>	National Toxicology Program

**PREPARED BY:**

Regulatory Division  
 Project Clean Inc.  
 (formerly Maxim Chemical International Inc.)

**LAST UPDATE:**

2020-04-16

SECTION 16: OTHER INFORMATION	
<b>OSHA</b>	Occupational Safety and Health Administration
<b>PEL</b>	Permissible Exposure Limit
<b>PNOC</b>	Particulates not otherwise classified
<b>PMMCC</b>	Pensky-Martens Closed Cup
<b>P<sub>ow</sub></b>	Partition Coefficient Octanol: Water
<b>SDS</b>	Safety Data Sheets
<b>STOT – SE</b>	Specific Target Organ Toxicity – Single Exposure
<b>STOT – RE</b>	Specific Target Organ Toxicity – Repeated Exposure
<b>TDG</b>	Transportation of Dangerous Goods
<b>TLV</b>	Threshold Limit Value
<b>UN</b>	United Nations
<b>VOCs</b>	Volatile Organic Compounds
<b>WEL</b>	Workplace Exposure Limit
<b>WHMIS</b>	Workplace Hazardous Materials Information System

It is the responsibility of the user to provide a safe workplace, using the health and safety information contained herein as a guide. Project Clean Inc. (formerly Maxim Chemical International Inc.) will accept no liability for damages or loss incurred from the improper handling and use of this product.

The information provided in the Safety Data Sheet has been obtained from current sources and is believed to be reliable.