

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015) Issue date: 10/3/2022 Revision date: 4/4/2023 Version: 1.1

SECTION 1: Identification

1.1. Product identifier

Product name : BOWL CLEANER

Product code : 1300150

1.2. Recommended use and restrictions on use

Recommended use : Inhibited hydrochloric acid bowl cleaner and rust remover.

Restrictions on use : Industrial and Institutional use only

1.3. Supplier

Project Clean Inc.

12 James St N, Suite 201A Hamilton, ON L8R 2J9

Canada

T 1 800 663 9925

regulatory@projectclean.com - www.projectclean.ca

1.4. Emergency telephone number

Country	Organization/Company	Address	Emergency number	Comment
	CHEMTREC Chemical Emergency	www.chemtrec.com	1 800 424 9300	24hr/day 7days/week within USA and Canada
Canada	CANUTEC Transportation Emergencies	www.canutec.com		24hr/day 7days/week within USA and Canada

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Classification (GHS CA)

Corrosive to metals, Category 1	H290	May be corrosive to metals.
Skin corrosion/irritation, Category 1	H314	Causes severe skin burns and eye damage.
Serious eye damage/eye irritation, Category 1	H318	Causes serious eye damage.
Specific target organ toxicity - Single exposure,	H336	May cause drowsiness or dizziness.

Category 3, Narcosis

Full text of H-statements: see section 16

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

2.2. GHS Label elements, including precautionary statements

GHS CA labelling

CA)

Hazard pictograms (GHS CA)





Signal word (GHS CA) : Danger

Hazard statements (GHS CA) : H290 - May be corrosive to metals.

H314 - Causes severe skin burns and eye damage.

H318 - Causes serious eye damage.

H336 - May cause drowsiness or dizziness.

Precautionary statements (GHS

GHS: P234 - Keep only in original container.

P260 - Do not breathe fume or mis or vapours or spray.

P261 - Avoid breathing fume or mist or vapours or spray.

P264 - Wash hands, forearms and face thoroughly after handling.

P271 - Use only outdoors or in a well-ventilated area.

P280 - Wear protective gloves, protective clothing and eye protection or

face protection.

P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce

vomiting

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all

contaminated clothing. Rinse skin with water.

P304+P340 - IF INHALED: Remove person to fresh air and keep

comfortable for breathing.

P305+P351+P338 – IF IN EYES: Rinse cautiously with water for several

minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

P310 - Immediately call a POISON CENTER or doctor.

P312 - Call a POISON CENTER or doctor if you feel unwell.

P321 - Specific treatment (see supplemental first aid instruction on the

product SDS).

P363 - Wash contaminated clothing before reuse.

P390 - Absorb spillage to prevent material damage.

P403+P233 - Store in a well-ventilated place. Keep container tightly

closed.

P405 - Store locked up.

P406 - Store in corrosive resistant container with a resistant inner liner.

P501 - Dispose of contents and or container to city, provicial, or federal

regulations.

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Cau2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS CA)

No data available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Chemical name / Synonyms	Product identifier	% w/w
Hydrochloric acid	Muriatic acid	CAS-No.: 7647-01-0	10 - 30
C9-11, Ethoxylated Alcohol	(C9-C11) Alkyl alcohol, ethoxylate	CAS-No.: 68439-46-3	1 - 5

^{*}The exact concentrations have been withheld as a trade secret. Les concentrations exactes ont été retenues en tant que secret commercial.

Full text of hazard classes and H-statements: see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation

: Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Rinse skin with water or shower. Take off immediately all

contaminated clothing. Call a physician immediately.

: Rinse cautiously with water for several minutes. Remove contact First-aid measures after eye contact

lenses, if present and easy to do. Continue rinsing. Call a physician

immediately.

First-aid measures after ingestion

: Rinse mouth. Do not induce vomiting. Call a physician immediately.

First-aid measures general

: Call a physician immediately.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects : May cause drowsiness or dizziness.

Symptoms/effects after skin contact : Burns.

Symptoms/effects after eye contact : Serious damage to eyes.

Symptoms/effects after ingestion : Burns.

Chronic symptoms : Inflammation or damage of the eye tissue. Skin rash or inflammation.

Expected Symptoms/Effects, Acute : May cause severe burns. Corrosion of the eye tissue.

and Delayed

4.3. Immediate medical attention and special treatment, if necessary

No additional information available

4/4/2023 (Revision date) EN (English) 3/11

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Unsuitable extinguishing media

No additional information available

5.3. Specific hazards arising from the hazardous product

No additional information available

5.4. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment.

Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

General measures : Avoid contact with skin and eyes. Do not handle until all safety precautions have

been read and understood. Clean up any spills as soon as possible, using an

absorbent material to collect it.

6.1.1. For non-emergency personnel

Protective equipment : Chemical goggles or face shield with safety glasses. Standard EN 374 - Protective

gloves against chemicals. Protective clothing (EN 14605 or EN 13034).

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe fume,

mist, vapours, or spray.

6.1.2. For emergency responders

Protective equipment: Do not attempt to take action without suitable protective equipment. For further

information refer to section 8: "Exposure controls or personal protection".

Emergency procedures : Evacuate unnecessary personnel. Ventilate area. Prevent from entering sewers,

basements and workpits, or any place where its accumulation can be dangerous.

Cover spill with non combustible material, e.g.: sand or earth.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Use only outdoors or in a well-ventilated area. Avoid contact with skin

and eyes. Do not breathe fume, mist, vapours, or spray. Wear

personal protective equipment.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke

when using this product. Always wash hands after handling the

product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in corrosive resistant container with a resistant inner liner. Keep

only in original container. Store locked up. Keep container tightly

closed. Store in dry, cool, well-ventilated area.

Incompatible materials : Metals.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Materials for protective clothing:

Nitrile rubber/PVC

Hand protection:

Protective gloves against chemicals (EN 374)

Eye protection:

Chemical goggles or face shield

Skin and body protection:

Protective clothing (EN 14605 or EN 13034)

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):







SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Opaque. white liquid.

Colour : Opaque

Odour : Apple fragrance

Odour threshold : No data available

pH : 1 – 2

Relative evaporation rate (butylacetate=1) : No data available

Relative evaporation rate (ether=1) : No data available

Melting point : No data available

Freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : Not flammable

Auto-ignition temperature : Not self-igniting

Decomposition temperature : No data available

Upper and lower flammability or explosive limit : No data available Vapour pressure : No data available

Relative vapour density at 20°C : No data available

Relative density : 1 - 1.2

Solubility : soluble in water.

Partition coefficient n-octanol/water (Log Pow) : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : Thin like water Explosive properties : Not explosive.

Explosive limits : No data available

9.2. Other information

No additional information available

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

SECTION 10: Stability and reactivity

Reactivity : No additional information available
Chemical stability : No additional information available
Possibility of hazardous reactions : No additional information available
Conditions to avoid : No additional information available

Incompatible materials : metals.

Hazardous decomposition products : No additional information available Hardening time: : No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

BOWL CLEANER		
ATE oral rat	55341.365	
C9-11, Ethoxylated Alcohol (68439-46-3)		
LD50 oral rat	1378 mg/kg (Rat, Oral)	
LD50 dermal rabbit	> 2000 mg/kg (Rabbit, Dermal)	
ATE CA (oral)	1378 mg/kg bodyweight	

Skin corrosion/irritation : Causes severe skin burns.
Serious eye damage/irritation : Causes serious eye damage.

Respiratory or skin sensitization : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified

STOT-single exposure : May cause drowsiness or dizziness.

Hydrochloric acid (7647-01-0)	
STOT-single exposure	May cause drowsiness or dizziness.

STOT-repeated exposure : Not classified
Aspiration hazard : Not classified

Likely routes of exposure : Skin and eyes contact. Ingestion.

Expected Symptoms/Effects, Acute and Delayed : May cause severe burns. Corrosion of the eye tissue.

Symptoms/effects : May cause drowsiness or dizziness.

Symptoms/effects after skin contact : Burns.

4/4/2023 (Revision date) EN (English) 7/11

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Symptoms/effects after eye contact

: Serious damage to eyes.

Symptoms/effects after ingestion

: Burns.

Chronic symptoms

: Inflammation or damage of the eye tissue. Skin rash or

inflammation.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Before neutralisation, the product may represent a danger to aquatic

organisms.

Hazardous to the aquatic environment, short-term (acute) : Not classified Hazardous to the aquatic environment, long-term (chronic) : Not classified

Partition coefficient n-octanol/water (Log Kow) No data available

12.2. Persistence and degradability

Persistence and degradability Not readily biodegradable in the soil.

Hydrochloric acid (7647-01-0)		
Persistence and degradability	Biodegradability: not applicable.	
C9-11, Ethoxylated Alcohol (68439-46-3)		
Persistence and degradability	Readily biodegradable in water.	

12.3. Bioaccumulative potential

Bioaccumulative potential No bioaccumulation data available.

Partition coefficient n-octanol/water (Log Kow) No data available

Hydrochloric acid (7647-01-0)		
Bioaccumulative potential	Not bioaccumulative.	
C9-11, Ethoxylated Alcohol (68439-46-3)		
Bioaccumulative potential	No bioaccumulation data available.	

12.4. Mobility in soil

Ecology - soil	No (test) data on mobility of the substance available.
Partition coefficient n-octanol/water	No data available
(Log Kow)	

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Hydrochloric acid (7647-01-0)	
	No (test)data on mobility of the component(s) available. May be harmful to plant growth, blooming and fruit formation.

12.5. Other adverse effects

Ozone : Not classified

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents and or container in accordance with licensed

collector's sorting instructions.

Product/Packaging disposal

recommendations

: Non-refillable container. Do not reuse or refill this container. Offer for recycling, if available or puncture and dispose of in a sanitary landfill.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

14.1. UN number

UN-No. (TDG) : UN1789

14.2. UN proper shipping name

Proper Shipping Name (TDG) : HYDROCHLORIC ACID

Transport document description (TDG) : UN1789 HYDROCHLORIC ACID, 8, III

14.3. Transport hazard class(es)

TDG

Transport hazard class(es) (TDG) : 8
Hazard labels (TDG) : 8



14.4. Packing group

Packing group (TDG) : III

14.5. Environmental hazards

Other information : No supplementary information available.

14.6. Special precautions for user

TDG

UN-No. (TDG) : UN1789

Explosive Limit and Limited Quantity Index : 5 L

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Excepted quantities (TDG) : E1
Passenger Carrying Road Vehicle or : 5 L

Passenger Carrying Railway Vehicle Index

Emergency Response Guide (ERG) : 157

Number

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. National regulations

Hydrochloric acid (7647-01-0)

Listed on the Canadian DSL (Domestic Substances List)

C9-11, Ethoxylated Alcohol (68439-46-3)

Listed on the Canadian DSL (Domestic Substances List)

15.2. International regulations

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

Hydrochloric acid (7647-01-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

C9-11, Ethoxylated Alcohol (68439-46-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

SECTION 16: Other information

Issue date : 10/03/2022 Revision date : 04/04/2023

Full text of H-statements:	
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H336	May cause drowsiness or dizziness.

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

It is the responsibility of the user to provide a safe workplace, using the health and safety information contained herein as a guide. Project Clean Inc. will accept no liability for damages or loss incurred from the improper handling and use of this product.

The information provided in the Safety Data Sheet has been obtained from current sources and is believed to be reliable.