

## SECTION 1: Identification

### 1.1. Product identifier

Product name : FLOOR FINISH 18

Product code : A210060

### 1.2. Recommended use and restrictions on use

Recommended use : Zinc-free floor finish

Restrictions on use : Industrial and Institutional use only

### 1.3. Supplier

Project Clean Inc.

12 James St N, Suite 201A

Hamilton, ON L8R 2J9

Canada

T 1 800 663 9925

[regulatory@projectclean.com](mailto:regulatory@projectclean.com) - [www.projectclean.ca](http://www.projectclean.ca)

### 1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Canada	CHEMTREC Chemical Emergency	<a href="http://www.chemtrec.com">www.chemtrec.com</a>	1 800 424 9300	24hr/day 7days/week within USA and Canada
Canada	CANUTEC Transportation Emergency	<a href="http://www.canutec.com">www.canutec.com</a>	1 613 996 6666 *666 on a cell phone	24hr/day 7days/week within USA and Canada

## SECTION 2: Hazard identification

### 2.1. Classification of the substance or mixture

#### Classification (GHS CA)

Not classified

### 2.2. GHS Label elements, including precautionary statements

#### GHS CA labelling

No labelling applicable

### 2.3. Other hazards

No additional information available

### 2.4. Unknown acute toxicity (GHS CA)

No data available

# FLOOR FINISH 18

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Chemical name / Synonyms	Product identifier	% w/w
Tributoxy ethyl phosphate	Tributoxyethylphosphate	CAS-No.: 78-51-3	1 – 5
Glycol ether DPM	Dipropylene glycol monomethyl ether	CAS-No.: 34590-94-8	1 – 5

*\*The exact concentrations have been withheld as a trade secret. Les concentrations exactes ont été retenues en tant que secret commercial.*

Full text of hazard classes and H-statements : see section 16

### SECTION 4: First-aid measures

#### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.  
First-aid measures after skin contact : Wash skin with plenty of water.  
First-aid measures after eye contact : Rinse eyes with water as a precaution.  
First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

#### 4.2. Most important symptoms and effects (acute and delayed)

Chronic symptoms : No effects known.  
Expected Symptoms/Effects, Acute and Delayed : No irritant effect.

#### 4.3. Immediate medical attention and special treatment, if necessary

Other medical advice or treatment : Treat symptomatically.

### SECTION 5: Fire-fighting measures

#### 5.1. Suitable extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

#### 5.2. Unsuitable extinguishing media

No additional information available

#### 5.3. Specific hazards arising from the hazardous product

Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.4. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

# FLOOR FINISH 18

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

### SECTION 6: Accidental release measures

General measures : Do not handle until all safety precautions have been read and understood. Clean up any spills as soon as possible, using an absorbent material to collect it.

#### 6.1.1. For non-emergency personnel

Protective equipment : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

Emergency procedures : Ventilate spillage area. Reuse if possible. Otherwise dispose recovered material in accordance with all local, Provincial or Federal regulations.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls or personal protection".

Emergency procedures : Ventilate area. Reuse if possible. Otherwise dispose recovered material in accordance with all local, Provincial or Federal regulations. Cover spill with non combustible material, e.g.: sand or earth.

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in dry, cool, well-ventilated area.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### Glycol ether DPM (34590-94-8)

##### Canada (Alberta) - Occupational Exposure Limits

Local name	(2-Methoxymethylethoxy) propanol (Dipropylene glycol methyl ether, DPGME)
------------	---

# FLOOR FINISH 18

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

<b>Glycol ether DPM (34590-94-8)</b>	
OEL TWA	606 mg/m <sup>3</sup>
OEL TWA [ppm]	100 ppm
OEL STEL	909 mg/m <sup>3</sup>
OEL STEL [ppm]	150 ppm
Notations and remarks	Substance may be readily absorbed through intact skin.
Regulatory reference	Alberta Regulation 191/2021
<b>Canada (Quebec) - Occupational Exposure Limits</b>	
Local name	Dipropylene glycolmonomethyl ether
VECD (OEL STEL)	909 mg/m <sup>3</sup>
VECD (OEL STEL) [ppm]	150 ppm
VEMP (OEL TWA)	606 mg/m <sup>3</sup>
VEMP (OEL TWA) [ppm]	100 ppm
Notations and remarks	Pc
Regulatory reference	S-2.1, r. 13 - Regulation respecting occupational health and safety
<b>Canada (British Columbia) - Occupational Exposure Limits</b>	
Local name	Dipropylene glycol methyl ether [bis-(2-Methoxypropyl) ether (DPGME)]
OEL TWA [ppm]	100 ppm
OEL STEL [ppm]	150 ppm
Notations and remarks	Skin
Regulatory reference	OHS Guidelines Part 5: Chemical Agents and Biological Agents (WorkSafe BC)
<b>Canada (Manitoba) - Occupational Exposure Limits</b>	
Local name	Dipropylene glycol methyl ether (DPGME)
OEL TWA [ppm]	50 ppm
Notations and remarks	TLV® Basis: Liver & CNS eff
Regulatory reference	ACGIH 2022
<b>Canada (Newfoundland and Labrador) - Occupational Exposure Limits</b>	
Local name	Dipropylene glycol methyl ether (DPGME)
OEL TWA [ppm]	50 ppm

# FLOOR FINISH 18

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

<b>Glycol ether DPM (34590-94-8)</b>	
Notations and remarks	TLV® Basis: Liver & CNS eff
Regulatory reference	ACGIH 2022
<b>Canada (Nova Scotia) - Occupational Exposure Limits</b>	
Local name	Dipropylene glycol methyl ether (DPGME)
OEL TWA [ppm]	50 ppm
Notations and remarks	TLV® Basis: Liver & CNS eff
Regulatory reference	ACGIH 2022
<b>Canada (Nunavut) - Occupational Exposure Limits</b>	
Local name	Dipropylene glycol methyl ether (DPGME)
OEL TWA [ppm]	100 ppm
OEL STEL [ppm]	150 ppm
Notations and remarks	Skin
Regulatory reference	Occupational Health and Safety Regulations, Nu Reg 003-2016 (Amendment R-044-2021)
<b>Canada (Northwest Territories) - Occupational Exposure Limits</b>	
Local name	Dipropylene glycol methyl ether (DPGME)
OEL TWA [ppm]	100 ppm
OEL STEL [ppm]	150 ppm
Notations and remarks	Skin
Regulatory reference	Occupation Health and Safety Regulations R-039-2015 (R-013-2020)
<b>Canada (Ontario) - Occupational Exposure Limits</b>	
Local name	(2-Methoxymethylethoxy)propanol (DPGME)
OEL TWA [ppm]	100 ppm
OEL STEL [ppm]	150 ppm
Notations and remarks	Skin
Regulatory reference	Ontario Occuational Exposure Limits under Regulation 833
<b>Canada (Prince Edward Island) - Occupational Exposure Limits</b>	
Local name	Dipropylene glycol methyl ether (DPGME)

# FLOOR FINISH 18

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

<b>Glycol ether DPM (34590-94-8)</b>	
OEL TWA [ppm]	50 ppm
Notations and remarks	TLV® Basis: Liver & CNS eff
Regulatory reference	ACGIH 2022
<b>Canada (Saskatchewan) - Occupational Exposure Limits</b>	
Local name	Dipropylene glycol methyl ether (DPGME)
OEL TWA [ppm]	100 ppm
OEL STEL [ppm]	150 ppm
Notations and remarks	Skin
Regulatory reference	The Occupational Health and Safety Regulations, 2020. Chapter S-15.1 Reg 10
<b>USA - ACGIH - Occupational Exposure Limits</b>	
Local name	Dipropylene glycol methyl ether (DPGME)
ACGIH OEL TWA [ppm]	50 ppm
Remark (ACGIH)	TLV® Basis: Liver & CNS eff
Regulatory reference	ACGIH 2022
<b>USA - OSHA - Occupational Exposure Limits</b>	
Local name	Dipropylene glycol methyl ether
OSHA PEL TWA [1]	600 mg/m <sup>3</sup>
OSHA PEL TWA [2]	100 ppm
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1

### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.  
Environmental exposure controls : Avoid release to the environment.

### 8.3. Individual protection measures/Personal protective equipment

#### Personal protective equipment:

Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

#### Skin and body protection:

Not required for normal conditions of use

# FLOOR FINISH 18

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

### Personal protective equipment symbol(s):



## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Milky white liquid.
Colour	: milky
Odour	: Slight ammonia odour
Odour threshold	: No data available
pH	: 7.5 – 8.5
Relative evaporation rate (butylacetate=1)	: No data available
Relative evaporation rate (ether=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: Non flammable
Auto-ignition temperature	: Not self-igniting
Decomposition temperature	: No data available
Upper and lower flammability or explosive limit	: No data available Non-flammable
Vapour pressure	: No data available
Relative vapour density at 20°C	: No data available
Relative density	: 1 – 1.05
Solubility	: Soluble in water.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: Thin like water
Explosive properties	: Not explosive.
Explosive limits	: No data available

### 9.2. Other information

No additional information available

# FLOOR FINISH 18

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

### SECTION 10: Stability and reactivity

Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use.
Conditions to avoid	: None under recommended storage and handling conditions (see section 7).
Incompatible materials	: No additional information available
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Hardening time:	: No additional information available

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified.
Acute toxicity (inhalation)	: Not classified.

<b>FLOOR FINISH 18</b>	
ATE CA (Dermal)	73333 mg/kg bodyweight
ATE CA (vapours)	100 mg/l/4h
ATE CA (dust,mist)	100 mg/l/4h
<b>Tributoxy ethyl phosphate (78-51-3)</b>	
LD50 oral rat	> 5000 mg/kg (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral)
LD50 dermal rabbit	> 2040 mg/kg bodyweight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Experimental value, Dermal)
LC50 Inhalation - Rat	> 6.4 mg/l (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Inhalation (aerosol))
ATE CA (Dermal)	1100 mg/kg bodyweight
ATE CA (Gases)	4500 ppmv/4h
ATE CA (vapours)	11 mg/l/4h
ATE CA (dust,mist)	1.5 mg/l/4h



# FLOOR FINISH 18

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

### Glycol ether DPM (34590-94-8)

LD50 oral rat	> 5000 mg/kg (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rat	> 19020 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LD50 dermal rabbit	9510 mg/kg bodyweight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male, Experimental value, Dermal, 14 day(s))
LC50 Inhalation - Rat	> 3000 mg/m <sup>3</sup> Source: ECHA
ATE CA (Dermal)	9510 mg/kg bodyweight

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified

### Tributoxy ethyl phosphate (78-51-3)

STOT-single exposure	May cause respiratory irritation.
----------------------	-----------------------------------

### Glycol ether DPM (34590-94-8)

STOT-single exposure	May cause respiratory irritation.
----------------------	-----------------------------------

STOT-repeated exposure	: Not classified
------------------------	------------------

### Glycol ether DPM (34590-94-8)

NOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: other:
----------------------------	--

Aspiration hazard	: Not classified
Likely routes of exposure	: Skin and eyes contact. Ingestion.
Expected Symptoms/Effects, Acute and Delayed	: No irritant effect.
Chronic symptoms	: No effects known.

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified

# FLOOR FINISH 18

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Hazardous to the aquatic environment, long-term (chronic) : Not classified

Partition coefficient n-octanol/water (Log Kow) No data available

<b>Glycol ether DPM (34590-94-8)</b>	
LC50 - Fish [1]	> 1000 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Poecilia reticulata, Static system, Fresh water, Experimental value, GLP)
EC50 - Other aquatic organisms [1]	1930 mg/l Test organisms (species): other aquatic crustacea:
ErC50 algae	> 969 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)
EC50 72h - Algae [1]	> 969 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 96h - Algae [1]	> 969 mg/l Source: ECHA
NOEC (chronic)	≥ 0.5 mg/l Test organisms (species): Daphnia magna Duration: '22 d'
Partition coefficient n-octanol/water (Log Pow)	0.004 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
LOEC (chronic)	0.5 mg/l Test organisms (species): Daphnia magna Duration: '22 d'

### 12.2. Persistence and degradability

Persistence and degradability

The polymers are not biodegradable, but they would be removed in biological wastewater treatment plants by adsorption to biosolids. No bioconcentration of the polymeric component is expected.

<b>Tributoxy ethyl phosphate (78-51-3)</b>	
Persistence and degradability	Inherently biodegradable.
Chemical oxygen demand (COD)	1.839 g O <sub>2</sub> /g substance

<b>Glycol ether DPM (34590-94-8)</b>	
Persistence and degradability	Readily biodegradable in water.
Biochemical oxygen demand (BOD)	0 g O <sub>2</sub> /g substance
ThOD	2.06 g O <sub>2</sub> /g substance

# FLOOR FINISH 18

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

### 12.3. Bioaccumulative potential

Bioaccumulative potential Not established.

Partition coefficient n-octanol/water (Log Kow) No data available

#### Tributoxy ethyl phosphate (78-51-3)

Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4).

Partition coefficient n-octanol/water (Log Pow) 3.75 (Experimental value)

#### Glycol ether DPM (34590-94-8)

Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4).

Partition coefficient n-octanol/water (Log Pow) 0.004 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C)

Organic Carbon Normalized Adsorption Coefficient (Log Koc) 1 (log Koc, SRC PCKOCWIN v2.0, Calculated value)

### 12.4. Mobility in soil

Ecology - soil No (test) data on mobility of the substance available.

Partition coefficient n-octanol/water (Log Kow) No data available

#### Tributoxy ethyl phosphate (78-51-3)

Surface tension 32.7 mN/m (20 °C, 90 %, EU Method A.5: Surface tension)

Ecology - soil No (test) data on mobility of the substance available.

Partition coefficient n-octanol/water (Log Pow) 3.75 (Experimental value)

#### Glycol ether DPM (34590-94-8)

Surface tension 68.7 mN/m (20 °C, 1 g/l, OECD 115: Surface Tension of Aqueous Solutions)

Ecology - soil Highly mobile in soil. Not toxic to plants.

Organic Carbon Normalized Adsorption Coefficient (Log Koc) 1 (log Koc, SRC PCKOCWIN v2.0, Calculated value)

Partition coefficient n-octanol/water (Log Pow) 0.004 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C)

### 12.5. Other adverse effects

Ozone : Not classified

# FLOOR FINISH 18

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

### SECTION 13: Disposal considerations

#### 13.1. Disposal methods

- Waste treatment methods : Reuse if possible. Otherwise dispose recovered material in accordance with all local, Provincial or Federal regulations.
- Product/Packaging disposal recommendations : Reuse if possible. Otherwise dispose recovered material in accordance with all local, Provincial or Federal regulations.
- Ecology - waste materials : Avoid release to the environment.

### SECTION 14: Transport information

#### 14.1. UN number

Not regulated for transport

#### 14.2. UN proper shipping name

Proper Shipping Name (TDG) : Not applicable

#### 14.3. Transport hazard class(es)

##### TDG

Transport hazard class(es) (TDG) : Not applicable

#### 14.4. Packing group

Packing group (TDG) : Not applicable

#### 14.5. Environmental hazards

Other information : No supplementary information available.

#### 14.6. Special precautions for user

##### TDG

No data available

#### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

### SECTION 15: Regulatory information

#### 15.1. National regulations

##### **Tributoxy ethyl phosphate (78-51-3)**

Listed on the Canadian DSL (Domestic Substances List)

# FLOOR FINISH 18

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

### Glycol ether DPM (34590-94-8)

Listed on the Canadian DSL (Domestic Substances List)

### 15.2. International regulations

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

### Tributoxy ethyl phosphate (78-51-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on INSQ (Mexican National Inventory of Chemical Substances)

### Glycol ether DPM (34590-94-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on INSQ (Mexican National Inventory of Chemical Substances)

## SECTION 16: Other information

Issue date : 01/11/2023

It is the responsibility of the user to provide a safe workplace, using the health and safety information contained herein as a guide. Project Clean Inc. will accept no liability for damages or loss incurred from the improper handling and use of this product.

The information provided in the Safety Data Sheet has been obtained from current sources and is believed to be reliable.