

SECTION 1: Identification

1.1. Product identifier

Product name : MAXICOAT
Product code : P303695

1.2. Recommended use and restrictions on use

Recommended use : Floor finish cleaner restorer
Restrictions on use : Industrial and Institutional use only

1.3. Supplier

Project Clean Inc.
12 James St N, Suite 201A
Hamilton, Ontario L8R 2J9
T 1 800 663 9925
regulatory@projectclean.com - www.projectclean.ca

1.4. Emergency telephone number

| Country | Organisation/Company | Address | Emergency number | Comment |
|---------|-------------------------------------|------------------|----------------------------------------|----------------------------------------------|
| Canada | CHEMTREC Chemical Emergency | www.chemtrec.com | 1 800 424 9300 | 24hr/day 7days/week within USA and Canada |
| Canada | CANUTEC Transportation Emergency | www.canutec.com | 1 613 996 6666 *666 on a cell phone | 24hr/day 7days/week within USA and Canada |

SECTION 2: Hazard identification


2.1. Classification of the substance or mixture

Classification (GHS CA)

Skin sensitisation, Category 1 H317 May cause an allergic skin reaction.
Full text of H-statements: see section 16

2.2. GHS Label elements, including precautionary statements

GHS CA labelling

Hazard pictograms (GHS CA) : 

Signal word (GHS CA) : Warning

MAXICOAT

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

| | |
|-----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Hazard statements (GHS CA) | : H317 - May cause an allergic skin reaction. |
| Precautionary statements (GHS CA) | : P261 - Avoid breathing fume, mist, vapours, or spray. P272 - Contaminated work clothing should not be allowed out of the workplace. P280 - Wear protective gloves and protective clothing. P302+P352 - IF ON SKIN: Wash with plenty of water. P321 - Specific treatment (see supplemental first aid instruction in Section 4 or on the product SDS). P333+P313 - If skin irritation or rash occurs: Get medical advice or attention. P362+P364 - Take off contaminated clothing and wash it before reuse. P501 - Dispose of contents and or container to hazardous or special waste collection point, in accordance with local, regional, national and or international regulation. |

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS CA)

No data available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Chemical name / Synonyms | Product identifier | % w/w |
|--------------------------------|-------------------------------------|---------------------|---------|
| Glycol ether DPM | Dipropylene glycol monomethyl ether | CAS-No.: 34590-94-8 | 7 – 13 |
| Tributoxy ethyl phosphate | Tributoxyethylphosphate | CAS-No.: 78-51-3 | 1 – 5 |
| Zinc ammonia carbonate complex | Tetraamminezinc(2+) carbonate (1:1) | CAS-No.: 38714-47-5 | 0.1 – 1 |

**The exact concentrations have been withheld as a trade secret. Les concentrations exactes ont été retenues en tant que secret commercial.*

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

| | |
|---------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|
| First-aid measures after inhalation | : Remove person to fresh air and keep comfortable for breathing. |
| First-aid measures after skin contact | : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice or attention. |

MAXICOAT

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact : May cause an allergic skin reaction.

Chronic symptoms : Dry skin. Cracking of the skin.

Expected Symptoms/Effects, Acute and Delayed : May produce an allergic reaction.

4.3. Immediate medical attention and special treatment, if necessary

Other medical advice or treatment : Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Unsuitable extinguishing media

No additional information available

5.3. Specific hazards arising from the hazardous product

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.4. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

General measures : Avoid contact with skin. Do not handle until all safety precautions have been read and understood. Clean up any spills as soon as possible, using an absorbent material to collect it.

6.1.1. For non-emergency personnel

Protective equipment : Gloves (EN 374). Protective clothing (EN 14605 or EN 13034). Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

Emergency procedures : Ventilate spillage area. Avoid breathing fume, mist, vapours, or spray. Avoid contact with skin.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls or personal protection".

MAXICOAT

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Emergency procedures : Ventilate area. Evacuate unnecessary personnel. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous. Reuse if possible. Otherwise dispose recovered material in accordance with all local, Provincial or Federal regulations.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid breathing fume, mist, vapours, or spray. Wear personal protective equipment. Avoid contact with skin.

Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in dry, cool, well-ventilated area.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| Glycol ether DPM (34590-94-8) | |
|-------------------------------------------------|---------------------------------------------------------------------------|
| Canada (Alberta) - Occupational Exposure Limits | |
| Local name | (2-Methoxymethylethoxy) propanol (Dipropylene glycol methyl ether, DPGME) |
| OEL TWA | 606 mg/m ³ |
| OEL TWA [ppm] | 100 ppm |
| OEL STEL | 909 mg/m ³ |
| OEL STEL [ppm] | 150 ppm |
| Notations and remarks | Substance may be readily absorbed through intact skin. |
| Regulatory reference | Alberta Regulation 191/2021 |
| Canada (Quebec) - Occupational Exposure Limits | |
| Local name | Dipropylene glycolmonomethyl ether |

MAXICOAT

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

| Glycol ether DPM (34590-94-8) | |
|--------------------------------------------------------------------------|----------------------------------------------------------------------------|
| VECD (OEL STEL) | 909 mg/m ³ |
| VECD (OEL STEL) [ppm] | 150 ppm |
| VEMP (OEL TWA) | 606 mg/m ³ |
| VEMP (OEL TWA) [ppm] | 100 ppm |
| Notations and remarks | Pc |
| Regulatory reference | S-2.1, r. 13 - Regulation respecting occupational health and safety |
| Canada (British Columbia) - Occupational Exposure Limits | |
| Local name | Dipropylene glycol methyl ether [bis-(2-Methoxypropyl) ether (DPGME)] |
| OEL TWA [ppm] | 100 ppm |
| OEL STEL [ppm] | 150 ppm |
| Notations and remarks | Skin |
| Regulatory reference | OHS Guidelines Part 5: Chemical Agents and Biological Agents (WorkSafe BC) |
| Canada (Manitoba) - Occupational Exposure Limits | |
| Local name | Dipropylene glycol methyl ether (DPGME) |
| OEL TWA [ppm] | 50 ppm |
| Notations and remarks | TLV® Basis: Liver & CNS eff |
| Regulatory reference | ACGIH 2022 |
| Canada (Newfoundland and Labrador) - Occupational Exposure Limits | |
| Local name | Dipropylene glycol methyl ether (DPGME) |
| OEL TWA [ppm] | 50 ppm |
| Notations and remarks | TLV® Basis: Liver & CNS eff |
| Regulatory reference | ACGIH 2022 |
| Canada (Nova Scotia) - Occupational Exposure Limits | |
| Local name | Dipropylene glycol methyl ether (DPGME) |
| OEL TWA [ppm] | 50 ppm |
| Notations and remarks | TLV® Basis: Liver & CNS eff |
| Regulatory reference | ACGIH 2022 |

MAXICOAT

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

| Glycol ether DPM (34590-94-8) | |
|----------------------------------------------------------------------|------------------------------------------------------------------------------------|
| Canada (Nunavut) - Occupational Exposure Limits | |
| Local name | Dipropylene glycol methyl ether (DPGME) |
| OEL TWA [ppm] | 100 ppm |
| OEL STEL [ppm] | 150 ppm |
| Notations and remarks | Skin |
| Regulatory reference | Occupational Health and Safety Regulations, Nu Reg 003-2016 (Amendment R-044-2021) |
| Canada (Northwest Territories) - Occupational Exposure Limits | |
| Local name | Dipropylene glycol methyl ether (DPGME) |
| OEL TWA [ppm] | 100 ppm |
| OEL STEL [ppm] | 150 ppm |
| Notations and remarks | Skin |
| Regulatory reference | Occupation Health and Safety Regulations R-039-2015 (R-013-2020) |
| Canada (Ontario) - Occupational Exposure Limits | |
| Local name | (2-Methoxymethylethoxy)propanol (DPGME) |
| OEL TWA [ppm] | 100 ppm |
| OEL STEL [ppm] | 150 ppm |
| Notations and remarks | Skin |
| Regulatory reference | Ontario Occupational Exposure Limits under Regulation 833 |
| Canada (Prince Edward Island) - Occupational Exposure Limits | |
| Local name | Dipropylene glycol methyl ether (DPGME) |
| OEL TWA [ppm] | 50 ppm |
| Notations and remarks | TLV® Basis: Liver & CNS eff |
| Regulatory reference | ACGIH 2022 |
| Canada (Saskatchewan) - Occupational Exposure Limits | |
| Local name | Dipropylene glycol methyl ether (DPGME) |
| OEL TWA [ppm] | 100 ppm |
| OEL STEL [ppm] | 150 ppm |
| Notations and remarks | Skin |

MAXICOAT

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

| | |
|---------------------------------------------------|-----------------------------------------------------------------------------|
| Glycol ether DPM (34590-94-8) | |
| Regulatory reference | The Occupational Health and Safety Regulations, 2020. Chapter S-15.1 Reg 10 |
| USA - ACGIH - Occupational Exposure Limits | |
| Local name | Dipropylene glycol methyl ether (DPGME) |
| ACGIH OEL TWA [ppm] | 50 ppm |
| Remark (ACGIH) | TLV® Basis: Liver & CNS eff |
| Regulatory reference | ACGIH 2022 |
| USA - OSHA - Occupational Exposure Limits | |
| Local name | Dipropylene glycol methyl ether |
| OSHA PEL TWA [1] | 600 mg/m ³ |
| OSHA PEL TWA [2] | 100 ppm |
| Regulatory reference (US-OSHA) | OSHA Annotated Table Z-1 |

8.2. Appropriate engineering controls

- Appropriate engineering controls : Ensure good ventilation of the work station.
Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

| |
|--------------------------------------------------------------------------|
| Materials for protective clothing: |
| Nitrile rubber/PVC |
| Hand protection: |
| Protective gloves against chemicals (EN 374) |
| Skin and body protection: |
| Protective clothing |
| Respiratory protection: |
| In case of insufficient ventilation, wear suitable respiratory equipment |

MAXICOAT

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Personal protective equipment symbol(s):



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|-------------------------------------------------|--------------------------------------|
| Physical state | : Liquid |
| Appearance | : Milky white liquid. |
| Colour | : milky |
| Odour | : Slight ammonia odour |
| Odour threshold | : No data available |
| pH | : 7 – 8 |
| Relative evaporation rate (butylacetate=1) | : No data available |
| Relative evaporation rate (ether=1) | : No data available |
| Melting point | : No data available |
| Freezing point | : No data available |
| Initial boiling point and boiling range | : No data available |
| Flash point | : ≥ 100 °C |
| Auto-ignition temperature | : Not self-igniting |
| Decomposition temperature | : No data available |
| Upper and lower flammability or explosive limit | : No data available Not flammable |
| Vapour pressure | : No data available |
| Relative vapour density at 20°C | : No data available |
| Relative density | : 1 – 1.05 |
| Solubility | : Soluble in water. |
| Partition coefficient n-octanol/water (Log Pow) | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : Thin like water |
| Explosive properties | : Product is not explosive. |
| Explosive limits | : No data available |

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

| | |
|--------------------|--------------------------------------------------------------------------------------|
| Reactivity | : The product is non-reactive under normal conditions of use, storage and transport. |
| Chemical stability | : Stable under normal conditions. |

MAXICOAT

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

| | |
|------------------------------------|--------------------------------------------------------------------------------------------------------|
| Possibility of hazardous reactions | : No dangerous reactions known under normal conditions of use. |
| Conditions to avoid | : None under recommended storage and handling conditions (see section 7). |
| Incompatible materials | : No additional information available |
| Hazardous decomposition products | : Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| Hardening time: | : No additional information available |

SECTION 11: Toxicological information

11.1. Information on toxicological effects

| | |
|-----------------------------|-------------------|
| Acute toxicity (oral) | : Not classified. |
| Acute toxicity (dermal) | : Not classified. |
| Acute toxicity (inhalation) | : Not classified. |

| MAXICOAT | |
|-------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| ATE CA (Dermal) | 54726.4 mg/kg bodyweight |
| ATE CA (vapours) | 74.627 mg/l/4h |
| ATE CA (dust,mist) | 74.627 mg/l/4h |
| Tributoxy ethyl phosphate (78-51-3) | |
| LD50 oral rat | > 5000 mg/kg (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral) |
| LD50 dermal rabbit | > 2040 mg/kg bodyweight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Experimental value, Dermal) |
| LC50 Inhalation - Rat | > 6.4 mg/l (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Inhalation (aerosol)) |
| ATE CA (Dermal) | 1100 mg/kg bodyweight |
| ATE CA (Gases) | 4500 ppmv/4h |
| ATE CA (vapours) | 11 mg/l/4h |
| ATE CA (dust,mist) | 1.5 mg/l/4h |
| Glycol ether DPM (34590-94-8) | |
| LD50 oral rat | > 5000 mg/kg (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s)) |
| LD50 dermal rat | > 19020 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) |

MAXICOAT

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

| Glycol ether DPM (34590-94-8) | |
|--------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| LD50 dermal rabbit | 9510 mg/kg bodyweight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male, Experimental value, Dermal, 14 day(s)) |
| LC50 Inhalation - Rat | > 3000 mg/m ³ Source: ECHA |
| ATE CA (Dermal) | 9510 mg/kg bodyweight |

| Zinc ammonia carbonate complex (38714-47-5) | |
|----------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| LD50 oral rat | > 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method), Guideline: EU Method B.1 tris (Acute Oral Toxicity - Acute Toxic Class Method), Guideline: EPA OPPTS 870.1100 (Acute Oral Toxicity), Guideline: other: |

| | |
|-----------------------------------|----------------------------------------|
| Skin corrosion/irritation | : Not classified |
| Serious eye damage/irritation | : Not classified |
| Respiratory or skin sensitization | : May cause an allergic skin reaction. |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : Not classified |
| Reproductive toxicity | : Not classified |
| STOT-single exposure | : Not classified |

| Tributoxy ethyl phosphate (78-51-3) | |
|--------------------------------------------|-----------------------------------|
| STOT-single exposure | May cause respiratory irritation. |

| Glycol ether DPM (34590-94-8) | |
|--------------------------------------|-----------------------------------|
| STOT-single exposure | May cause respiratory irritation. |

STOT-repeated exposure : Not classified

| Glycol ether DPM (34590-94-8) | |
|--------------------------------------|------------------------------------------------------|
| NOAEL (oral, rat, 90 days) | 1000 mg/kg bodyweight Animal: rat, Guideline: other: |

| | |
|----------------------------------------------|----------------------------------------|
| Aspiration hazard | : Not classified |
| Likely routes of exposure | : Skin and eyes contact. Inhalation. |
| Expected Symptoms/Effects, Acute and Delayed | : May produce an allergic reaction. |
| Symptoms/effects after skin contact | : May cause an allergic skin reaction. |
| Chronic symptoms | : Dry skin. Cracking of the skin. |

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

MAXICOAT

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

Partition coefficient n-octanol/water (Log Kow) No data available

| Glycol ether DPM (34590-94-8) | |
|------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| LC50 - Fish [1] | > 1000 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Poecilia reticulata, Static system, Fresh water, Experimental value, GLP) |
| EC50 - Other aquatic organisms [1] | 1930 mg/l Test organisms (species): other aquatic crustacea: |
| ErC50 algae | > 969 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP) |
| EC50 72h - Algae [1] | > 969 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum) |
| EC50 96h - Algae [1] | > 969 mg/l Source: ECHA |
| NOEC (chronic) | ≥ 0.5 mg/l Test organisms (species): Daphnia magna Duration: '22 d' |
| Partition coefficient n-octanol/water (Log Pow) | 0.004 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C) |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 1 (log Koc, SRC PCKOCWIN v2.0, Calculated value) |
| LOEC (chronic) | 0.5 mg/l Test organisms (species): Daphnia magna Duration: '22 d' |
| Zinc ammonia carbonate complex (38714-47-5) | |
| Partition coefficient n-octanol/water (Log Pow) | -0.46 Source: ECHA |

12.2. Persistence and degradability

Persistence and degradability The polymers are not biodegradable, but they would be removed in biological wastewater treatment plants by adsorption to biosolids. No bioconcentration of the polymeric component is expected.

| Tributoxy ethyl phosphate (78-51-3) | |
|--------------------------------------------|-------------------------------------|
| Persistence and degradability | Inherently biodegradable. |
| Chemical oxygen demand (COD) | 1.839 g O ₂ /g substance |
| Glycol ether DPM (34590-94-8) | |
| Persistence and degradability | Readily biodegradable in water. |
| Biochemical oxygen demand (BOD) | 0 g O ₂ /g substance |

MAXICOAT

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

| | |
|--------------------------------------|------------------------------------|
| Glycol ether DPM (34590-94-8) | |
| ThOD | 2.06 g O ₂ /g substance |

12.3. Bioaccumulative potential

Bioaccumulative potential Not established.

Partition coefficient n-octanol/water (Log Kow) No data available

| | |
|-------------------------------------------------|--------------------------------------------------|
| Tributoxy ethyl phosphate (78-51-3) | |
| Bioaccumulative potential | Low potential for bioaccumulation (Log Kow < 4). |
| Partition coefficient n-octanol/water (Log Pow) | 3.75 (Experimental value) |

| | |
|------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|
| Glycol ether DPM (34590-94-8) | |
| Bioaccumulative potential | Low potential for bioaccumulation (Log Kow < 4). |
| Partition coefficient n-octanol/water (Log Pow) | 0.004 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C) |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 1 (log Koc, SRC PCKOCWIN v2.0, Calculated value) |

| | |
|----------------------------------------------------|--------------------|
| Zinc ammonia carbonate complex (38714-47-5) | |
| Partition coefficient n-octanol/water (Log Pow) | -0.46 Source: ECHA |

12.4. Mobility in soil

Ecology - soil No (test) data on mobility of the substance available.

Partition coefficient n-octanol/water (Log Kow) No data available

| | |
|-------------------------------------------------|---------------------------------------------------------|
| Tributoxy ethyl phosphate (78-51-3) | |
| Surface tension | 32.7 mN/m (20 °C, 90 %, EU Method A.5: Surface tension) |
| Ecology - soil | No (test) data on mobility of the substance available. |
| Partition coefficient n-octanol/water (Log Pow) | 3.75 (Experimental value) |

| | |
|------------------------------------------------------------|--------------------------------------------------------------------------|
| Glycol ether DPM (34590-94-8) | |
| Surface tension | 68.7 mN/m (20 °C, 1 g/l, OECD 115: Surface Tension of Aqueous Solutions) |
| Ecology - soil | Highly mobile in soil. Not toxic to plants. |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 1 (log Koc, SRC PCKOCWIN v2.0, Calculated value) |

MAXICOAT

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

| | |
|----------------------------------------------------|----------------------------------------------------------------------------------------------------------|
| Glycol ether DPM (34590-94-8) | |
| Partition coefficient n-octanol/water (Log Pow) | 0.004 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C) |
| Zinc ammonia carbonate complex (38714-47-5) | |
| Partition coefficient n-octanol/water (Log Pow) | -0.46 Source: ECHA |

12.5. Other adverse effects

Ozone : Not classified

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents and or container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Reuse if possible. Otherwise dispose recovered material in accordance with all local, Provincial or Federal regulations.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

14.1. UN number

Not regulated for transport

14.2. UN proper shipping name

Proper Shipping Name (TDG) : Not applicable

14.3. Transport hazard class(es)

TDG

Transport hazard class(es) (TDG) : Not applicable

14.4. Packing group

Packing group (TDG) : Not applicable

14.5. Environmental hazards

Other information : No supplementary information available.

14.6. Special precautions for user

TDG

No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

MAXICOAT

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

SECTION 15: Regulatory information

15.1. National regulations

| |
|-------------------------------------------------------|
| Tributoxy ethyl phosphate (78-51-3) |
| Listed on the Canadian DSL (Domestic Substances List) |
| Glycol ether DPM (34590-94-8) |
| Listed on the Canadian DSL (Domestic Substances List) |

15.2. International regulations

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

| |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Tributoxy ethyl phosphate (78-51-3) |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances) |
| Glycol ether DPM (34590-94-8) |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances) |

SECTION 16: Other information

Issue date : 02/17/2023
Revision date : 04/15/2023

| | |
|-----------------------------------|--------------------------------------|
| Full text of H-statements: | |
| H317 | May cause an allergic skin reaction. |

It is the responsibility of the user to provide a safe workplace, using the health and safety information contained herein as a guide. Project Clean Inc. will accept no liability for damages or loss incurred from the improper handling and use of this product.

The information provided in the Safety Data Sheet has been obtained from current sources and is believed to be reliable.