

### Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015) Issue date: 9/30/2022 Revision date: 5/1/2023 Version: 1.1

# **SECTION 1: Identification**

#### 1.1. Product identifier

Product name : BASIC BILGE CLEANER

Product code : 1400097

#### 1.2. Recommended use and restrictions on use

Recommended use : Biodegradable bilge cleaner and degreaser
Restrictions on use : Food Plant, Industrial and Institutional use only

# 1.3. Supplier

Project Clean Inc.

12 James St N, Suite 201A Hamilton, ON L8R 2J9

Canada

T 1 800 663 9925

regulatory@projectclean.com - www.projectclean.ca

#### 1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Canada	CHEMTREC Chemical Emergency	www.chemtrec.com	1 800 424 9300	24hr/day 7days/week within USA and Canada
Canada	CANUTEC Transportation Emergency	www.canutec.com		24hr/day 7days/week within USA and Canada

### **SECTION 2: Hazard identification**

#### 2.1. Classification of the substance or mixture

#### Classification (GHS CA)

Corrosive to metals, Category 1 H290 May be corrosive to metals.

Skin corrosion/irritation, Category 1 H314 Causes severe skin burns and eye damage.

Serious eye damage/eye irritation, Category 1 H318 Causes serious eye damage.

Full text of H-statements: see section 16

#### 2.2. GHS Label elements, including precautionary statements

### **GHS CA labelling**

Hazard pictograms (GHS CA)



Signal word (GHS CA) : Danger

### Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Hazard statements (GHS CA) : H290 - May be corrosive to metals.

H314 - Causes severe skin burns and eye damage.

Precautionary statements (GHS

CA)

: P234 - Keep only in original container.

P260 - Do not breathe fume, mist, vapours or spray.

P264 - Wash hands and forearms thoroughly after handling.

P280 - Wear protective gloves, protective clothing, and eye or face

protection.

P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce

vomiting

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all

contaminated clothing. Rinse skin with water.

P304+P340 - IF INHALED: Remove person to fresh air and keep

comfortable for breathing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

P310 - Immediately call a POISON CENTER or doctor.

P321 - Specific treatment (see supplemental first aid instruction on the

product SDS).

P363 - Wash contaminated clothing before reuse.

P390 - Absorb spillage to prevent material damage.

P405 - Store locked up.

P406 - Store in corrosive resistant container with a resistant inner liner.

P501 - Dispose of contents and or container to city, provincial or federal

regulations.

#### 2.3. Other hazards

No additional information available

#### 2.4. Unknown acute toxicity (GHS CA)

No data available

# **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

### Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Name	Chemical name / Synonyms	Product identifier	% w/w
Disodium metasilicate	silicic acid (H2-SiO3), disodium salt	CAS-No.: 6834-92-0	1 - 5
Sodium hydroxide	Sodium hydroxide	CAS-No.: 1310-73-2	1 - 5
C9-11, Ethoxylated Alcohol	(C9-C11) Alkyl alcohol, ethoxylate	CAS-No.: 68439-46-3	1 - 5

<sup>\*</sup>The exact concentrations have been withheld as a trade secret. Les concentrations exactes ont été retenues en tant que secret commercial.

Full text of hazard classes and H-statements: see section 16

## **SECTION 4: First-aid measures**

#### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If

skin irritation occurs: Get medical advice or attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. Call a physician

immediately.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact : Irritation.

Symptoms/effects after eye contact : Serious damage to eyes.

Chronic symptoms : No effects known.

Expected Symptoms/Effects, Acute : Corrosion of the eye tissue. May cause skin irritation, dermatitis, or

and Delayed skin burns.

### 4.3. Immediate medical attention and special treatment, if necessary

No additional information available

# **SECTION 5: Fire-fighting measures**

#### 5.1. Suitable extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

### 5.2. Unsuitable extinguishing media

No additional information available

### 5.3. Specific hazards arising from the hazardous product

No additional information available

### 5.4. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment.

Self-contained breathing apparatus. Complete protective clothing.

5/1/2023 (Revision date) EN (English) 3/13

### Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

#### **SECTION 6: Accidental release measures**

General measures : Avoid contact with skin and eyes. Clean up any spills as soon as possible, using an

absorbent material to collect it. Prevent from entering sewers, basements and

workpits, or any place where its accumulation can be dangerous.

#### 6.1.1. For non-emergency personnel

Protective equipment : Gloves (EN 374). Protective clothing (EN 14605 or EN 13034). Chemical goggles

or face shield with safety glasses.

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further

information refer to section 8: "Exposure controls or personal protection".

Emergency procedures : Evacuate unnecessary personnel. Cover spill with non combustible material, e.g.:

sand or earth. Reuse if possible. Otherwise dispose recovered material in

accordance with all local, Provincial or Federal regulations.

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

For containment : Contain large spillage with sand or earth.

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin

and eyes. Wear personal protective equipment.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke

when using this product. Always wash hands after handling the

product.

Additional hazards when processed : May be corrosive to metals.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in dry, cool, well-ventilated area. Store in original container.

Incompatible products : Strong acids.

Incompatible materials : Metals. Organic materials.

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

5/1/2023 (Revision date) EN (English) 4/13

# Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Sodium hydroxide (1310-73-2)		
Canada (Alberta) - Occupational Exposure Limits		
Local name	Sodium hydroxide	
OEL C	2 mg/m³	
Notations and remarks	Occupational exposure limit is based on irritation effects and its adjustment to compensate for unusual work schedules is not required.	
Regulatory reference	Alberta Regulation 191/2021	
Canada (Quebec) - Occupational Exposu	ure Limits	
Local name	Sodium hydroxide	
Plafond (OEL C)	2 mg/m³	
Notations and remarks	RP	
Regulatory reference	S-2.1, r. 13 - Regulation respecting occupational health and safety	
Canada (British Columbia) - Occupation	al Exposure Limits	
Local name	Sodium hydroxide	
OEL C	2 mg/m³	
Regulatory reference	OHS Guidelines Part 5: Chemical Agents and Biological Agents (WorkSafe BC)	
Canada (Manitoba) - Occupational Expo	osure Limits	
Local name	Sodium hydroxide	
OEL C	2 mg/m³	
Notations and remarks	TLV® Basis: URT, eye, & skin irr	
Regulatory reference	ACGIH 2022	
Canada (Newfoundland and Labrador) - Occupational Exposure Limits		
Local name	Sodium hydroxide	
OEL C	2 mg/m³	
Notations and remarks	TLV® Basis: URT, eye, & skin irr	
Regulatory reference	ACGIH 2022	
Canada (Nova Scotia) - Occupational Exposure Limits		
Local name	Sodium hydroxide	

# Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Sodium hydroxide (1310-73-2)		
OEL C	2 mg/m³	
Notations and remarks	TLV® Basis: URT, eye, & skin irr	
Regulatory reference	ACGIH 2022	
Canada (Nunavut) - Occupational Exposure L	imits	
Local name	Sodium hydroxide	
OEL C	2 mg/m³	
Regulatory reference	Occupational Health and Safety Regulations, Nu Reg 003-2016 (Amendment R-044-2021)	
Canada (Northwest Territories) - Occupation	nal Exposure Limits	
Local name	Sodium hydroxide	
OEL C	2 mg/m³	
Regulatory reference	Occupation Health and Safety Regulations R-039-2015 (R-013-2020)	
Canada (Ontario) - Occupational Exposure Li	mits	
Local name	Sodium hydroxide	
OEL C	2 mg/m³	
Regulatory reference	Ontario Occuational Exposure Limits under Regulation 833	
Canada (Prince Edward Island) - Occupationa	al Exposure Limits	
Local name	Sodium hydroxide	
OEL C	2 mg/m³	
Notations and remarks	TLV® Basis: URT, eye, & skin irr	
Regulatory reference	ACGIH 2022	
Canada (Saskatchewan) - Occupational Exposure Limits		
Local name	Sodium hydroxide	
OEL C	2 mg/m³	
Regulatory reference	The Occupational Health and Safety Regulations, 2020. Chapter S- 15.1 Reg 10	
USA - ACGIH - Occupational Exposure Limits		
Local name	Sodium hydroxide	

#### Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Sodium hydroxide (1310-73-2)		
ACGIH OEL C	2 mg/m³	
Remark (ACGIH)	TLV® Basis: URT, eye, & skin irr	
Regulatory reference	ACGIH 2022	
USA - OSHA - Occupational Exposure Limits		
Local name	Sodium hydroxide	
OSHA PEL TWA [1]	2 mg/m³	
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1	

#### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

### 8.3. Individual protection measures/Personal protective equipment

#### Personal protective equipment:

Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

Materials for protective	clothing:
Nitrile rubber/PVC	

### Hand protection:

Protective gloves against chemicals (EN 374)

### **Eye protection:**

Chemical goggles or safety glasses

### Skin and body protection:

Corrosion-proof clothing (EN 14605)

### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

#### Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

### Personal protective equipment symbol(s):









# **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Blue, Clear liquid.

Colour : Blue

Odour : mild Quaternary ammonia odour

Odour threshold : No data available

pH : > 12

Relative evaporation rate (butylacetate=1) : No data available Relative evaporation rate (ether=1) : No data available Melting point : No data available Freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : > 100 °C

Auto-ignition temperature : Not self-igniting
Decomposition temperature : No data available
Upper and lower flammability or explosive limit : No data available

Not applicable

: No data available

Vapour pressure : No data available Relative vapour density at 20°C : No data available

Relative density : 1 – 1.05

Solubility : soluble in water.

Partition coefficient n-octanol/water (Log Pow) : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : Not explosive.

9.2. Other information

**Explosive limits** 

No additional information available

# **SECTION 10: Stability and reactivity**

Reactivity : No additional information available
Chemical stability : No additional information available

### Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Possibility of hazardous reactions : No additional information available Conditions to avoid : No additional information available Incompatible materials : Strong acids. Metals. Organic materials. Hazardous decomposition products : No additional information available Hardening time: : No additional information available

# **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified.

Acute toxicity (dermal) : Not classified.

Acute toxicity (inhalation) : Not classified

BASIC BILGE CLEANER		
ATE CA (oral)	69246 mg/kg bodyweight	
ATE CA (Dermal)	75000 mg/kg bodyweight	
Disodium metasilicate (6834-92-0)		
LD50 oral rat	1152 – 1349 mg/kg bodyweight (Rat, Male / female, Experimental value, Oral, 7 day(s))	
LD50 dermal rat	> 5000 mg/kg bodyweight (EPA OPPTS 870.1200: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))	
LC50 Inhalation - Rat	> 2.06 mg/l (EPA OPPTS 870.1300: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Inhalation (vapours), 14 day(s))	
Sodium hydroxide (1310-73-2)		
LD50 dermal rabbit	1350 mg/kg	
ATE CA (Dermal)	1350 mg/kg bodyweight	
C9-11, Ethoxylated Alcohol (68439-46-3)		
LD50 oral rat	1378 mg/kg (Rat, Oral)	
LD50 dermal rabbit	> 2000 mg/kg (Rabbit, Dermal)	
ATE CA (oral)	1378 mg/kg bodyweight	

Skin corrosion/irritation : Causes severe skin burns.
Serious eye damage/irritation : Causes serious eye damage.

Respiratory or skin sensitization : Not classified

#### Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
STOT-single exposure : Not classified

Disodium metasilicate (6834-92-0)		
STOT-single exposure	May cause respiratory irritation.	

STOT-repeated exposure : Not classified

Disodium metasilicate (6834-92-0)		
• • • • • • • • • • • • • • • • • • • •	227 – 237 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)	

or skin burns.

Aspiration hazard : Not classified

Likely routes of exposure : Skin and eyes contact. Ingestion.

Expected Symptoms/Effects, Acute and : Corrosion of the eye tissue. May cause skin irritation, dermatitis,

Delayed

Symptoms/effects after skin contact : Irritation.

Symptoms/effects after eye contact : Serious damage to eyes.

Chronic symptoms : No effects known.

# **SECTION 12: Ecological information**

### 12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified Hazardous to the aquatic environment, long-term (chronic) : Not classified

Partition coefficient n-octanol/water (Log Kow) No data available

Disodium metasilicate (6834-92-0)		
LC50 - Fish [1]	210 mg/l (ISO 7346-1, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value)	
EC50 - Crustacea [1]	1700 mg/l (EU Method C.2, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)	
EC50 72h - Algae [1]	207 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)	
Partition coefficient n-octanol/water (Log Pow)	-5.65	

### 12.2. Persistence and degradability

Persistence and degradability Not established.

# Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Disodium metasilicate (6834-92-0)		
Persistence and degradability	Biodegradability: not applicable.	
Chemical oxygen demand (COD)	Not applicable (inorganic)	
ThOD	Not applicable (inorganic)	
C9-11, Ethoxylated Alcohol (68439-46-3)		
Persistence and degradability	Readily biodegradable in water.	

### 12.3. Bioaccumulative potential

Bioaccumulative potential Not established.

Partition coefficient n-octanol/water (Log Kow) No data available

Disodium metasilicate (6834-92-0)		
Bioaccumulative potential	Not bioaccumulative.	
Partition coefficient n-octanol/water (Log Pow)	-5.65	
C9-11, Ethoxylated Alcohol (68439-46-3)		
Bioaccumulative potential	No bioaccumulation data available.	

# 12.4. Mobility in soil

Ecology - soil	No (test) data on mobility of the substance available.
Partition coefficient n-octanol/water (Log Kow)	No data available
Disodium metasilicate (6834-92-0)	
Surface tension	No data available in the literature
Ecology - soil	Low potential for adsorption in soil.
Partition coefficient n-octanol/water (Log Pow)	-5.65

### 12.5. Other adverse effects

Ozone : Not classified

# **SECTION 13: Disposal considerations**

## 13.1. Disposal methods

Waste treatment methods : Reuse if possible. Otherwise dispose recovered material in accordance

with all local, Provincial or Federal regulations.

#### Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Product/Packaging disposal

: Reuse if possible. Otherwise dispose recovered material in accordance

recommendations

with all local, Provincial or Federal regulations.

Ecology - waste materials

: Avoid release to the environment.

# **SECTION 14: Transport information**

#### **14.1. UN number**

Not regulated for transport

### 14.2. UN proper shipping name

Proper Shipping Name (TDG) : Not applicable

### 14.3. Transport hazard class(es)

**TDG** 

Transport hazard class(es) (TDG) : Not applicable

14.4. Packing group

Packing group (TDG) : Not applicable

14.5. Environmental hazards

Other information : No supplementary information available.

### 14.6. Special precautions for user

**TDG** 

No data available

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## **SECTION 15: Regulatory information**

#### 15.1. National regulations

Disodium metasilicate (6834-92-0)

Listed on the Canadian DSL (Domestic Substances List)

Sodium hydroxide (1310-73-2)

Listed on the Canadian DSL (Domestic Substances List)

### C9-11, Ethoxylated Alcohol (68439-46-3)

Listed on the Canadian DSL (Domestic Substances List)

### 15.2. International regulations

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

### Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

### Disodium metasilicate (6834-92-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

#### Sodium hydroxide (1310-73-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

### C9-11, Ethoxylated Alcohol (68439-46-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

### **SECTION 16: Other information**

Issue date : 09/30/2022 Revision date : 05/01/2023

Full text of H-statements:	
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.

It is the responsibility of the user to provide a safe workplace, using the health and safety information contained herein as a guide. Project Clean Inc. will accept no liability for damages or loss incurred from the improper handling and use of this product.

The information provided in the Safety Data Sheet has been obtained from current sources and is believed to be reliable.