

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 2/17/2023 Revision date: 4/16/2023 Version: 1.1

SECTION 1: Identification

1.1. Identification

Product name	: MIRAGE
Product code	: P303705U

1.2. Recommended use and restrictions on use

Recommended use	:	High solids floor finish
Restrictions on use	:	Industrial and Institutional use only

1.3. Supplier

Project Clean Inc. 2330 Industrial Parkway SW Dyersville, IA 52040 T 1 800 663 9925 regulatory@projectclean.com - www.projectclean.com

1.4. Emergency telephone number

Country	Organization/Company	Address	Emergency number	Comment
USA	CHEMTREC Chemical Emergency	www.chemtrec.com	1 800 424 9300	24hr/day 7days/week within USA and Canada
USA	CANUTEC Transportation Emergencies	www.canutec.com		24hr/day 7days/week within USA and Canada

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Skin sensitization, Category 1

H317

May cause an allergic skin reaction

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

:

GHS US labeling

Hazard pictograms (GHS US)

:	Warning		
:	H317 - May cause an allergic skin reaction		
:	P261 - Avoid breathing fume,mist, vapours, or spray.		
	P272 - Contaminated work clothing must not be allowed out of the		
	:		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

workplace.

P280 - Wear protective gloves and protective clothing.

P302+P352 - If on skin: Wash with plenty of water.

P321 - Specific treatment (see supplemental first aid instruction in Section 4 or on the product SDS).

P333+P313 - If skin irritation or rash occurs: Get medical advice or attention.

P363 - Wash contaminated clothing before reuse.

P501 - Dispose of contents and or container to hazardous or special waste collection point, in accordance with local, regional, national and or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%
Tributoxy ethyl phosphate	CAS-No.: 78-51-3	1 - 5
Glycol ether DPM	CAS-No.: 34590-94-8	1 - 5
Zinc ammonia carbonate complex	CAS-No.: 38714-47-5	0.5 - 1.5

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If
	skin irritation or rash occurs: Get medical advice or attention.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Call a poison center, doctor, or physician if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

Expected Symptoms/Effects, Acute and Delayed
--

: May produce an allergic reaction.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Symptoms/effects after skin contact

: May cause an allergic skin reaction.

Chronic symptoms

Cracking of the skin. Dry skin.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Specific hazards arising from the chemical

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Selfcontained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Do not handle until all safety precautions have been read and understood. Clean up any spills as soon as possible, using an absorbent material to collect it.

6.1.1. For non-emergency personnel

Protective equipment	: Gloves (EN 374). Protective clothing (EN 14605 or EN 13034). Wash hands and other exposed areas with mild soap and water before eating, drinking or
Emergency procedures	smoking and when leaving work. : Ventilate spillage area. Avoid breathing fume, mist, vapours, or spray. Avoid
	contact with skin.

6.1.2. For emergency responders

Protective equipment
 Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls or personal protection".
 Emergency procedures
 Ventilate area. Evacuate unnecessary personnel. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous. Reuse if possible. Otherwise dispose recovered material in accordance with all local, Provincial or Federal regulations.

6.2. Environmental precautions

Avoid release to the environment.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	:	Take up liquid spill into absorbent material.
Other information	:	Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe	:	Ensure good ventilation of the work station. Wear personal protective
handling		equipment. Avoid contact with skin and eyes. Avoid breathing fume, mist,
		vapours, or spray.
Hygiene measures	:	Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.
700 1111 ((

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	:	Store in dry, cool, well-ventilated area.
Incompatible products	:	Strong acids.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

MIRAGE			
No additional information available			
Tributoxy ethyl phosphate (78-51-3)	Tributoxy ethyl phosphate (78-51-3)		
No additional information available	No additional information available		
Glycol ether DPM (34590-94-8)			
USA - ACGIH - Occupational Exposure Limits			
Local name	Dipropylene glycol methyl ether (DPGME)		
ACGIH OEL TWA [ppm]	50 ppm		
Remark (ACGIH)	TLV® Basis: Liver & CNS eff		
Regulatory reference ACGIH 2022			
USA - OSHA - Occupational Exposure Limits			
Local name	Dipropylene glycol methyl ether		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Glycol ether DPM (34590-94-8)	
OSHA PEL TWA [1]	600 mg/m ³
OSHA PEL TWA [2]	100 ppm
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1
Zinc ammonia carbonate complex (38714-47-5)	
No additional information available	

8.2. Appropriate engineering controls

Appropriate engineering controls Ensure good ventilation of the work station.

Environmental exposure controls : Avoid relea

: Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

Materials for protective clothing:
Nitrile rubber/PVC
Hand protection:
Protective gloves
Skin and body protection:
Protective clothing
Respiratory protection:
In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Appearance Color

- : Liquid
- : Milky white liquid.
- : milky

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	0
Odor	: Slight ammonia odor
Odor threshold	: No data available
pH	: 8 - 9
Melting point	: Not applicable
Freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: Non flammable
Relative evaporation rate (butyl acetate=1)	: No data available
Upper and lower flammability or explosive limit	: No data available
	Not flammable.
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: 1 - 1.05
Solubility	: soluble in water.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: Not self-igniting
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: Thin like water
Explosion limits	: No data available
Explosive properties	: Product is not explosive.
Oxidizing properties	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Strong acids.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological inf	ormation
11.1. Information on toxicolog	ical effects
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
MIRAGE	
ATE US (dermal)	37931 mg/kg body weight
ATE US (vapors)	51.724 mg/l/4h
ATE US (dust, mist)	51.724 mg/l/4h
Tributoxy ethyl phosphate (78-5	1-3)
LD50 oral rat	> 5000 mg/kg (Equivalent or similar to OECD 401, Rat, Male /
	female, Experimental value, Oral)
LD50 dermal rabbit	> 2040 mg/kg body weight (Equivalent or similar to OECD 402, 24 h,
	Rabbit, Male / female, Experimental value, Dermal)
LC50 Inhalation - Rat	> 6.4 mg/l (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male /
	female, Experimental value, Inhalation (aerosol))
ATE US (dermal)	1100 mg/kg body weight
ATE US (gases)	4500 ppmV/4h
ATE US (vapors)	11 mg/l/4h
ATE US (dust, mist)	1.5 mg/l/4h
Glycol ether DPM (34590-94-8)	
LD50 oral rat	> 5000 mg/kg (Equivalent or similar to OECD 401, Rat, Male /
	female, Experimental value, Oral, 14 day(s))
LD50 dermal rat	> 19020 mg/kg body weight Animal: rat, Guideline: OECD Guideline
	402 (Acute Dermal Toxicity)
LD50 dermal rabbit	9510 mg/kg body weight (Equivalent or similar to OECD 402, 24 h,
	Rabbit, Male, Experimental value, Dermal, 14 day(s))
LC50 Inhalation - Rat	> 3000 mg/m ³ Source: ECHA

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Serious eye damage/irritation : Not classified Respiratory or skin sensitization : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified Tributoxy ethyl phosphate (78-51-3) STOT-single exposure : May cause respiratory irritation. Glycol ether DPM (34590-94-8) STOT-repeated exposure : Not classified Glycol ether DPM (34590-94-8) NOAEL (oral,rat,90 days) : Not classified NOAEL (oral,rat,90 days) : Not classified Viscosity, kinematic : Not classified Likely routes of exposure : Not classified Stort of exposure : Not classified Stort - repeated exposure : Not classified May cause respiratory irritation. Stort - repeated exposure : Not classified Glycol ether DPM (34590-94-8) NOAEL (oral,rat,90 days) : Not classified Viscosity, kinematic : Not classified Viscosity, kinematic : Not classified Stort - repeated exposure : Not classified Stort - repeated exposure : Not classified Not classified : Not classified Not classified : Not classified Not classified : Not classified Viscosity, kinematic : Not classified Stort - repeated exposure : Not classified Stort - repeated exposure : Not classified Stort - repeated exposure : Not classified Not classified Not classified Stort - repeated exposure : Not classified Viscosity, kinematic : Not classified Stort - repeated exposure : Not classified Sto	Glycol ether DPM (34590-94-8)		
LD50 oral rat 2 0000 mg/kg body weight Animal: rat, Animal sex: female, Guidelin OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method), Guideline: EU Method B.1 tris (Acute Oral Toxicity - Acute Toxic Class Method), Guideline: EPA OPPTS 870.1100 (Acute Oral Toxicity), Guideline: other: Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Respiratory or skin sensitization : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-single exposure : Not classified STOT-single exposure : Not classified Glycol ether DPM (34590-94-8) STOT-single exposure : Not classified Glycol ether DPM (34590-94-8) NOAEL (oral,rat,90 days) Aspiration hazard : Not classified No Acta available Likely routes of exposure : Not classified Stop responsive : Skin and eye contact. Inhalation. Expected Symptoms/Effects, Acute and Delayed : May cause an allergic skin reaction. Stop responsive : Skin and eye contact. Inhalation. Expected Symptoms/Effects, Acute and Delayed : May cause an allergic skin reaction. Stop responsive : Skin and eye contact. Inhalation. Expected Symptoms/Effects after skin contact : May cause an allergic skin reaction. Stop response : May cause an allergic skin reaction. Stop response : Cracking of the skin. Dry skin. SECTION 12: Ecological information	ATE US (dermal)	9510 mg/kg	; body weight
OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method), Guideline: EU Method B.1 tris (Acute Oral Toxicity - Acute Toxic Class Method), Guideline: EDA OPPTS 870.1100 (Acute Oral Toxicity), Guideline: other: Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Respiratory or skin sensitization : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified STOT-single exposure : Not classified STOT-single exposure May cause respiratory irritation. Glycol ether DPM (34590-94-8) : Not classified STOT-repeated exposure : Not classified Glycol ether DPM (34590-94-8) : 1000 mg/kg body weight Animal: rat, Guideline: other: NOAEL (oral, rat, 90 days) : Not classified Storisty, kinematic : Not classified Likely routes of exposure : Skin and eye contact. Inhalation. Expected Symptoms/Effects, Acute and Delayed : May cause an allergic skin reaction. Sym	Zinc ammonia carbonate complex (3	8714-47-5)	
Serious eye damage/irritation : Not classified Respiratory or skin sensitization : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified Tributoxy ethyl phosphate (78-51-3) STOT-single exposure : May cause respiratory irritation. Glycol ether DPM (34590-94-8) STOT-repeated exposure : Not classified Glycol ether DPM (34590-94-8) NOAEL (oral,rat,90 days) : Not classified NOAEL (oral,rat,90 days) : Not classified Viscosity, kinematic : Not classified Likely routes of exposure : Not classified Stort of exposure : Not classified Stort - repeated exposure : Not classified May cause respiratory irritation. Stort - repeated exposure : Not classified Glycol ether DPM (34590-94-8) NOAEL (oral,rat,90 days) : Not classified Viscosity, kinematic : Not classified Viscosity, kinematic : Not classified Stort - repeated exposure : Not classified Stort - repeated exposure : Not classified Not classified : Not classified Not classified : Not classified Not classified : Not classified Viscosity, kinematic : Not classified Stort - repeated exposure : Not classified Stort - repeated exposure : Not classified Stort - repeated exposure : Not classified Not classified Not classified Stort - repeated exposure : Not classified Viscosity, kinematic : Not classified Stort - repeated exposure : Not classified Sto	LD50 oral rat	OECD Guide Method), Gu Toxic Class	eline 423 (Acute Oral toxicity - Acute Toxic Class uideline: EU Method B.1 tris (Acute Oral Toxicity - Acute Method), Guideline: EPA OPPTS 870.1100 (Acute Oral
Respiratory or skin sensitization : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified Tributoxy ethyl phosphate (78-51-3) STOT-single exposure May cause respiratory irritation. Glycol ether DPM (34590-94-8) STOT-repeated exposure Not classified Glycol ether DPM (34590-94-8) STOT-repeated exposure Not classified Glycol ether DPM (34590-94-8) NOAEL (oral,rat,90 days) 1000 mg/kg body weight Animal: rat, Guideline: other: Aspiration hazard : Not classified Viscosity, kinematic : No classified Likely routes of exposure : Skin and eye contact. Inhalation. Expected Symptoms/Effects, Acute and Delayed : May produce an allergic reaction. Symptoms/effects after skin contact : May cause an allergic skin reaction. Stort Symptoms : Cracking of the skin. Dry skin.	Skin corrosion/irritation	: Not classi	fied
Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified Tributoxy ethyl phosphate (78-51-3) : STOT-single exposure May cause respiratory irritation. Glycol ether DPM (34590-94-8) : STOT-repeated exposure : Not classified Glycol ether DPM (34590-94-8) : Not classified STOT-repeated exposure : Not classified Glycol ether DPM (34590-94-8) : Not classified NOAEL (oral,rat, 90 days) 1000 mg/kg body weight Animal: rat, Guideline: other: Aspiration hazard : Not classified Viscosity, kinematic : No data available Likely routes of exposure : Skin and eye contact. Inhalation. Expected Symptoms/Effects, Acute and Delayed : May produce an allergic reaction. Symptoms/effects after skin contact : May cause an allergic skin reaction. Chronic symptoms : Cracking of the skin. Dry skin.	Serious eye damage/irritation	: Not classi	fied
Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified Tributoxy ethyl phosphate (78-51-3) STOT-single exposure May cause respiratory irritation. Glycol ether DPM (34590-94-8) STOT-single exposure May cause respiratory irritation. STOT-repeated exposure : Not classified Glycol ether DPM (34590-94-8) STOT-repeated exposure : Not classified Glycol ether DPM (34590-94-8) NOAEL (oral,rat,90 days) 1000 mg/kg body weight Animal: rat, Guideline: other: Aspiration hazard : Not classified Viscosity, kinematic : Not classified Likely routes of exposure : Skin and eye contact. Inhalation. Expected Symptoms/Effects, Acute and Delayed : May cause an allergic reaction. Symptoms/effects after skin contact : May cause an allergic skin reaction. Chronic symptoms : Cracking of the skin. Dry skin.	Respiratory or skin sensitization	: May cause	e an allergic skin reaction.
Reproductive toxicity Not classified STOT-single exposure Not classified Tributoxy ethyl phosphate (78-51-3) STOT-single exposure STOT-single exposure May cause respiratory irritation. Glycol ether DPM (34590-94-8) STOT-repeated exposure STOT-repeated exposure Not classified Glycol ether DPM (34590-94-8) Not classified STOT-repeated exposure Not classified Glycol ether DPM (34590-94-8) 1000 mg/kg body weight Animal: rat, Guideline: other: NOAEL (oral,rat,90 days) 1000 mg/kg body weight Animal: rat, Guideline: other: Aspiration hazard Not classified Viscosity, kinematic No data available Likely routes of exposure Skin and eye contact. Inhalation. Expected Symptoms/Effects, Acute and Delayed May cause an allergic reaction. Symptoms/effects after skin contact May cause an allergic skin reaction. Chronic symptoms Yay cause an allergic skin reaction. Stot Classified Stot classified Stot classified Stot classified Stot classified Stot classified Viscosity, kinematic May cause an allergic skin reaction. Symptoms/effects after	Germ cell mutagenicity	: Not classified	
STOT-single exposureNot classifiedTributoxy ethyl phosphate (78-51-3)May cause respiratory irritation.STOT-single exposureMay cause respiratory irritation.Glycol ether DPM (34590-94-8)May cause respiratory irritation.STOT-repeated exposureMay cause respiratory irritation.Glycol ether DPM (34590-94-8)Not classifiedGlycol ether DPM (34590-94-8)1000 mg/kg body weight Animal: rat, Guideline: other:NOAEL (oral,rat,90 days)1000 mg/kg body weight Animal: rat, Guideline: other:Aspiration hazardNot classifiedViscosity, kinematicNot classifiedLikely routes of exposureSkin and eye contact. Inhalation.Expected Symptoms/Effects, Acute and DelayedMay produce an allergic reaction.Symptoms/effects after skin contactMay cause an allergic skin reaction.Chronic symptomsCracking of the skin. Dry skin.SECTION 12: Ecological information	Carcinogenicity	: Not classified	
Tributoxy ethyl phosphate (78-51-3) STOT-single exposure May cause respiratory irritation. Glycol ether DPM (34590-94-8) STOT-single exposure May cause respiratory irritation. STOT-repeated exposure Not classified Glycol ether DPM (34590-94-8) Not classified STOT-repeated exposure Not classified Glycol ether DPM (34590-94-8) 1000 mg/kg body weight Animal: rat, Guideline: other: Aspiration hazard Not classified Viscosity, kinematic No data available Likely routes of exposure Skin and eye contact. Inhalation. Expected Symptoms/Effects, Acute and Delayed May cause an allergic reaction. Symptoms/effects after skin contact May cause an allergic skin reaction. Chronic symptoms Cracking of the skin. Dry skin.	Reproductive toxicity	Reproductive toxicity ¹ Not classified	
STOT-single exposure May cause respiratory irritation. Glycol ether DPM (34590-94-8) May cause respiratory irritation. STOT-single exposure May cause respiratory irritation. STOT-repeated exposure Not classified Glycol ether DPM (34590-94-8) I000 mg/kg body weight Animal: rat, Guideline: other: NOAEL (oral,rat,90 days) 1000 mg/kg body weight Animal: rat, Guideline: other: Aspiration hazard : Not classified Viscosity, kinematic : No data available Likely routes of exposure : Skin and eye contact. Inhalation. Expected Symptoms/Effects, Acute and Delayed : May cause an allergic reaction. Symptoms/effects after skin contact : May cause an allergic skin reaction. Chronic symptoms : Cracking of the skin. Dry skin.	STOT-single exposure	Not classi	fied
Glycol ether DPM (34590-94-8) STOT-single exposure May cause respiratory irritation. STOT-repeated exposure Not classified Glycol ether DPM (34590-94-8) 1000 mg/kg body weight Animal: rat, Guideline: other: NOAEL (oral,rat,90 days) 1000 mg/kg body weight Animal: rat, Guideline: other: Aspiration hazard Not classified Viscosity, kinematic No data available Likely routes of exposure Skin and eye contact. Inhalation. Expected Symptoms/Effects, Acute and Delayed May produce an allergic reaction. Symptoms/effects after skin contact May cause an allergic skin reaction. Chronic symptoms Cracking of the skin. Dry skin.	Tributoxy ethyl phosphate (78-51-3)		
STOT-single exposure May cause respiratory irritation. STOT-repeated exposure Not classified Glycol ether DPM (34590-94-8) 1000 mg/kg body weight Animal: rat, Guideline: other: NOAEL (oral,rat,90 days) 1000 mg/kg body weight Animal: rat, Guideline: other: Aspiration hazard Not classified Viscosity, kinematic No data available Likely routes of exposure Skin and eye contact. Inhalation. Expected Symptoms/Effects, Acute and Delayed May cause an allergic reaction. Symptoms/effects after skin contact May cause an allergic skin reaction. Chronic symptoms Cracking of the skin. Dry skin. SECTION 12: Ecological information Station	OT-single exposure May cause respiratory irritation.		
STOT-repeated exposure Not classified Glycol ether DPM (34590-94-8) 1000 mg/kg body weight Animal: rat, Guideline: other: Aspiration hazard Not classified Viscosity, kinematic Not data available Likely routes of exposure Skin and eye contact. Inhalation. Expected Symptoms/Effects, Acute and Delayed May produce an allergic reaction. Symptoms/effects after skin contact May cause an allergic skin reaction. Chronic symptoms Cracking of the skin. Dry skin.	Glycol ether DPM (34590-94-8)		
Glycol ether DPM (34590-94-8) NOAEL (oral,rat,90 days) 1000 mg/kg body weight Animal: rat, Guideline: other: Aspiration hazard Not classified Viscosity, kinematic No data available Likely routes of exposure Skin and eye contact. Inhalation. Expected Symptoms/Effects, Acute and Delayed May produce an allergic reaction. Symptoms/effects after skin contact May cause an allergic skin reaction. Chronic symptoms Cracking of the skin. Dry skin.	STOT-single exposure May cau		use respiratory irritation.
NOAEL (oral,rat,90 days)1000 mg/kg body weight Animal: rat, Guideline: other:Aspiration hazardNot classifiedViscosity, kinematicNo data availableLikely routes of exposureSkin and eye contact. Inhalation.Expected Symptoms/Effects, Acute and DelayedMay produce an allergic reaction.Symptoms/effects after skin contactMay cause an allergic skin reaction.Chronic symptomsCracking of the skin. Dry skin.SECTION 12: Ecological information	STOT-repeated exposure Not classified		ssified
Aspiration hazardNot classifiedViscosity, kinematicNo data availableLikely routes of exposureSkin and eye contact. Inhalation.Expected Symptoms/Effects, Acute and DelayedMay produce an allergic reaction.Symptoms/effects after skin contactMay cause an allergic skin reaction.Chronic symptomsCracking of the skin. Dry skin.SECTION 12: Ecological information	Glycol ether DPM (34590-94-8)		
Viscosity, kinematicNo data availableLikely routes of exposureSkin and eye contact. Inhalation.Expected Symptoms/Effects, Acute and DelayedMay produce an allergic reaction.Symptoms/effects after skin contactMay cause an allergic skin reaction.Chronic symptomsCracking of the skin. Dry skin.SECTION 12: Ecological information	NOAEL (oral,rat,90 days)		1000 mg/kg body weight Animal: rat, Guideline: other:
	Aspiration hazard : Viscosity, kinematic : Likely routes of exposure Expected Symptoms/Effects, Acute and Delayed Symptoms/effects after skin contact Chronic symptoms		 No data available Skin and eye contact. Inhalation. May produce an allergic reaction. May cause an allergic skin reaction.
	12.1. Toxicity		

Ecology - general

¹ The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Tributoxy ethyl phosphate (78-51-3)		
LC50 - Fish [1]	11.2 mg/l Source: International Uniform ChemicaL Information Database	
EC50 - Crustacea [1]	75 mg/l Source: International Uniform ChemicaL Information Database	
Glycol ether DPM (34590-94-8)		
LC50 - Fish [1]	> 1000 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Poecilia reticulata, Static system, Fresh water, Experimental value, GLP)	
EC50 - Other aquatic organisms [1]	1930 mg/l Test organisms (species): other aquatic crustacea:	
ErC50 algae	> 969 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)	
LOEC (chronic)	0.5 mg/l Test organisms (species): Daphnia magna Duration: '22 d'	
NOEC (chronic)	≥ 0.5 mg/l Test organisms (species): Daphnia magna Duration: '22 d'	

12.2. Persistence and degradability

Persistence and degradability The polymers are not biodegradable, but they would be removed in biological wastewater treatment plants by adsorption to biosolids. No bioconcentration of the polymeric component is expected.

Tributoxy ethyl phosphate (78-51-3)	
Persistence and degradability	Inherently biodegradable.
Chemical oxygen demand (COD)	1.839 g O_2/g substance
Glycol ether DPM (34590-94-8)	
Persistence and degradability	Readily biodegradable in water.
Biochemical oxygen demand (BOD)	0 g O ₂ /g substance
ThOD	2.06 g O₂/g substance

12.3. Bioaccumulative potential

Tributoxy ethyl phosphate (78-51-3)	
Bioaccumulative potential	Product is not explosive.
Partition coefficient n-octanol/water (Log Kow)	No data available

Partition coefficient n-octanol/water (Log Pow)	3.75 (Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Glycol ether DPM (34590-94-8)	
Partition coefficient n-octanol/water (Log Pow)	0.004 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
Zinc ammonia carbonate complex (38714-47-5)	
Partition coefficient n-octanol/water (Log Pow)	-0.46 Source: ECHA
12.4. Mobility in soil	
Ecology - soil No	(test) data on mobility of the substance available.

Tributoxy ethyl phosphate (78-51-3)	
Surface tension	32.7 mN/m (20 °C, 90 %, EU Method A.5: Surface tension)
Ecology - soil	No (test)data on mobility of the substance available.
Glycol ether DPM (34590-94-8)	
Surface tension	68.7 mN/m (20 °C, 1 g/l, OECD 115: Surface Tension of Aqueous Solutions)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Highly mobile in soil. Not toxic to plants.

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations	
13.1. Disposal methods	
Waste treatment methods	Dispose of contents and or container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations Ecology - waste materials	 Reuse if possible. Otherwise dispose recovered material in accordance with all local, State or Federal regulations. Avoid release to the environment.

SECTION 14: Transport information

14.1. UN number

Not regulated for transport

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

14.2. UN proper shipping name

Proper Shipping Name (DOT)	[:] Not applicable
14.3. Transport hazard class(es)	
DOT Transport hazard class(es) (DOT)	[:] Not applicable
14.4. Packing group Packing group (DOT)	[:] Not applicable
14.5. Environmental hazards	
Other information	¹ No supplementary information available.

14.6. Special precautions for user

DOT

No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, except for:

Zinc ammonia carbonate complex	CAS-No. 38714-47-5	0.5 - 1.5%
--------------------------------	--------------------	------------

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date : 04/16/2023

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases			
H317	May cause an allergic skin reaction		
NFPA health hazard NFPA fire haza	signific d [:] 0 - Mat includir	erials that, under emergency conditions, can cause ant irritation. erials that will not burn under typical fire conditions, g intrinsically noncombustible materials such as e, stone, and sand.	
NFPA reactivit		erial that in themselves are normally stable, even re conditions.	

It is the responsibility of the user to provide a safe workplace, using the health and safety information contained herein as a guide. Project Clean Inc. will accept no liability for damages or loss incurred from the improper handling and use of this product.

The information provided in the Safety Data Sheet has been obtained from current sources and is believed to be reliable.