

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015) Issue date: 30.11.2023 Version: 1.0

SECTION 1: Identification

1.1. Product identifier

Trade name : PROMAX HE MAX DETERGENT

Product code : 1200455

1.2. Recommended use and restrictions on use

Recommended use : High efficiency laundry detergent Restrictions on use : Industrial and Institutional use only

1.3. Supplier

Project Clean Inc.

12 James St N, Suite 201A Hamilton, Ontario L8R 2J9

T 1 800 663 9925

regulatory@projectclean.com - www.projectclean.ca

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Canada	CHEMTREC Chemical Emergency	www.chemtrec.com	1 800 424 9300	24hr/day 7days/week within USA and Canada
Canada	CANUTEC Transportation Emergency	www.canutec.com		24hr/day 7days/week within USA and Canada

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Classification (GHS CA)

Skin corrosion/irritation, Category 1 H314 Causes severe skin burns and eye damage.

Serious eye damage/eye irritation, Category 1 H318 Causes serious eye damage.

Full text of H-statements: see section 16

2.2. GHS Label elements, including precautionary statements

GHS CA labelling

Hazard pictograms (GHS CA)



Signal word (GHS CA) : Danger

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Hazard statements (GHS

: H314 - Causes severe skin burns and eye damage.

CA)

H318 - Causes serious eye damage.

Precautionary statements (GHS CA)

: P260 - Do not breathe fume, mist, vapours, or spray.

P264 - Wash hands, forearms and face thoroughly after handling.

P280 - Wear protective gloves, protective clothing, and eye protection.

P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all

contaminated clothing. Rinse skin with water.

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable

for breathing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTER or doctor.

P321 - Specific treatment (see supplemental first aid instruction on the product

SDS).

P363 - Wash contaminated clothing before reuse.

P405 - Store locked up.

P501 - Dispose of contents and or container to hazardous or special waste collection point, in accordance with local, regional, national and or international

regulation.

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS CA)

No data available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Chemical name / Synonyms	Product identifier	% w/w
Alcohol Ethoxylate	Ethoxylated alcohols (C=7-21)	CAS-No.: 68991-48-0	5 - 10
Alkyl (C10-16) benzenesulfonic acid	Benzenesulfonic acid alkyl(C=10-16) derivs.	CAS-No.: 68584-22-5	3 - 7
Alcohols, C12-18(even numbered), ethoxylated	Ethoxylated alcohols (C=12-18)	CAS-No.: 68213-23-0	1 - 5

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Name	Chemical name / Synonyms	Product identifier	% w/w
Ddisodium tetraborate,	Borax	CAS-No.: 1303-96-4	0,5 - 1,5
decahydrate			

^{*}The exact concentrations have been withheld as a trade secret. Les concentrations exactes ont été retenues en tant que secret commercial.

Full text of hazard classes and H-statements: see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. Call a physician

immediately.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after eye contact : Serious damage to eyes.

Chronic symptoms : No effects known.

Expected Symptoms/Effects, Acute and Delayed : May cause dermatitis, eye irritation, corneal oedema and

chemical burns. May cause skin irritation, dermatitis, or

skin burns.

4.3. Immediate medical attention and special treatment, if necessary

Other medical advice or treatment : Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Unsuitable extinguishing media

No additional information available

5.3. Specific hazards arising from the hazardous product

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.4. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment.

Self-contained breathing apparatus. Complete protective clothing.

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

SECTION 6: Accidental release measures

6.1.1. For non-emergency personnel

Protective equipment : Protective goggles (EN 166). Protective clothing (EN 14605 or EN 13034). Safety

glasses (EN 166). Wash hands and other exposed areas with mild soap and water

before eating, drinking or smoking and when leaving work.

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further

information refer to section 8: "Exposure controls or personal protection".

Emergency procedures : Ventilate area. Evacuate unnecessary personnel. Cover spill with non

combustible material, e.g.: sand or earth. Prevent from entering sewers,

basements and workpits, or any place where its accumulation can be dangerous. Reuse if possible. Otherwise dispose recovered material in accordance with all

local, Provincial or Federal regulations.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe : Ensure good ventilation of the work station. Avoid contact with skin and eyes.

handling Wear personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after

handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

Incompatible products : Strong oxidizing agents. Strong reducing agents. Strong acids. Strong bases.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Ddisodium tetraborate, decahydrate (1303-96-4)	
Canada (Alberta) - Occupational Exposure Limits	
Local name	Borates, tetra, sodium salts

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Ddisodium tetraborate, decahydrate (1303-96-4)			
OEL TWA	1 mg/m³ Anhydrous 1 mg/m³ Decahydrate 1 mg/m³ Pentahydrate		
OEL TWA	3 ppm Anhydrous 3 ppm Decahydrate 3 ppm Pentahydrate		
Notations and remarks	Occupational exposure limit is based on irritation effects and its adjustment to compensate for unusual work schedules is not required.		
Regulatory reference	Alberta Regulation 191/2021		
Canada (Quebec) - Occupational E	xposure Limits		
Local name	Sodium tetraborate, decahydrate (borax)		
VEMP (OEL TWAEV)	5 mg/m³		
Regulatory reference	S-2.1, r. 13 - Regulation respecting occupational health and safety		
Canada (British Columbia) - Occup	Canada (British Columbia) - Occupational Exposure Limits		
Local name	Borate compounds, inorganic		
OEL TWA	2 mg/m³ Inhalable		
OEL STEL	6 mg/m³		
Regulatory reference	OHS Guidelines Part 5: Chemical Agents and Biological Agents (WorkSafe BC)		
Canada (Manitoba) - Occupational Exposure Limits			
Local name	Sodium tetraborate, decahydrate		
OEL TWA	2 mg/m³ (I - Inhalable particulate matter)		
OEL STEL	6 mg/m³ (I - Inhalable particulate matter)		
Notations and remarks	TLV® Basis: URT irr. Notations: A4 (Not classifiable as a Human Carcinogen)		
Regulatory reference	ACGIH 2022		
Canada (Newfoundland and Labra	dor) - Occupational Exposure Limits		
Local name	Sodium tetraborate, decahydrate		
OEL TWA	2 mg/m³ (I - Inhalable particulate matter)		
OEL STEL	6 mg/m³ (I - Inhalable particulate matter)		

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Ddisodium tetraborate, decahydrate (1303-96-4)		
Notations and remarks	TLV® Basis: URT irr. Notations: A4 (Not classifiable as a Human Carcinogen)	
Regulatory reference	ACGIH 2022	
Canada (Nova Scotia) - Occupational Exposure Limits		
Local name	Sodium tetraborate, decahydrate	
OEL TWA	2 mg/m³ (I - Inhalable particulate matter)	
OEL STEL	6 mg/m³ (I - Inhalable particulate matter)	
Notations and remarks	TLV® Basis: URT irr. Notations: A4 (Not classifiable as a Human Carcinogen)	
Regulatory reference	ACGIH 2022	
Canada (Nunavut) - Occupational Exposure Limits		
Local name	Borate compounds, inorganic	
OEL TWA	2 mg/m³ (inhalable fraction)	
OEL STEL	6 mg/m³ (inhalable fraction)	
Regulatory reference	Occupational Health and Safety Regulations, Nu Reg 003-2016 (Amendment R-044-2021)	
Canada (Northwest Territories) - Occupa	ational Exposure Limits	
Local name	Borate compounds, inorganic	
OEL TWA	2 mg/m³ (inhalable fraction)	
OEL STEL	6 mg/m³ (inhalable fraction)	
Regulatory reference	Occupation Health and Safety Regulations R-039-2015 (R-013-2020)	
Canada (Ontario) - Occupational Exposu	re Limits	
Local name	Borate compounds, Inorganic	
OEL TWA	2 mg/m³ (I - Inhalable fraction)	
OEL STEL	6 mg/m³ (I - Inhalable fraction)	
Regulatory reference	Ontario Occuational Exposure Limits under Regulation 833	
Canada (Prince Edward Island) - Occupational Exposure Limits		
Local name	Sodium tetraborate, decahydrate	
OEL TWA	2 mg/m³ (I - Inhalable particulate matter)	

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Ddisodium tetraborate, decahydrate (1303-96-4)		
OEL STEL	6 mg/m³ (I - Inhalable particulate matter)	
Notations and remarks	TLV® Basis: URT irr. Notations: A4 (Not classifiable as a Human Carcinogen)	
Regulatory reference	ACGIH 2022	
Canada (Saskatchewan) - Occupational Exposure Limits		
Local name	Borate compounds, inorganic	
OEL TWA	2 mg/m³ (inhalable fraction)	
OEL STEL	6 mg/m³ (inhalable fraction)	
Regulatory reference	The Occupational Health and Safety Regulations, 2020. Chapter S- 15.1 Reg 10	
USA - ACGIH - Occupational Exposure Limits		
Local name	Sodium tetraborate, decahydrate	
ACGIH OEL TWA	2 mg/m³ (Inhalable fraction)	
ACGIH OEL STEL	6 mg/m³ (Inhalable fraction)	
Remark (ACGIH)	TLV® Basis: URT irr. Notations: A4 (Not classifiable as a Human Carcinogen)	
Regulatory reference	ACGIH 2022	

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Materials for protective clothing:
Nitrile rubber/PVC
Hand protection:
Protective gloves
Eye protection:
Safety glasses

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):







SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Clear, tan liquid.

Colour : Tan colour Odour : Fresh scent

Odour threshold : No data available

pH : 8,5 - 9,5

Relative evaporation rate (butylacetate=1) : No data available

Relative evaporation rate (ether=1) : No data available

Melting point : No data available Freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : No data available Auto-ignition temperature : Not self-igniting

Decomposition temperature : No data available

Upper and lower flammability or explosive limit : No data available, Not applicable

Vapour pressure : No data available

Relative vapour density at 20°C : No data available

Relative density : 1 – 1.05 Solubility : Soluble in water.

Solubility : Soluble in water. Partition coefficient n-octanol/water (Log Pow) : No data available

Viscosity, kinematic : No data available
Viscosity, dynamic : slightly viscous liquid

Explosive properties : Not explosive.

Explosive limits : No data available

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

Reactivity : The product is non-reactive under normal conditions of use, storage and

transport.

Chemical stability : Stable under normal conditions.

Possibility of hazardous : No dangerous reactions known under normal conditions of use.

reactions

Conditions to avoid : None under recommended storage and handling conditions (see section 7). Incompatible materials : Strong oxidizing agents. Strong reducing agents. Strong acids. Strong bases.

Hazardous decomposition : Under normal conditions of storage and use, hazardous decomposition

products should not be produced.

Hardening time: : No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

PROMAX HE MAX DETERGENT		
LD50 oral rat	≥ 20745 mg/kg	
LC50 Inhalation - Rat	≥ 25 mg/l/4h	
Alkyl (C10-16) benzenesulfonic acid (68584-22-5)		
LD50 oral rat	1350 (500 - 2000) mg/kg Source: IUCLID;	
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other:	
LC50 Inhalation - Rat	> 1,9 mg/l Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Remarks on results: other:	
ATE CA (oral)	1350 mg/kg bodyweight	
ATE CA (dust,mist)	1,5 mg/l/4h	
Alcohol Ethoxylate (68991-48-0)		
LD50 oral rat	> 2000 mg/kg	
LD50 dermal rabbit	> 2000 mg/kg	
Alcohols, C12-18(even numbered), ethoxylated (68213-23-0)		
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)	

Safety Data Sheet

Chronic symptoms

according to the Hazardous Products Regulation (February 11, 2015)

according to the Hazardous Products Regulation (February 11,)			
Alcohols, C12-18(even numbered), etho	oxylated (68213-23-0)		
LC50 Inhalation - Rat	> 1,6 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute		
	Inhalation Toxicity), Remarks on results: other:		
Ddisodium tetraborate, decahydrate (1	303-96-4)		
LD50 oral rat	2660 mg/kg (Rat, Oral)		
LD50 dermal rabbit	> 2000 mg/kg (Rabbit, Dermal)		
ATE CA (oral)	2660 mg/kg bodyweight		
Skin corrosion/irritation	: Not classified.		
Serious eye damage/irritation	: Causes serious eye damage.		
Respiratory or skin sensitization	: Not classified		
Germ cell mutagenicity	: Not classified		
Carcinogenicity	: Not classified		
Reproductive toxicity	: Not classified		
STOT-single exposure	STOT-single exposure : Not classified		
STOT-repeated exposure	: Not classified		
Alkyl (C10-16) benzenesulfonic acid (68	8584-22-5)		
NOAEL (oral, rat, 90 days)	500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)		
NOAEL (dermal, rat/rabbit, 90 days)	> 1000 mg/kg bodyweight Animal: rat, Guideline: OECD		
	Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study)		
Alcohols, C12-18(even numbered), etho	oxylated (68213-23-0)		
NOAEL (oral, rat, 90 days)	≥ 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline		
-	408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)		
Aspiration hazard	: Not classified		
Likely routes of exposure	: Skin and eyes contact. Inhalation. Ingestion.		
Expected Symptoms/Effects, Acute and			
	and chemical burns. May cause skin irritation,		
Cumputama /affanta affanta acceptant	dermatitis, or skin burns.		
Symptoms/effects after eye contact	: Serious damage to eyes.		

30.11.2023 (Issue date) EN (English) 10/15

: No effects known.

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term

adverse effects in the environment.

Hazardous to the aquatic environment, short-term (acute) : Not classified Hazardous to the aquatic environment, long-term (chronic) : Not classified

Partition coefficient n-octanol/water (Log Pow) No data available

Alkyl (C10-16) benzenesulfonic acid (68584-22-5)		
LC50 - Fish [1]	3 mg/l Source: IUCLID	
EC50 - Crustacea [1]	2,9 mg/l Source: IUCLID	
EC50 72h - Algae [1]	> 1000 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)	
EC50 96h - Algae [1]	170 mg/l Source: IUCLID	
Partition coefficient n-octanol/water (Log Pow)	2	
Alcohol Ethoxylate (68991-48-0)		
LC50 - Fish [1]	70,1 mg/l 48 hours	
EC50 - Crustacea [1]	5,3 mg/l Daphnia, 48 hours	
EC50 96h - Algae [1]	3,389 mg/l Source: EPI SUITE	
Alcohols, C12-18(even numbered), ethoxylated (68213-23-0)		
LC50 - Fish [1]	1,2 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)	
LC50 - Fish [2]	0,876 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)	
EC50 - Crustacea [1]	2,7 mg/l Test organisms (species): Daphnia magna	
EC50 72h - Algae [1]	0,41 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)	
EC50 72h - Algae [2]	0,19 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)	

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Alcohols, C12-18(even numbered), ethoxylated (68213-23-0)		
EC50 96h - Algae [1]	3,401 mg/l Source: ECOSAR	
Ddisodium tetraborate, decahydrate (1303-96-4)		
LC50 - Fish [1]	100 - 1000 mg/l (96 h, Pisces)	
LC50 - Fish [2]	1900 mg/l (Pimephales promelas)	
LC50 - Other aquatic organisms [1]	151 mg/l Source: ECHA	
EC50 - Crustacea [1]	141 mg/l (48 h, Daphnia magna)	
EC50 72h - Algae [1]	66 mg/l Source: EHCA	
EC50 72h - Algae [2]	54 mg/l Test organisms (species): Phaeodactylum tricornutum	
EC50 96h - Algae [1]	158 mg/l (Scenedesmus subspicatus, Anhydrous form)	
NOEC chronic fish	6,4 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) Duration: '34 d'	

12.2. Persistence and degradability

Persistence and degradability Not established.

Alcohol Ethoxylate (68991-48-0)			
Persistence and degradability	Readily biodegradable in water.		
Ddisodium tetraborate, decahydrate (1303-96-4)			
Persistence and degradability	Biodegradability in soil: not applicable. Biodegradability: not applicable.		
Chemical oxygen demand (COD)	Not applicable		
ThOD	Not applicable		
BOD (% of ThOD)	Not applicable		

12.3. Bioaccumulative potential

Bioaccumulative potential Not established.

Partition coefficient n-octanol/water (Log Pow) No data available

Alkyl (C10-16) benzenesulfonic acid (68584-22-5)	
Partition coefficient n-octanol/water (Log Pow)	2
Ddisodium tetraborate, decahydrate (1303-96-4)	·

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

12.4. Mobility in soil

Ecology - soil No (test) data on mobility of the substance available.

Partition coefficient n-octanol/water (Log Pow) No data available

Alkyl (C10-16) benzenesulfonic acid (68584-22-5)				
Mobility in soil		1064		
Partition coefficient n-octanol/water (Log Pow)		2		
Alcohol Ethoxylate (68991-48-0)				
Mobility in soil	589,5 S	ource: EPI SUITE		
Ddisodium tetraborate, decahydrate (1303-96-4)				
Ecology - soil	Adsorbs into the soil. May be harmful to plant growth, blooming and fruit formation.			

12.5. Other adverse effects

Ozone : Not classified

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents and or container in accordance with licensed

collector's sorting instructions.

Product/Packaging disposal

recommendations

: Non-refillable container. Do not reuse or refill this container. Offer for recycling, if available or puncture and dispose of in a sanitary landfill.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

14.1. UN number

Not regulated for transport

14.2. UN proper shipping name

Proper Shipping Name (TDG) : Not applicable

14.3. Transport hazard class(es)

TDG

Transport hazard class(es) (TDG) : Not applicable

14.4. Packing group

Packing group (TDG) : Not applicable

30.11.2023 (Issue date) EN (English) 13/15

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

14.5. Environmental hazards

Other information : No supplementary information available.

14.6. Special precautions for user

TDG

No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. National regulations

Alkyl (C10-16) benzenesulfonic acid (68584-22-5)

Listed on the Canadian DSL (Domestic Substances List)

Alcohol Ethoxylate (68991-48-0)

Listed on the Canadian DSL (Domestic Substances List)

Alcohols, C12-18(even numbered), ethoxylated (68213-23-0)

Listed on the Canadian DSL (Domestic Substances List)

Ddisodium tetraborate, decahydrate (1303-96-4)

Listed on the Canadian DSL (Domestic Substances List)

15.2. International regulations

Alkyl (C10-16) benzenesulfonic acid (68584-22-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Alcohol Ethoxylate (68991-48-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Alcohols, C12-18(even numbered), ethoxylated (68213-23-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Ddisodium tetraborate, decahydrate (1303-96-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

SECTION 16: Other information

Issue date : 11.30.2023

Full text of H-statements:	
H318	Causes serious eye damage.

It is the responsibility of the user to provide a safe workplace, using the health and safety information contained herein as a guide. Project Clean Inc. will accept no liability for damages or loss incurred from the improper handling and use of this product.

The information provided in the Safety Data Sheet has been obtained from current sources and is believed to be reliable.