

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015) Issue date: 04.12.2023 Version: 1.0

SECTION 1: Identification

1.1. Product identifier

Product name : PROZYME LIQUID LAUNDRY

Product code : 1201100

1.2. Recommended use and restrictions on use

Recommended use : Concentrated laundry detergent Restrictions on use : Industrial and Institutional use only

1.3. Supplier

Project Clean Inc.

12 James St N, Suite 201A Hamilton, Ontario L8R 2J9

T 1 800 663 9925

regulatory@projectclean.com - www.projectclean.ca

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Canada	CHEMTREC Chemical Emergency	www.chemtrec.com	1 800 424 9300	24hr/day 7days/week within USA and Canada
Canada	CANUTEC Transportation Emergency	www.canutec.com		24hr/day 7days/week within USA and Canada

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Classification (GHS CA)

Skin corrosion/irritation, Category 1 H314 Causes severe skin burns and eye damage.

Serious eye damage/eye irritation, Category 1 H318 Causes serious eye damage.

Skin sensitisation, Category 1 H317 May cause an allergic skin reaction.

Full text of H-statements: see section 16

2.2. GHS Label elements, including precautionary statements

GHS CA labelling

Hazard pictograms (GHS CA)





Signal word (GHS CA) : Danger

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Hazard statements (GHS

CA)

H314 - Causes severe skin burns and eye damage.

H317 - May cause an allergic skin reaction.

H318 - Causes serious eye damage.

Precautionary statements

(GHS CA)

P260 - Do not breathe fume, mist, vapours, or spray.

P261 - Avoid breathing fume, mist, vapours, or spray.

P264 - Wash hands, forearms and face thoroughly after handling. P272 - Contaminated work clothing should not be allowed out of the

workplace.

P280 - Wear protective gloves, protective clothing, and eye or face protection. P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P302+P352 - IF ON SKIN: Wash with plenty of water.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all

contaminated clothing. Rinse skin with water.

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable

for breathing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTER or doctor.

P321 - Specific treatment (see supplemental first aid instruction on the product

SDS).

P333+P313 - If skin irritation or rash occurs: Get medical advice or attention.

P362+P364 - Take off contaminated clothing and wash it before reuse.

P363 - Wash contaminated clothing before reuse.

P405 - Store locked up.

P501 - Dispose of contents and or container to hazardous or special waste collection point, in accordance with local, regional, national and or international

regulation.

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS CA)

No data available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

3.2. Mixtures

Name	Chemical name / Synonyms	Product identifier	% w/w
C9-11, Ethoxylated Alcohol	(C9-C11) Alkyl alcohol, ethoxylate	CAS-No.: 68439-46-3	10 - 30
Alkyl (C10-16) benzenesulfonic acid	Benzenesulfonic acid alkyl(C=10-16) derivs.	CAS-No.: 68584-22-5	7 - 13
Monoethanolamine	Monoethanolamine	CAS-No.: 141-43-5	1 - 5
N,N-bis(hydroxyethyl)coco amides	N,N-bis(2-hydroxyethyl) cocoamide	CAS-No.: 68603-42-9	1 - 5
Dipropylene glycol	Oxi-dipropanol	CAS-No.: 25265-71-8	0.1 - 1

^{*}The exact concentrations have been withheld as a trade secret. Les concentrations exactes ont été retenues en tant que secret commercial.

Full text of hazard classes and H-statements: see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Rinse skin with water or shower. Take off immediately all

contaminated clothing. Call a physician immediately.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. Call a physician

immediately.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately.

First-aid measures general : Call a physician immediately.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact : Burns. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Serious damage to eyes.

Symptoms/effects after ingestion : Burns.

Chronic symptoms : No effects known.

Expected Symptoms/Effects, Acute and Delayed : May cause skin irritation, dermatitis, or skin burns.

Corrosion of the eye tissue. May produce an allergic

reaction.

4.3. Immediate medical attention and special treatment, if necessary

Other medical advice or treatment : Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

04.12.2023 (Issue date) EN (English) 3/17

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

5.2. Unsuitable extinguishing media

No additional information available

5.3. Specific hazards arising from the hazardous product

Fire hazard : Not flammable.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.4. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Evacuate area. Use water spray or fog for cooling exposed containers.

Protection during firefighting : Do not attempt to take action without suitable protective equipment.

Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

General measures : Evacuate area. Do not handle until all safety precautions have been read and

understood. Clean up any spills as soon as possible, using an absorbent material

to collect it.

6.1.1. For non-emergency personnel

Protective equipment : Chemical goggles or face shield with safety glasses. Gloves (EN 374). Protective

clothing (EN 14605 or EN 13034).

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe fume,

mist, vapours, or spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment.

Emergency procedures : Ventilate area. Evacuate unnecessary personnel. Reuse if possible. Otherwise

dispose recovered material in accordance with all local, Provincial or Federal

regulations.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe : E

handling

: Ensure good ventilation of the work station. Avoid contact with skin and eyes.

Do not breathe fume, mist, vapours, or spray. Wear personal protective

equipment.

04.12.2023 (Issue date) EN (English) 4/17

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should

not be allowed out of the workplace. Do not eat, drink or smoke when using this

product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in dry, cool, well-ventilated area. Store locked up.

Incompatible products : Strong acids. Strong oxidizing agents. Strong reducing agents. Strong bases.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Monoethanolamine (141-43-5)		
Canada (Alberta) - Occupational Exposure Limits		
Local name	Ethanolamine (2-Aminoethanol)	
OEL TWA	7,5 mg/m³	
OEL TWA	3 ppm	
OEL STEL	15 mg/m³	
OEL STEL	6 ppm	
Notations and remarks	Occupational exposure limit is based on irritation effects and its adjustment to compensate for unusual work schedules is not required.	
Regulatory reference Alberta Regulation 191/2021		
Canada (Quebec) - Occupational Exposu	ure Limits	
Local name	2-Aminoethanol (Ethanolamine)	
VECD (OEL STEV)	15 mg/m ³	
VECD (OEL STEV)	6 ppm	
VEMP (OEL TWAEV)	7,5 mg/m ³	
VEMP (OEL TWAEV)	3 ppm	
Regulatory reference	S-2.1, r. 13 - Regulation respecting occupational health and safety	
Canada (British Columbia) - Occupational Exposure Limits		
Local name	Ethanolamine	
OEL TWA	3 ppm	
OEL STEL	6 ppm	

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Monoethanolamine (141-43-5)		
Regulatory reference	OHS Guidelines Part 5: Chemical Agents and Biological Agents (WorkSafe BC)	
Canada (Manitoba) - Occupational Exposure Limits		
Local name	Ethanolamine	
OEL TWA	3 ppm	
OEL STEL	6 ppm	
Notations and remarks	TLV® Basis: Eye & skin irr	
Regulatory reference	ACGIH 2022	
Canada (New Brunswick) - Occupationa	I Exposure Limits	
Local name	Ethanolamine	
OEL TWA	3 ppm	
OEL STEL	6 ppm	
Notations and remarks	Eye & skin irr	
Canada (Newfoundland and Labrador) -	Occupational Exposure Limits	
Local name	Ethanolamine	
OEL TWA	3 ppm	
OEL STEL	6 ppm	
Notations and remarks	TLV® Basis: Eye & skin irr	
Regulatory reference	ACGIH 2022	
Canada (Nova Scotia) - Occupational Ex	posure Limits	
Local name	Ethanolamine	
OEL TWA	3 ppm	
OEL STEL	6 ppm	
Notations and remarks	TLV® Basis: Eye & skin irr	
Regulatory reference	ACGIH 2022	
Canada (Nunavut) - Occupational Exposure Limits		
Local name	Ethanolamine	
OEL TWA	3 ppm	
OEL STEL	6 ppm	

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Monoethanolamine (141-43-5)			
Regulatory reference	Occupational Health and Safety Regulations, Nu Reg 003-2016 (Amendment R-044-2021)		
Canada (Northwest Territories)	Canada (Northwest Territories) - Occupational Exposure Limits		
Local name	Ethanolamine		
OEL TWA	3 ppm		
OEL STEL	6 ppm		
Regulatory reference	Occupation Health and Safety Regulations R-039-2015 (R-013-2020)		
Canada (Ontario) - Occupational	Exposure Limits		
Local name	Ethanolamine		
OEL TWA	3 ppm		
OEL STEL	6 ppm		
Regulatory reference	Ontario Occuational Exposure Limits under Regulation 833		
Canada (Prince Edward Island) -	Occupational Exposure Limits		
Local name	Ethanolamine		
OEL TWA	3 ppm		
OEL STEL	6 ppm		
Notations and remarks	TLV® Basis: Eye & skin irr		
Regulatory reference	ACGIH 2022		
Canada (Saskatchewan) - Occupational Exposure Limits			
Local name	Ethanolamine		
OEL TWA	3 ppm		
OEL STEL	6 ppm		
Regulatory reference	The Occupational Health and Safety Regulations, 2020. Chapter S- 15.1 Reg 10		
USA - ACGIH - Occupational Exposure Limits			
Local name	Ethanolamine		
ACGIH OEL TWA [ppm]	3 ppm		
ACGIH OEL STEL [ppm]	6 ppm		
Remark (ACGIH)	TLV® Basis: Eye & skin irr		
	•		

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Monoethanolamine (141-43-5)		
Regulatory reference	ACGIH 2022	
USA - OSHA - Occupational Exposure Limits		
Local name	Ethanolamine	
OSHA PEL TWA [1]	6 mg/m³	
OSHA PEL TWA [2]	3 ppm	
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1	

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

	_		
Material	s tor nr	otective	clothing:
ITIALCITAL	3 I OI DI		CIOCITIE

Nitrile rubber/PVC

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):









04.12.2023 (Issue date) EN (English) 8/17

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Cloudy. Blue. Liquid.

Colour : Cloudy Blue
Odour : Citrus scent

Odour threshold : No data available

pH : 8.5 - 9.5

Relative evaporation rate (butylacetate=1) : No data available Relative evaporation rate (ether=1) : No data available Melting point : Not applicable : No data available reezing point : No data available

Initial boiling point and boiling range : No data available :

Flash point : > 100 °C

Auto-ignition temperature : Not self-igniting

Decomposition temperature : No data available

Upper and lower flammability or explosive limit : No data available, Not applicable

Vapour pressure : No data available Relative vapour density at 20°C : No data available

Relative density : 1 – 1.1

Solubility : Dispersible in water.

Partition coefficient n-octanol/water (Log Pow) : No data available

Viscosity, kinematic : No data available
Viscosity, dynamic : Thin like water
Explosive properties : Not explosive.
Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

Reactivity : The product is non-reactive under normal conditions of use, storage and

transport.

Chemical stability : Stable under normal conditions.

Possibility of hazardous : No dangerous reactions known under normal conditions of use.

reactions

Conditions to avoid : None under recommended storage and handling conditions (see section 7).

Incompatible materials : Strong acids. Strong bases. Strong oxidizing agents. Strong reducing agents.

04.12.2023 (Issue date) EN (English) 9/17

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Hazardous decomposition

: Under normal conditions of storage and use, hazardous decomposition

products

Hardening time:

products should not be produced.No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Acute toxicity (inhalation)	: Not classified	
PROZYME LIQUID LAUNDRY		
LD50 oral rat	4256 mg/kg	
LD50 dermal rat	91386 mg/kg	
LC50 Inhalation - Rat	13,674 mg/l/4h	
Alkyl (C10-16) benzenesulfonic acid (68584-22-5)		
LD50 oral rat	1350 (500 - 2000) mg/kg Source: IUCLID;	
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other:	
LC50 Inhalation - Rat	> 1,9 mg/l Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Remarks on results: other:	
ATE CA (oral)	1350 mg/kg bodyweight	
ATE CA (dust,mist)	1,5 mg/l/4h	
Monoethanolamine (141-43-5)		
LD50 oral rat	1089 mg/kg Source: OECD SIDS	
LD50 dermal rabbit	2504 mg/kg Source: OECD SIDS	
LC50 Inhalation - Rat (Vapours)	> 1487 mg/l Source: ECHA	
ATE CA (oral)	1089 mg/kg bodyweight	
ATE CA (Dermal)	2504 mg/kg bodyweight	
N,N-bis(hydroxyethyl)coco amides (68603-42-9)		
LD50 oral rat	> 5000 mg/kg (Rat, Oral)	
LD50 dermal rabbit	> 2000 mg/kg Source: NLM; ChemIDPlus;	
C9-11, Ethoxylated Alcohol (68439-46-3)		
LD50 oral rat	1378 mg/kg (Rat, Oral)	

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

C9-11, Ethoxylated Alcohol (68439-46-3)			
LD50 dermal rabbit	> 2000 mg/kg (Rabbit, Dermal)		
ATE CA (oral)	1378 mg/kg bodyweight		
Dipropylene glycol (25265-71-8)			
LD50 oral rat	> 5000 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral)		
LD50 dermal rabbit	> 5010 mg/kg bodyweight (Equivalent or similar to OECD 402, Rabbit, Male / female, Experimental value, Dermal)		
LC50 Inhalation - Rat	2,34 mg/l (Equivalent or similar to OECD 403, Rat, Male / female, Experimental value, Inhalation)		
ATE CA (vapours)	2,34 mg/l/4h		
ATE CA (dust,mist)	2,34 mg/l/4h		
Skin corrosion/irritation	: Causes severe skin burns.		
Serious eye damage/irritation	: Causes serious eye damage.		
Respiratory or skin sensitization	: May cause an allergic skin reaction.		
Germ cell mutagenicity	: Not classified		
Carcinogenicity	: Not classified		
Reproductive toxicity	: Not classified		
STOT-single exposure	: Not classified		
STOT-repeated exposure	: Not classified		
Alkyl (C10-16) benzenesulfonic acid (685	584-22-5)		
NOAEL (oral, rat, 90 days)	500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)		
NOAEL (dermal, rat/rabbit, 90 days)	> 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study)		
Aspiration hazard	: Not classified		
Likely routes of exposure	: Skin and eyes contact. Ingestion.		
Expected Symptoms/Effects, Acute and	: May cause skin irritation, dermatitis, or skin burns. Corrosion of the		
Delayed	eye tissue. May produce an allergic reaction.		
Symptoms/effects after skin contact	: Burns. May cause an allergic skin reaction.		
Symptoms/effects after eye contact	: Serious damage to eyes.		
Symptoms/effects after ingestion	: Burns.		
Chronic symptoms	: No effects known.		

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Before neutralisation, the product may represent a danger to aquatic organisms.

Hazardous to the aquatic environment, short-term (acute) : Not classified Hazardous to the aquatic environment, long-term (chronic) : Not classified

Partition coefficient n-octanol/water (Log Pow) No data available

Alkyl (C10-16) benzenesulfonic acid (6858	4-22-	5)
LC50 - Fish [1]		3 mg/l Source: IUCLID
EC50 - Crustacea [1]		2,9 mg/l Source: IUCLID
		> 1000 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 96h - Algae [1]		170 mg/l Source: IUCLID
Partition coefficient n-octanol/water (Log F	Pow)	2
Monoethanolamine (141-43-5)		
LC50 - Fish [1]		170 mg/l Source: OECD SIDS
EC50 - Crustacea [1]		32,6 mg/l
ErC50 algae		2,1 mg/l Source: ECHA
Partition coefficient n-octanol/water (Log F	Pow)	-1,31 Source: ICSC
N,N-bis(hydroxyethyl)coco amides (68603-	-42-9	
LC50 - Fish [1]		4 mg/l (96 h, Brachydanio rerio, Semi-static system)
EC50 - Crustacea [1]		2,39 mg/l (48 h, Daphnia pulex)
EC50 96h - Algae [1]		2,2 mg/l (OECD 201: Alga, Growth Inhibition Test, Scenedesmus subspicatus)
Partition coefficient n-octanol/water (Log Pow)		3,52 (Calculated)
Dipropylene glycol (25265-71-8)		
		00 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oryzias es, Semi-static system, Fresh water, Experimental value)
LC50 - Fish [2] > 100		00 mg/l Test organisms (species): Oryzias latipes
LC50 - Other aquatic organisms [1] 3181 value		L mg/l (Other, 48 h, Xenopus laevis, Fresh water, Experimental

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Dipropylene glycol (25265-71-8)	
EC50 - Crustacea [1]	> 100 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value)
EC50 72h - Algae [1]	> 100 mg/l (OECD 201: Alga, Growth Inhibition Test, Desmodesmus subspicatus, Fresh water, Experimental value)
EC50 96h - Algae [1]	1064,8 mg/l Source: ECOTOX
Partition coefficient n-octanol/water (Log Pow)	-0,462 (Test data, Equivalent or similar to OECD 107, 21.7 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0,78 (log Koc, Calculated value)

12.2. Persistence and degradability

Persistence and degradability Biodegradability in soil: no data available. Biodegradability in water: no data available.

N,N-bis(hydroxyethyl)coco amides (68603-42-9)		
Persistence and degradability Readily biodegradable in water.		
C9-11, Ethoxylated Alcohol (68439-46-3)		
Persistence and degradability Readily biodegradable in water.		
Dipropylene glycol (25265-71-8)		
Persistence and degradability Readily biodegradable in water.		

12.3. Bioaccumulative potential

Bioaccumulative potential No test data available.

Partition coefficient n-octanol/water (Log Pow) No data available

Alkyl (C10-16) benzenesulfonic acid (68584-22-5)		
Partition coefficient n-octanol/water (Log Pow)	2	
Monoethanolamine (141-43-5)		
Partition coefficient n-octanol/water (Log Pow)	-1,31 Source: ICSC	
N,N-bis(hydroxyethyl)coco amides (68603-42-9)		
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	
Partition coefficient n-octanol/water (Log Pow)	3,52 (Calculated)	

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

C9-11, Ethoxylated Alcohol (68439-46-3)		
Bioaccumulative potential	No bioaccumulation data available.	
Dipropylene glycol (25265-71-8)		
Bioaccumulative potential	Bioaccumulation: not applicable.	
Partition coefficient n-octanol/water (Log Pow)	-0,462 (Test data, Equivalent or similar to OECD 107, 21.7 °C)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0,78 (log Koc, Calculated value)	

12.4. Mobility in soil

Ecology - soil No (test) data on mobility of the substance available.

Partition coefficient n-octanol/water (Log Pow) No data available

Alkyl (C10-16) benzenesulfonic acid (68584-22-5)		
Mobility in soil	1064	
Partition coefficient n-octanol/water (Log Pow)	2	
Monoethanolamine (141-43-5)		
Partition coefficient n-octanol/water (Log Pow)	-1,31 Source: ICSC	
N,N-bis(hydroxyethyl)coco amides (68603-42-9)		
Mobility in soil	45,02	
Partition coefficient n-octanol/water (Log Pow)	3,52 (Calculated)	
Dipropylene glycol (25265-71-8)		
Surface tension	71,4 mN/m (22 °C, 1.01 g/l)	
Ecology - soil	Low potential for adsorption in soil.	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0,78 (log Koc, Calculated value)	
Partition coefficient n-octanol/water (Log Pow)	-0,462 (Test data, Equivalent or similar to OECD 107, 21.7 °C)	

12.5. Other adverse effects

Ozone : Not classified

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents and or container in accordance with licensed

collector's sorting instructions.

Product/Packaging disposal

recommendations

: Non-refillable container. Do not reuse or refill this container. Offer for recycling, if available or puncture and dispose of in a sanitary landfill.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

14.1. UN number

Not regulated for transport

14.2. UN proper shipping name

Proper Shipping Name (TDG) : Not applicable

14.3. Transport hazard class(es)

TDG

Transport hazard class(es) (TDG) : Not applicable

14.4. Packing group

Packing group (TDG) : Not applicable

14.5. Environmental hazards

Other information : No supplementary information available.

14.6. Special precautions for user

TDG

No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. National regulations

Alkyl (C10-16) benzenesulfonic acid (68584-22-5)

Listed on the Canadian DSL (Domestic Substances List)

Monoethanolamine (141-43-5)

Listed on the Canadian DSL (Domestic Substances List)

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

N,N-bis(hydroxyethyl)coco amides (68603-42-9)

Listed on the Canadian DSL (Domestic Substances List)

C9-11, Ethoxylated Alcohol (68439-46-3)

Listed on the Canadian DSL (Domestic Substances List)

Dipropylene glycol (25265-71-8)

Listed on the Canadian DSL (Domestic Substances List)

15.2. International regulations

Alkyl (C10-16) benzenesulfonic acid (68584-22-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Monoethanolamine (141-43-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

N,N-bis(hydroxyethyl)coco amides (68603-42-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

C9-11, Ethoxylated Alcohol (68439-46-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

Dipropylene glycol (25265-71-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

SECTION 16: Other information

Issue date : 12.04.2023

Full text of H-statements:	
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

It is the responsibility of the user to provide a safe workplace, using the health and safety information contained herein as a guide. Project Clean Inc. will accept no liability for damages or loss incurred from the improper handling and use of this product.

The information provided in the Safety Data Sheet has been obtained from current sources and is believed to be reliable.