

### SECTION 1: Identification

#### 1.1. Product identifier

Product name : LIQUID DISH  
Product code : 1100310

#### 1.2. Recommended use and restrictions on use

Recommended use : Manual dish detergent  
Restrictions on use : Food Plant, Industrial and Institutional use only

#### 1.3. Supplier

Project Clean Inc.  
12 James St N, Suite 201A  
Hamilton, Ontario L8R 2J9  
T 1 800 663 9925  
[regulatory@projectclean.com](mailto:regulatory@projectclean.com) - [www.projectclean.ca](http://www.projectclean.ca)

#### 1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Canada	CHEMTREC Chemical Emergency	<a href="http://www.chemtrec.com">www.chemtrec.com</a>	1 800 424 9300	24hr/day 7days/week within USA and Canada
Canada	CANUTEC Transportation Emergency	<a href="http://www.canutec.com">www.canutec.com</a>	1 888 226 8832 *666 on a cell phone	24hr/day 7days/week within USA and Canada

### SECTION 2: Hazard identification

#### 2.1. Classification of the substance or mixture

##### Classification (GHS CA)

Skin corrosion/irritation, Category 1	H314	Causes severe skin burns and eye damage.
Serious eye damage/eye irritation, Category 1	H318	Causes serious eye damage.
Skin sensitisation, Category 1	H317	May cause an allergic skin reaction.
Specific target organ toxicity – Repeated exposure, Category 2	H373	May cause damage to organs through prolonged or repeated exposure.

Full text of H-statements: see section 16

# LIQUID DISH

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

---

### 2.2. GHS Label elements, including precautionary statements

#### GHS CA labelling

Hazard pictograms (GHS CA) :



Signal word (GHS CA) :

Danger

Hazard statements (GHS CA) :

H314 - Causes severe skin burns and eye damage.

H317 - May cause an allergic skin reaction.

H318 - Causes serious eye damage.

H373 - May cause damage to organs through prolonged or repeated exposure.

Precautionary statements (GHS CA) :

P260 - Do not breathe fume, mist, vapours, or spray.

P261 - Avoid breathing fume, mist, vapours, or spray.

P264 - Wash hands and affected area thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P280 - Wear protective gloves, protective clothing, and eye protection.

P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P302+P352 - IF ON SKIN: Wash with plenty of water.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water .

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTER or doctor.

P314 - Get medical advice/attention if you feel unwell.

P321 - Specific treatment (see supplemental first aid instruction on the product SDS).

P333+P313 - If skin irritation or rash occurs: Get medical advice or attention.

P362+P364 - Take off contaminated clothing and wash it before reuse.

P363 - Wash contaminated clothing before reuse.

P405 - Store locked up.

P501 - Dispose of contents and or container to city, provincial, or federal regulations.

### 2.3. Other hazards

No additional information available

# LIQUID DISH

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

### 2.4. Unknown acute toxicity (GHS CA)

No data available

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Chemical name / Synonyms	Product identifier	% w/w
Alkyl (C10-16) benzenesulfonic acid	Benzenesulfonic acid alkyl(C=10-16) derivs.	CAS-No.: 68584-22-5	5 – 10
N,N-bis(hydroxyethyl)coco amides	N,N-bis(2-hydroxyethyl) cocoamide	CAS-No.: 68603-42-9	1 – 5
Diethanolamine	2,2'-Aminodiethanol	CAS-No.: 111-42-2	0.5 – 1.5
Dipropylene glycol	Oxi-dipropanol	CAS-No.: 25265-71-8	0.1 – 1

\*The exact concentrations have been withheld as a trade secret. Les concentrations exactes ont été retenues en tant que secret commercial.

Full text of hazard classes and H-statements : see section 16

## SECTION 4: First-aid measures

### 4.1. Description of first aid measures

- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.
- First-aid measures after skin contact : Rinse skin with water or shower. Take off immediately all contaminated clothing. Call a physician immediately.
- First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
- First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately.
- First-aid measures general : Call a physician immediately.

### 4.2. Most important symptoms and effects (acute and delayed)

- Symptoms/effects after skin contact : Burns. May cause an allergic skin reaction.
- Symptoms/effects after eye contact : Serious damage to eyes.
- Symptoms/effects after ingestion : Burns.
- Chronic symptoms : not fully investigated.
- Expected Symptoms/Effects, Acute and Delayed : Corrosion of the eye tissue. May cause skin irritation, dermatitis, or skin burns. May produce an allergic reaction. Irritating to the digestive tract. May cause burns.

# LIQUID DISH

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

### 4.3. Immediate medical attention and special treatment, if necessary

Other medical advice or treatment : Treat symptomatically.

## SECTION 5: Fire-fighting measures

### 5.1. Suitable extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

### 5.2. Unsuitable extinguishing media

No additional information available

### 5.3. Specific hazards arising from the hazardous product

Hazardous decomposition products in case of fire : Toxic fumes may be released.

### 5.4. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Evacuate area.

Protection during firefighting : Do not attempt to take action without suitable protective equipment.  
Self-contained breathing apparatus. Complete protective clothing.

## SECTION 6: Accidental release measures

General measures : Avoid contact with skin and eyes. Do not handle until all safety precautions have been read and understood. Clean up any spills as soon as possible, using an absorbent material to collect it.

### 6.1.1. For non-emergency personnel

Protective equipment : Chemical goggles or face shield with safety glasses. Corrosion-proof suit (EN 14605). Dust cloud production: self-contained breathing apparatus (EN 136 + EN 137). Protective goggles (EN 166). Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

Emergency procedures : Ventilate spillage area. Do not breathe fume, mist, vapour, or spray. Avoid contact with skin and eyes.

### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls or personal protection".

Emergency procedures : Evacuate unnecessary personnel. Ventilate area. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous.

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

# LIQUID DISH

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Other information : Dispose of materials or solid residues at an authorized site.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Do not breathe fume, mist, vapours, or spray. Avoid contact with skin and eyes. Wear personal protective equipment.

Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep cool.

Incompatible products : Strong oxidizing agents. Flammable liquids. Ammonium nitrate (AN). Organic peroxides.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

No additional information available

#### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

#### 8.3. Individual protection measures/Personal protective equipment

##### Personal protective equipment:

Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

<b>Hand protection:</b>
Protective gloves
<b>Eye protection:</b>
Safety glasses
<b>Skin and body protection:</b>
Not required for normal conditions of use
<b>Respiratory protection:</b>
In case of insufficient ventilation, wear suitable respiratory equipment

# LIQUID DISH

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

### Personal protective equipment symbol(s):



## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Clear, light green liquid.
Colour	: Green
Odour	: Lemon odour
Odour threshold	: No data available
pH	: 7.5 – 8.5
Relative evaporation rate (butylacetate=1)	: No data available
Relative evaporation rate (ether=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: > 100 °C No data available
Auto-ignition temperature	: Not self-igniting
Decomposition temperature	: No data available
Upper and lower flammability or explosive limit	: Not flammable, Not applicable
Vapour pressure	: No data available
Relative vapour density at 20°C	: No data available
Relative density	: 1 – 1.05
Solubility	: soluble in water.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: 2000 – 5000 cP
Explosive properties	: Not explosive.
Explosive limits	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	: Stable under normal conditions.

# LIQUID DISH

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use.
Conditions to avoid	: None under recommended storage and handling conditions (see section 7).
Incompatible materials	: Organic materials. Strong oxidizing agents. Ammonium nitrate. Organic peroxides. Flammable liquids.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Hardening time:	: No additional information available

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

LIQUID DISH	
LD50 oral rat	11772.3 mg/kg
LC50 Inhalation - Rat	17.6 mg/l/4h
Alkyl (C10-16) benzenesulfonic acid (68584-22-5)	
LD50 oral rat	1350 (500 – 2000) mg/kg Source: IUCLID;
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other:
LC50 Inhalation - Rat	> 1.9 mg/l Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Remarks on results: other:
ATE CA (oral)	1350 mg/kg bodyweight
ATE CA (dust,mist)	1.5 mg/l/4h
Diethanolamine (111-42-2)	
LD50 oral rat	1600 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))
ATE CA (oral)	500 mg/kg bodyweight
N,N-bis(hydroxyethyl)coco amides (68603-42-9)	
LD50 oral rat	> 5000 mg/kg (Rat, Oral)
LD50 dermal rabbit	> 2000 mg/kg Source: NLM; ChemIDPlus;

# LIQUID DISH

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

<b>Dipropylene glycol (25265-71-8)</b>	
LD50 oral rat	> 5000 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral)
LD50 dermal rabbit	> 5010 mg/kg bodyweight (Equivalent or similar to OECD 402, Rabbit, Male / female, Experimental value, Dermal)
LC50 Inhalation - Rat	2.34 mg/l (Equivalent or similar to OECD 403, Rat, Male / female, Experimental value, Inhalation)
ATE CA (vapours)	2.34 mg/l/4h
ATE CA (dust,mist)	2.34 mg/l/4h

Skin corrosion/irritation	: Causes severe skin burns.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified

<b>Diethanolamine (111-42-2)</b>	
NOAEL (chronic, oral, animal/male, 2 years)	64 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 451 (Carcinogenicity Studies), Remarks on results: other:

Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: May cause damage to organs through prolonged or repeated exposure.

<b>Alkyl (C10-16) benzenesulfonic acid (68584-22-5)</b>	
NOAEL (oral, rat, 90 days)	500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)
NOAEL (dermal, rat/rabbit, 90 days)	> 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study)

<b>Diethanolamine (111-42-2)</b>	
LOAEL (dermal, rat/rabbit, 90 days)	32 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)



# LIQUID DISH

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

<b>Diethanolamine (111-42-2)</b>	
NOAEC (inhalation, rat, dust/mist/fume, 90 days)	0.003 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study)
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard	: Not classified
Likely routes of exposure	: Skin and eyes contact. Inhalation. Ingestion.
Expected Symptoms/Effects, Acute and Delayed	: Corrosion of the eye tissue. May cause skin irritation, dermatitis, or skin burns. May produce an allergic reaction. Irritating to the digestive tract. May cause burns.
Symptoms/effects after skin contact	: Burns. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Serious damage to eyes.
Symptoms/effects after ingestion	: Burns.
Chronic symptoms	: not fully investigated.

## SECTION 12: Ecological information

### 12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

<b>LIQUID DISH</b>	
Partition coefficient n-octanol/water (Log Pow)	No data available
<b>Alkyl (C10-16) benzenesulfonic acid (68584-22-5)</b>	
LC50 - Fish [1]	3 mg/l Source: IUCLID
EC50 - Crustacea [1]	2.9 mg/l Source: IUCLID
EC50 72h - Algae [1]	> 1000 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 96h - Algae [1]	170 mg/l Source: IUCLID
Partition coefficient n-octanol/water (Log Pow)	2
<b>Diethanolamine (111-42-2)</b>	
LC50 - Fish [1]	460 mg/l (96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, Nominal concentration)

# LIQUID DISH

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

<b>Diethanolamine (111-42-2)</b>	
EC50 - Crustacea [1]	30.1 – 89.9 mg/l (ASTM E729-80, 48 h, Ceriodaphnia dubia, Static system, Fresh water, Experimental value, Locomotor effect)
EC50 - Crustacea [2]	89.9 mg/l Test organisms (species): Ceriodaphnia dubia
ErC50 algae	9.5 mg/l (EPA 600/9-78-018, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Nominal concentration)
EC50 72h - Algae [1]	9.5 mg/l Source: ECHA
NOEC chronic fish	> 1 mg/l Test organisms (species): other:
NOEC (chronic)	0.78 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
BCF - Fish [1]	3.162 l/kg (BCFBFAF v3.01, Estimated value, Fresh weight)
Partition coefficient n-octanol/water (Log Pow)	-2.18 – -1.43 (Experimental value)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0.98 – 1 (log Koc, Calculated value)
LOEC (chronic)	1.56 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
<b>N,N-bis(hydroxyethyl)coco amides (68603-42-9)</b>	
LC50 - Fish [1]	4 mg/l (96 h, Brachydanio rerio, Semi-static system)
EC50 - Crustacea [1]	2.39 mg/l (48 h, Daphnia pulex)
EC50 96h - Algae [1]	2.2 mg/l (OECD 201: Alga, Growth Inhibition Test, Scenedesmus subspicatus)
Partition coefficient n-octanol/water (Log Pow)	3.52 (Calculated)
<b>Dipropylene glycol (25265-71-8)</b>	
LC50 - Fish [1]	> 1000 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oryzias latipes, Semi-static system, Fresh water, Experimental value)
LC50 - Fish [2]	> 1000 mg/l Test organisms (species): Oryzias latipes
LC50 - Other aquatic organisms [1]	3181 mg/l (Other, 48 h, Xenopus laevis, Fresh water, Experimental value)

# LIQUID DISH

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

<b>Dipropylene glycol (25265-71-8)</b>	
EC50 - Crustacea [1]	> 100 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value)
EC50 72h - Algae [1]	> 100 mg/l (OECD 201: Alga, Growth Inhibition Test, Desmodesmus subspicatus, Fresh water, Experimental value)
EC50 96h - Algae [1]	1064.8 mg/l Source: ECOTOX
Partition coefficient n-octanol/water (Log Pow)	-0.462 (Test data, Equivalent or similar to OECD 107, 21.7 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0.78 (log Koc, Calculated value)

### 12.2. Persistence and degradability

#### LIQUID DISH

Persistence and degradability Not established.

<b>Diethanolamine (111-42-2)</b>	
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.
Biochemical oxygen demand (BOD)	0.22 g O <sub>2</sub> /g substance
Chemical oxygen demand (COD)	1.52 g O <sub>2</sub> /g substance
ThOD	2.13 g O <sub>2</sub> /g substance

  

<b>N,N-bis(hydroxyethyl)coco amides (68603-42-9)</b>	
Persistence and degradability	Readily biodegradable in water.

  

<b>Dipropylene glycol (25265-71-8)</b>	
Persistence and degradability	Readily biodegradable in water.

### 12.3. Bioaccumulative potential

#### LIQUID DISH

Bioaccumulative potential No test data of component(s) available.

Partition coefficient n-octanol/water (Log Pow) No data available

<b>Alkyl (C10-16) benzenesulfonic acid (68584-22-5)</b>	
Partition coefficient n-octanol/water (Log Pow)	2

# LIQUID DISH

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

<b>Diethanolamine (111-42-2)</b>	
Bioaccumulative potential	Not bioaccumulative.
BCF - Fish [1]	3.162 l/kg (BCFBAF v3.01, Estimated value, Fresh weight)
Partition coefficient n-octanol/water (Log Pow)	-2.18 – -1.43 (Experimental value)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0.98 – 1 (log Koc, Calculated value)
<b>N,N-bis(hydroxyethyl)coco amides (68603-42-9)</b>	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
Partition coefficient n-octanol/water (Log Pow)	3.52 (Calculated)
<b>Dipropylene glycol (25265-71-8)</b>	
Bioaccumulative potential	Bioaccumulation: not applicable.
Partition coefficient n-octanol/water (Log Pow)	-0.462 (Test data, Equivalent or similar to OECD 107, 21.7 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0.78 (log Koc, Calculated value)

### 12.4. Mobility in soil

#### LIQUID DISH

Ecology - soil No (test) data on mobility of the substance available.

Partition coefficient n-octanol/water (Log Pow) No data available

<b>Alkyl (C10-16) benzenesulfonic acid (68584-22-5)</b>	
Mobility in soil	1064
Partition coefficient n-octanol/water (Log Pow)	2
<b>Diethanolamine (111-42-2)</b>	
Mobility in soil	1 – 10 Source: ECHA
Ecology - soil	Highly mobile in soil.
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0.98 – 1 (log Koc, Calculated value)
Partition coefficient n-octanol/water (Log Pow)	-2.18 – -1.43 (Experimental value)

# LIQUID DISH

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

<b>N,N-bis(hydroxyethyl)coco amides (68603-42-9)</b>	
Mobility in soil	45.02
Partition coefficient n-octanol/water (Log Pow)	3.52 (Calculated)
<b>Dipropylene glycol (25265-71-8)</b>	
Surface tension	71.4 mN/m (22 °C, 1.01 g/l)
Ecology - soil	Low potential for adsorption in soil.
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0.78 (log Koc, Calculated value)
Partition coefficient n-octanol/water (Log Pow)	-0.462 (Test data, Equivalent or similar to OECD 107, 21.7 °C)

### 12.5. Other adverse effects

Ozone : Not classified

## SECTION 13: Disposal considerations

### 13.1. Disposal methods

- Waste treatment methods : Dispose of contents and or container in accordance with licensed collector's sorting instructions.
- Product/Packaging disposal recommendations : Reuse if possible. Otherwise dispose recovered material in accordance with all local, Provincial or Federal regulations.
- Ecology - waste materials : Avoid release to the environment.

## SECTION 14: Transport information

### 14.1. UN number

Not regulated for transport

### 14.2. UN proper shipping name

Proper Shipping Name (TDG) : Not applicable

### 14.3. Transport hazard class(es)

#### TDG

Transport hazard class(es) (TDG) : Not applicable

### 14.4. Packing group

Packing group (TDG) : Not applicable

### 14.5. Environmental hazards

Other information : No supplementary information available.

# LIQUID DISH

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

### 14.6. Special precautions for user

#### TDG

No data available

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. National regulations

#### Alkyl (C10-16) benzenesulfonic acid (68584-22-5)

Listed on the Canadian DSL (Domestic Substances List)

#### Diethanolamine (111-42-2)

Listed on the Canadian DSL (Domestic Substances List)

#### N,N-bis(hydroxyethyl)coco amides (68603-42-9)

Listed on the Canadian DSL (Domestic Substances List)

#### Dipropylene glycol (25265-71-8)

Listed on the Canadian DSL (Domestic Substances List)

### 15.2. International regulations

#### Alkyl (C10-16) benzenesulfonic acid (68584-22-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

#### Diethanolamine (111-42-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on INSQ (Mexican National Inventory of Chemical Substances)

#### N,N-bis(hydroxyethyl)coco amides (68603-42-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on INSQ (Mexican National Inventory of Chemical Substances)

#### Dipropylene glycol (25265-71-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on INSQ (Mexican National Inventory of Chemical Substances)

# LIQUID DISH

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

### SECTION 16: Other information

Issue date : 12/13/2023

Full text of H-statements:	
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H373	May cause damage to organs through prolonged or repeated exposure.

It is the responsibility of the user to provide a safe workplace, using the health and safety information contained herein as a guide. Project Clean Inc. will accept no liability for damages or loss incurred from the improper handling and use of this product.

The information provided in the Safety Data Sheet has been obtained from current sources and is believed to be reliable.