

SECTION 1: Identification

1.1. Product identifier

Product name : MAX PRO RINSE
Product code : 1100323

1.2. Recommended use and restrictions on use

Recommended use : Dish machine rinse aid
Restrictions on use : Food Plant, Industrial and Institutional use only

1.3. Supplier

Project Clean Inc.
12 James St N, Suite 201A
Hamilton, Ontario L8R 2J9
T 1 800 663 9925
regulatory@projectclean.com - www.projectclean.ca

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Canada	CHEMTREC Chemical Emergency	www.chemtrec.com	1 800 424 9300	24hr/day 7days/week within USA and Canada
Canada	CANUTEC Transportation Emergency	www.canutec.com	1 888 226 8832 *666 on a cell phone	24hr/day 7days/week within USA and Canada

SECTION 2: Hazard identification


2.1. Classification of the substance or mixture

Classification (GHS CA)

Serious eye damage/eye irritation, Category 2A H319 Causes serious eye irritation.
Full text of H-statements: see section 16

2.2. GHS Label elements, including precautionary statements

GHS CA labelling

Hazard pictograms (GHS CA) : 

Signal word (GHS CA) : Warning

MAX PRO RINSE

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Hazard statements (GHS CA) : H319 - Causes serious eye irritation.

Precautionary statements (GHS CA) : P264 - Wash hands, forearms and face thoroughly after handling.
P280 - Wear eye protection.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 - If eye irritation persists: Get medical advice or attention.

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS CA)

No data available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Chemical name / Synonyms	Product identifier	% w/w
Ethoxylated propoxylated alcohols (C=12-14)	Ethoxylated propoxylated alcohols (C=12-14)	CAS-No.: 68439-51-0	5 - 10
Sodium xylenesulphonate	Benzene sulfonic acid, dimethyl-, sodium salt	CAS-No.: 1300-72-7	5 - 10

**The exact concentrations have been withheld as a trade secret. Les concentrations exactes ont été retenues en tant que secret commercial.*

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact : Wash skin with plenty of water.
First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention.
First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.
First-aid measures general : Non hazardous mixture.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after eye contact : Eye irritation.
Chronic symptoms : No effects known.

MAX PRO RINSE

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Expected Symptoms/Effects, Acute and Delayed : mild eye irritation.

4.3. Immediate medical attention and special treatment, if necessary

Other medical advice or treatment : Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Unsuitable extinguishing media

No additional information available

5.3. Specific hazards arising from the hazardous product

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.4. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment.
Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

General measures : Evacuate area. Do not handle until all safety precautions have been read and understood. Clean up any spills as soon as possible, using an absorbent material to collect it.

6.1.1. For non-emergency personnel

Protective equipment : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. Reuse if possible. Otherwise dispose recovered material in accordance with all local, Provincial or Federal regulations. Avoid contact with eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls or personal protection".

Emergency procedures : Ventilate area. Evacuate unnecessary personnel. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous. Reuse if possible. Otherwise dispose recovered material in accordance with all local, Provincial or Federal regulations.

6.2. Environmental precautions

Avoid release to the environment.

MAX PRO RINSE

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Take up liquid spill into absorbent material.
Other information : Dispose of materials or solid residues at an authorized site.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Avoid contact with eyes.
Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Store in a well-ventilated place. Keep cool.
Incompatible products : Oxidizing agent.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls

- Appropriate engineering controls : Ensure good ventilation of the work station.
Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

Hand protection:
Protective gloves
Eye protection:
Safety glasses
Skin and body protection:
Not required for normal conditions of use
Respiratory protection:
In case of insufficient ventilation, wear suitable respiratory equipment

MAX PRO RINSE

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Personal protective equipment symbol(s):



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Light blue liquid.
Colour	: Blue
Odour	: No added fragrance
Odour threshold	: No data available
pH	: 8 – 9
Relative evaporation rate (butylacetate=1)	: No data available
Relative evaporation rate (ether=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: No data available
Auto-ignition temperature	: Not self-igniting
Decomposition temperature	: No data available
Upper and lower flammability or explosive limit	: Not flammable, Not applicable
Vapour pressure	: No data available
Relative vapour density at 20°C	: No data available
Relative density	: 1 – 1.05
Solubility	: Soluble in water.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: Thin like water
Explosive properties	: Not explosive.
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	: Stable under normal conditions.

MAX PRO RINSE

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use.
Conditions to avoid	: None under recommended storage and handling conditions (see section 7).
Incompatible materials	: Oxidizing agent.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Hardening time:	: No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified.
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

MAX PRO RINSE	
LD50 oral rat	42996.4 mg/kg
ATE CA (oral)	22035 mg/kg bodyweight
Ethoxylated propoxylated alcohols (C=12-14) (68439-51-0)	
LD50 oral rat	3530 mg/kg Source: e-Chemportal
ATE CA (oral)	3530 mg/kg bodyweight
Sodium xylenesulphonate (1300-72-7)	
LD50 oral rat	> 7000 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	> 2000 mg/kg bodyweight (Equivalent or similar to OECD 402, Rabbit, Experimental value, Dermal, 14 day(s))
LC50 Inhalation - Rat	> 6.41 mg/l (Equivalent or similar to OECD 403, 232 minutes, Rat, Male / female, Experimental value, Inhalation (aerosol), 14 day(s))

Skin corrosion/irritation	: Not classified.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

MAX PRO RINSE

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Likely routes of exposure	: Skin and eyes contact. Inhalation.
Expected Symptoms/Effects, Acute and Delayed	: mild eye irritation.
Symptoms/effects after eye contact	: Eye irritation.
Chronic symptoms	: No effects known.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

MAX PRO RINSE	
Partition coefficient n-octanol/water (Log Pow)	No data available
Ethoxylated propoxylated alcohols (C=12-14) (68439-51-0)	
LC50 - Fish [1]	0.7 - 5.7 mg/l Source: HSNO
EC50 - Crustacea [1]	0.29 - 270 mg/l Source: HSNO
Partition coefficient n-octanol/water (Log Pow)	5.96 Source: EPISUITE
Sodium xylenesulphonate (1300-72-7)	
LC50 - Fish [1]	> 1000 mg/l (EPA OTS 797.1400, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value)
EC50 - Crustacea [1]	> 1000 mg/l (EPA OTS 797.1300, 48 h, Daphnia magna, Static system, Fresh water, Experimental value)
EC50 96h - Algae [1]	≥ 230 mg/l (EPA OTS 797.1050, Selenastrum capricornutum, Static system, Fresh water, Experimental value)
Partition coefficient n-octanol/water (Log Pow)	-3.12 (Experimental value, EU Method A.8: Partition Coefficient, 20 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.42 (log Koc, SRC PCKOCWIN v2.0, Calculated value)

12.2. Persistence and degradability

MAX PRO RINSE

Persistence and degradability : Readily biodegradable in water.

MAX PRO RINSE

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Sodium xylenesulphonate (1300-72-7)	
Persistence and degradability	Readily biodegradable in water.

12.3. Bioaccumulative potential

MAX PRO RINSE

Bioaccumulative potential Not established.

Partition coefficient n-octanol/water (Log Pow) No data available

Ethoxylated propoxylated alcohols (C=12-14) (68439-51-0)	
Partition coefficient n-octanol/water (Log Pow)	5.96 Source: EPISUITE
Sodium xylenesulphonate (1300-72-7)	
Bioaccumulative potential	Not bioaccumulative.
Partition coefficient n-octanol/water (Log Pow)	-3.12 (Experimental value, EU Method A.8: Partition Coefficient, 20 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.42 (log Koc, SRC PCKOCWIN v2.0, Calculated value)

12.4. Mobility in soil

MAX PRO RINSE

Ecology - soil Highly mobile in soil.

Partition coefficient n-octanol/water (Log Pow) No data available

Ethoxylated propoxylated alcohols (C=12-14) (68439-51-0)	
Mobility in soil	13530 Source: EPISUITE
Partition coefficient n-octanol/water (Log Pow)	5.96 Source: EPISUITE
Sodium xylenesulphonate (1300-72-7)	
Surface tension	71 mN/m (20 °C, 90 %, EU Method A.5: Surface tension)
Ecology - soil	Highly mobile in soil.
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.42 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Partition coefficient n-octanol/water (Log Pow)	-3.12 (Experimental value, EU Method A.8: Partition Coefficient, 20 °C)

12.5. Other adverse effects

Ozone : Not classified

MAX PRO RINSE

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

SECTION 13: Disposal considerations

13.1. Disposal methods

- Regional waste regulation : All chemical substances in this product are listed in the EPA (Environment Protection Agency) TSCA (Toxic Substances Control Act) Inventory.
- Waste treatment methods : Dispose of contents and or container in accordance with licensed collector's sorting instructions.
- Product/Packaging disposal recommendations : Reuse if possible. Otherwise dispose recovered material in accordance with all local, Provincial or Federal regulations.
- Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

14.1. UN number

Not regulated for transport

14.2. UN proper shipping name

Proper Shipping Name (TDG) : Not applicable

14.3. Transport hazard class(es)

TDG

Transport hazard class(es) (TDG) : Not applicable

14.4. Packing group

Packing group (TDG) : Not applicable

14.5. Environmental hazards

Other information : No supplementary information available.

14.6. Special precautions for user

TDG

No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. National regulations

Ethoxylated propoxylated alcohols (C=12-14) (68439-51-0)

Listed on the Canadian DSL (Domestic Substances List)

MAX PRO RINSE

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Sodium xylenesulphonate (1300-72-7)

Listed on the Canadian DSL (Domestic Substances List)

15.2. International regulations

Ethoxylated propoxylated alcohols (C=12-14) (68439-51-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Sodium xylenesulphonate (1300-72-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on INSQ (Mexican National Inventory of Chemical Substances)

SECTION 16: Other information

Issue date : 12/15/2023

Full text of H-statements:

H319	Causes serious eye irritation.
------	--------------------------------

It is the responsibility of the user to provide a safe workplace, using the health and safety information contained herein as a guide. Project Clean Inc. will accept no liability for damages or loss incurred from the improper handling and use of this product.

The information provided in the Safety Data Sheet has been obtained from current sources and is believed to be reliable.