

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015) Issue date: 12/18/2023 Version: 1.0

SECTION 1: Identification

1.1. Product identifier

Product name : MUSCLE RINSE

Product code : 1100375

1.2. Recommended use and restrictions on use

Recommended use : Dish machine rinse aid

Restrictions on use : Food Plant, Industrial and Institutional use only

1.3. Supplier

Project Clean Inc.

12 James St N, Suite 201A Hamilton, Ontario L8R 2J9

T 1 800 663 9925

regulatory@projectclean.com - www.projectclean.ca

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Canada	CHEMTREC Chemical Emergency	www.chemtrec.com	1 800 424 9300	24hr/day 7days/week within USA and Canada
Canada	CANUTEC Transportation Emergency	www.canutec.com		24hr/day 7days/week within USA and Canada

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Classification (GHS CA)

Skin corrosion/irritation, Category 2 H315 Causes skin irritation.

Serious eye damage/eye irritation, Category 2 H319 Causes serious eye irritation.

Full text of H-statements: see section 16

2.2. GHS Label elements, including precautionary statements

GHS CA labelling

Hazard pictograms (GHS CA)



Signal word (GHS CA) : Warning

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Hazard statements (GHS

: H315 - Causes skin irritation.

CA)

H319 - Causes serious eye irritation.

Precautionary statements

: P264 - Wash hands and affeted areas thoroughly after handling.

(GHS CA)

P280 - Wear protective gloves and eye protection.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P321 - Specific treatment (see supplemental first aid instruction on the product

SDS).

P332+P313 - If skin irritation occurs: Get medical advice or attention. P337+P313 - If eye irritation persists: Get medical advice or attention. P362+P364 - Take off contaminated clothing and wash it before reuse.

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS CA)

No data available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Chemical name / Synonyms	Product identifier	% w/w
Ethoxylated propoxylated alcohols (C=12-14)	Ethoxylated propoxylated alcohols (C=12-14)	CAS-No.: 68439-51-0	5 - 10
Sodium xylenesulphonate	Benzene sulfonic acid, dimethyl-, sodium salt	CAS-No.: 1300-72-7	3 - 7
Glycollic acid	Hydroxy aceticacid	CAS-No.: 79-14-1	1 - 5

^{*}The exact concentrations have been withheld as a trade secret. Les concentrations exactes ont été retenues en tant que secret commercial.

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin

irritation occurs: Get medical advice or attention.

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

: Rinse cautiously with water for several minutes. Remove contact First-aid measures after eve contact

lenses, if present and easy to do. Continue rinsing. If eye irritation

persists: Get medical advice or attention.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact : Irritation. : Eve irritation. Symptoms/effects after eye contact Chronic symptoms : No effects known.

Expected Symptoms/Effects, Acute and Delayed : Eye irritation. Repeated or prolonged contact may cause

skin irritation.

4.3. Immediate medical attention and special treatment, if necessary

Other medical advice or treatment : Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Unsuitable extinguishing media

No additional information available

5.3. Specific hazards arising from the hazardous product

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.4. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment.

Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

General measures : Evacuate area. Avoid contact with skin and eyes. Do not handle until all safety

precautions have been read and understood. Clean up any spills as soon as

possible, using an absorbent material to collect it.

6.1.1. For non-emergency personnel

: Chemical goggles or face shield with safety glasses. Protective clothing (EN Protective equipment

14605 or EN 13034). Standard EN 374 - Protective gloves against chemicals.

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further

information refer to section 8: "Exposure controls or personal protection".

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Emergency procedures : Ventilate area. Evacuate unnecessary personnel. Prevent from entering sewers,

basements and workpits, or any place where its accumulation can be dangerous. Reuse if possible. Otherwise dispose recovered material in accordance with all

local, Provincial or Federal regulations.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Contain any spills with dikes or absorbents to prevent migration and entry into

sewers or streams.

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe : Ensure good ventilation of the work station. Avoid contact with skin and eyes.

handling Wear personal protective equipment.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when

using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool. Incompatible products : Strong bases. Strong oxidizing agents.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

Materials for protective clothing:

Nitrile rubber/PVC

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Not required for normal conditions of use

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):







SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Blue, Clear liquid.

Colour : Blue

Odour : mild Alcohol odour

Odour threshold : No data available

pH : 2-4

Relative evaporation rate (butylacetate=1) : No data available

Relative evaporation rate (ether=1) : No data available

Melting point : No data available Freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : ≥ 100 °C No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Upper and lower flammability or explosive limit : Not flammable, Not applicable

/apour pressure : No data available

Vapour pressure : No data available Relative vapour density at 20°C : No data available

Relative density at 20°C : No data available : 1.01 – 1.05

Solubility : Soluble in water.

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Partition coefficient n-octanol/water (Log Pow)

: No data available : No data available Viscosity, kinematic Viscosity, dynamic : Thin like water **Explosive properties** : Not explosive. : No data available **Explosive limits**

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

: The product is non-reactive under normal conditions of use, storage and Reactivity

transport.

Chemical stability : Stable under normal conditions.

Possibility of hazardous : No dangerous reactions known under normal conditions of use.

reactions

Conditions to avoid : None under recommended storage and handling conditions (see section 7).

Incompatible materials : Strong bases. Oxidizing agent.

Hazardous decomposition : Under normal conditions of storage and use, hazardous decomposition

products should not be produced. products : No additional information available Hardening time:

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified : Not classified Acute toxicity (dermal) Acute toxicity (inhalation) : Not classified

MUSCLE RINSE		
LD50 oral rat	25319 mg/kg	
LC50 Inhalation - Rat	52.5 mg/l/4h	
Sodium xylenesulphonate (1300-72-7)		
LD50 oral rat	> 7000 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s))	
LD50 dermal rabbit	> 2000 mg/kg bodyweight (Equivalent or similar to OECD 402, Rabbit, Experimental value, Dermal, 14 day(s))	
LC50 Inhalation - Rat	> 6.41 mg/l (Equivalent or similar to OECD 403, 232 minutes, Rat, Male / female, Experimental value, Inhalation (aerosol), 14 day(s))	

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Symptoms/effects after eye contact

Chronic symptoms

Ethoxylated propoxylated alcohols (C=	12-14) (68439-51-0)	
LD50 oral rat	3530 mg/kg Source: e-Chemportal	
ATE CA (oral)	3530 mg/kg bodyweight	
Glycollic acid (79-14-1)		
LD50 oral rat	2040 mg/kg bodyweight Animal: rat, Guideline: EPA OPP 81-1 (Acute Oral Toxicity), 95% CL: 1443 - 2469	
ATE CA (oral)	2040 mg/kg bodyweight	
ATE CA (Gases)	4500 ppmv/4h	
ATE CA (vapours)	11 mg/l/4h	
ATE CA (dust,mist)	1.5 mg/l/4h	
Skin corrosion/irritation	: Causes skin irritation.	
Serious eye damage/irritation	: Causes serious eye irritation.	
Respiratory or skin sensitization	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
STOT-single exposure	: Not classified	
STOT-repeated exposure	: Not classified	
Glycollic acid (79-14-1)		
LOAEL (oral, rat, 90 days)	300 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: EPA OPP 82-1 (90-Day Oral Toxicity), Guideline: other:	
NOAEL (oral, rat, 90 days)	150 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: EPA OPP 82-1 (90-Day Oral Toxicity), Guideline: other: other:	
Aspiration hazard	: Not classified	
Likely routes of exposure	: Skin and eyes contact.	
Expected Symptoms/Effects, Acute and	I Delayed : Eye irritation. Repeated or prolonged contact may cause skin irritation.	
Symptoms/effects after skin contact	: Irritation.	

12/18/2023 (Issue date) CA - en 7/11

: Eye irritation.

: No effects known.

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term

adverse effects in the environment.

Hazardous to the aquatic environment, short-term (acute) : Not classified Hazardous to the aquatic environment, long-term (chronic) : Not classified

MUSCLE RINSE		
Partition coefficient n-octanol/water (Log Pow)	No data available	
Sodium xylenesulphonate (1300-72-7)		
LC50 - Fish [1]	> 1000 mg/l (EPA OTS 797.1400, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value)	
EC50 - Crustacea [1]	> 1000 mg/l (EPA OTS 797.1300, 48 h, Daphnia magna, Static system, Fresh water, Experimental value)	
EC50 96h - Algae [1]	≥ 230 mg/l (EPA OTS 797.1050, Selenastrum capricornutum, Static system, Fresh water, Experimental value)	
Partition coefficient n-octanol/water (Log Pow)	-3.12 (Experimental value, EU Method A.8: Partition Coefficient, 20 °C)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.42 (log Koc, SRC PCKOCWIN v2.0, Calculated value)	
Ethoxylated propoxylated alcohols (C=12-14) (6843	9-51-0)	
LC50 - Fish [1]	0.7 - 5.7 mg/l Source: HSNO	
EC50 - Crustacea [1]	0.29 - 270 mg/l Source: HSNO	
Partition coefficient n-octanol/water (Log Pow)	5.96 Source: EPISUITE	
Glycollic acid (79-14-1)		
LC50 - Fish [1]	164 mg/l Test organisms (species): Pimephales promelas	
EC50 - Crustacea [1]	141 mg/l Test organisms (species): Daphnia magna	

12.2. Persistence and degradability

MUSCLE RINSE

Persistence and degradability Contains readily biodegradable component(s).

Sodium xylenesulphonate (1300-72-7)		
Persistence and degradability	Readily biodegradable in water.	

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

12.3. Bioaccumulative potential

MUSCLE RINSE

Bioaccumulative potential No bioaccumulation data available.

Partition coefficient n-octanol/water (Log Pow) No data available

Sodium xylenesulphonate (1300-72-7)	
Bioaccumulative potential	Not bioaccumulative.
Partition coefficient n-octanol/water (Log Pow)	-3.12 (Experimental value, EU Method A.8: Partition Coefficient, 20 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.42 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ethoxylated propoxylated alcohols (C=12-14) (6843	9-51-0)
Partition coefficient n-octanol/water (Log Pow)	5.96 Source: EPISUITE

12.4. Mobility in soil

MUSCLE RINSE

Ecology - soil No (test) data on mobility of the substance available.

Partition coefficient n-octanol/water (Log Pow) No data available

Sodium xylenesulphonate (1300-72-7)		
Surface tension	71 mN/m (20 °C, 90 %, EU Method A.5: Surface tension)	
Ecology - soil	Highly mobile in soil.	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.42 (log Koc, SRC PCKOCWIN v2.0, Calculated value)	
Partition coefficient n-octanol/water (Log Pow)	-3.12 (Experimental value, EU Method A.8: Partition Coefficient, 20 °C)	
Ethoxylated propoxylated alcohols (C=12-14) (68-	439-51-0)	
Mobility in soil	13530 Source: EPISUITE	
Partition coefficient n-octanol/water (Log Pow)	5.96 Source: EPISUITE	

12.5. Other adverse effects

Ozone : Not classified

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

SECTION 13: Disposal considerations

13.1. Disposal methods

Regional waste regulation : All chemical substances in this product are listed in the EPA

(Environment Protection Agency) TSCA (Toxic Substances Control Act)

Inventory.

Waste treatment methods : Dispose of contents and or container in accordance with licensed

collector's sorting instructions.

Product/Packaging disposal

recommendations

: Reuse if possible. Otherwise dispose recovered material in accordance

with all local, Provincial or Federal regulations.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

14.1. UN number

Not regulated for transport

14.2. UN proper shipping name

Proper Shipping Name (TDG) : Not applicable

14.3. Transport hazard class(es)

TDG

Transport hazard class(es) (TDG) : Not applicable

14.4. Packing group

Packing group (TDG) : Not applicable

14.5. Environmental hazards

Other information : No supplementary information available.

14.6. Special precautions for user

TDG

No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. National regulations

MUSCLE RINSE

Listed on the Canadian DSL (Domestic Substances List)

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Sodium xylenesulphonate (1300-72-7)

Listed on the Canadian DSL (Domestic Substances List)

Ethoxylated propoxylated alcohols (C=12-14) (68439-51-0)

Listed on the Canadian DSL (Domestic Substances List)

Glycollic acid (79-14-1)

Listed on the Canadian DSL (Domestic Substances List)

15.2. International regulations

Sodium xylenesulphonate (1300-72-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

Ethoxylated propoxylated alcohols (C=12-14) (68439-51-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Glycollic acid (79-14-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

SECTION 16: Other information

Issue date : 12/18/2023

Full text of H-statements:		
H315	Causes skin irritation.	
H319	Causes serious eye irritation.	

It is the responsibility of the user to provide a safe workplace, using the health and safety information contained herein as a guide. Project Clean Inc. will accept no liability for damages or loss incurred from the improper handling and use of this product.

The information provided in the Safety Data Sheet has been obtained from current sources and is believed to be reliable.