

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015) Issue date: 12/14/2023 Version: 1.0

SECTION 1: Identification

1.1. Product identifier

Product name : OVEN & GRILL CLEANER

Product code : 1100435

1.2. Recommended use and restrictions on use

Recommended use : Oven, grill cleaner

Restrictions on use : Food Plant, Industrial and Institutional use only

1.3. Supplier

Project Clean Inc.

12 James St N, Suite 201A Hamilton, Ontario L8R 2J9

T 1 800 663 9925

regulatory@projectclean.com - www.projectclean.ca

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Canada	CHEMTREC Chemical Emergency	www.chemtrec.com	1 800 424 9300	24hr/day 7days/week within USA and Canada
Canada	CANUTEC Transportation Emergency	www.canutec.com		24hr/day 7days/week within USA and Canada

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Classification (GHS CA)

Corrosive to metals, Category 1 H290 May be corrosive to metals.

Skin corrosion/irritation, Category 1 H314 Causes severe skin burns and eye damage.

Serious eye damage/eye irritation, Category 1 H318 Causes serious eye damage.

Full text of H-statements: see section 16

2.2. GHS Label elements, including precautionary statements

GHS CA labelling

Hazard pictograms (GHS CA)



Signal word (GHS CA) : Danger

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Hazard statements (GHS CA): H290 - May be corrosive to metals.

H314 - Causes severe skin burns and eye damage.

H318 - Causes serious eye damage.

Precautionary statements

(GHS CA)

: P234 - Keep only in original container.

P260 - Do not breathe fume, mist, vapours, or spray.

P264 - Wash hands, forearms and face thoroughly after handling. P280 - Wear protective gloves, protective clothing and eye protection.

P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all

contaminated clothing. Rinse skin with water.

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable

for breathing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTER or doctor.

P321 - Specific treatment (see supplemental first aid instruction on the product

SDS).

P363 - Wash contaminated clothing before reuse.

P390 - Absorb spillage to prevent material damage.

P405 - Store locked up.

P406 - Store in corrosive resistant container with a resistant inner liner.

P501 - Dispose of contents and or container to hazardous or special waste collection point, in accordance with local, regional, national and or international

regulation.

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS CA)

No data available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Chemical name / Synonyms	Product identifier	% w/w
Sodium hydroxide	Sodium hydroxide	CAS-No.: 1310-73-2	10 - 30

^{*}The exact concentrations have been withheld as a trade secret. Les concentrations exactes ont été retenues en tant que secret commercial.

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Full text of hazard classes and H-statements: see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Rinse skin with water or shower. Take off immediately all

contaminated clothing. Call a physician immediately.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. Call a physician

immediately.

First-aid measures after ingestion

: Rinse mouth. Do not induce vomiting. Call a physician immediately.

First-aid measures general : Call a physician immediately.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact

Symptoms/effects after eye contact

Symptoms/effects after ingestion

Chronic symptoms

Expected Symptoms/Effects, Acute and

Delayed

: Burns.

: Serious damage to eyes.

: Burns.

: No effects known.

: May cause dermatitis, eye irritation, corneal oedema and chemical

burns. May cause skin irritation, dermatitis, or skin burns. Irritating

to the digestive tract. May cause burns.

4.3. Immediate medical attention and special treatment, if necessary

Other medical advice or treatment : Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Unsuitable extinguishing media

No additional information available

5.3. Specific hazards arising from the hazardous product

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.4. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment.

Self-contained breathing apparatus. Complete protective clothing.

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

SECTION 6: Accidental release measures

General measures : Avoid contact with skin and eyes. Do not handle until all safety precautions have

been read and understood. Clean up any spills as soon as possible, using an

absorbent material to collect it.

6.1.1. For non-emergency personnel

Protective equipment : Protective goggles (EN 166). Safety glasses (EN 166). Protective clothing (EN

14605 or EN 13034).

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe fume,

mist, vapours, or spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further

information refer to section 8: "Exposure controls or personal protection".

Emergency procedures : Ventilate area. Evacuate unnecessary personnel. Cover spill with non

combustible material, e.g.: sand or earth. Reuse if possible. Otherwise dispose recovered material in accordance with all local, Provincial or Federal regulations.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe : Ensur

handling

Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not breathe fume, mist, vapours, or spray. Wear personal protective

equipment.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when

using this product. Always wash hands after handling the product.

Additional hazards when

May be corrosive to metals.

processed

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in corrosive resistant container with a resistant inner liner. Keep only in

original container. Store locked up. Store in a well-ventilated place. Keep cool.

Incompatible products : Strong acids.
Incompatible materials : alkalis. Metals.

12/14/2023 (Issue date) CA - en 4/10

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Sodium hydroxide (1310-73-2)	
USA - OSHA - Occupational Exposure Limits	
Local name	Sodium hydroxide
OSHA PEL TWA [1]	2 mg/m³
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

				1 41 *
N	// atarial	c tor	protective	clothing
14	ialtiai	3 101	DIOLECTIVE	CIUUIIIIE.

Nitrile rubber/PVC

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Not required for normal conditions of use

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):







Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : amber. Clear liquid.

Colour : Colourless to pale amber

Odour : No added fragrance

Odour threshold : No data available

pH : ≥ 13

Relative evaporation rate (butylacetate=1) : No data available

Relative evaporation rate (ether=1) : No data available

Melting point : Not applicable

Freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : > 100 °C

Auto-ignition temperature : Not self-igniting

Decomposition temperature : No data available

Upper and lower flammability or explosive limit : Not flammable, Not applicable

Vapour pressure : No data available

Relative vapour density at 20°C : No data available

Relative density : 1 – 1.5

Solubility : Soluble in water.

Partition coefficient n-octanol/water (Log Pow) : No data available

Viscosity, kinematic : No data available Viscosity, dynamic : Thin like water

Explosive properties : Product is not explosive.

Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

Reactivity : The product is non-reactive under normal conditions of use, storage and

transport.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions: No dangerous reactions known under normal conditions of use.

Conditions to avoid : None under recommended storage and handling conditions (see section 7).

Incompatible materials : Strong acids. Metals.

Hazardous decomposition : Under normal conditions of storage and use, hazardous decomposition

products products should not be produced.

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Hardening time: : No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

OVEN & GRILL CLEANER		
LD50 dermal rat	7500 mg/kg	
ATE CA (Dermal)	7500 mg/kg bodyweight	
	Sodium hydroxide (1310-73-2)	
Sodium hydroxide (1310-73-2)		
Sodium hydroxide (1310-73-2) LD50 dermal rabbit	1350 mg/kg	

Skin corrosion/irritation : Causes severe skin burns.
Serious eye damage/irritation : Causes serious eye damage.

Respiratory or skin sensitization : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
STOT-single exposure : Not classified
STOT-repeated exposure : Not classified
Aspiration hazard : Not classified

Likely routes of exposure : Skin and eyes contact. Inhalation. Ingestion.

Expected Symptoms/Effects, Acute and

Delayed

: May cause dermatitis, eye irritation, corneal oedema and chemical

burns. May cause skin irritation, dermatitis, or skin burns. Irritating

to the digestive tract. May cause burns.

Symptoms/effects after skin contact : Burns.

Symptoms/effects after eye contact

: Serious damage to eyes.

Symptoms/effects after ingestion : Burns.

Chronic symptoms : No effects known.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Before neutralisation, the product may represent a danger to aquatic organisms.

Hazardous to the aquatic environment, short-term (acute) : Not classified Hazardous to the aquatic environment, long-term (chronic) : Not classified

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

OVEN & GRILL CLEANER

Partition coefficient n-octanol/water (Log Pow) No data available

12.2. Persistence and degradability

OVEN & GRILL CLEANER

Persistence and degradability Biodegradability in water: no data available.

12.3. Bioaccumulative potential

OVEN & GRILL CLEANER

Bioaccumulative potential No test data of component(s) available.

Partition coefficient n-octanol/water (Log Pow) No data available

12.4. Mobility in soil

OVEN & GRILL CLEANER

Ecology - soil No (test) data on mobility of the substance available.

Partition coefficient n-octanol/water (Log Pow) No data available

12.5. Other adverse effects

Ozone : Not classified

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents and or container in accordance with licensed

collector's sorting instructions.

Product/Packaging disposal

recommendations

: Non-refillable container. Do not reuse or refill this container. Offer for recycling, if available or puncture and dispose of in a sanitary landfill.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

14.1. UN number

UN-No. (TDG) : UN1824

14.2. UN proper shipping name

Proper Shipping Name (TDG) : SODIUM HYDROXIDE SOLUTION

Transport document description (TDG) : UN1824 SODIUM HYDROXIDE SOLUTION, 8, III

14.3. Transport hazard class(es)

TDG

Transport hazard class(es) (TDG) : 8

12/14/2023 (Issue date) CA - en 8/10

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Hazard labels (TDG) : 8

14.4. Packing group

Packing group (TDG) : III

14.5. Environmental hazards

Other information : No supplementary information available.

14.6. Special precautions for user

TDG

UN-No. (TDG) : UN1824

Explosive Limit and Limited Quantity Index : 5 L

Excepted quantities (TDG) : E1

Passenger Carrying Road Vehicle or Passenger Carrying Railway Vehicle Index : 5 L

Emergency Response Guide (ERG) Number : 154

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. National regulations

Sodium hydroxide (1310-73-2)

Listed on the Canadian DSL (Domestic Substances List)

15.2. International regulations

Sodium hydroxide (1310-73-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

SECTION 16: Other information

Issue date : 12/14/2023

Full text of H-statements:	
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

It is the responsibility of the user to provide a safe workplace, using the health and safety information contained herein as a guide. Project Clean Inc. will accept no liability for damages or loss incurred from the improper handling and use of this product.

The information provided in the Safety Data Sheet has been obtained from current sources and is believed to be reliable.