

## SECTION 1: Identification

### 1.1. Product identifier

Product name : BASIC BILGE CLEANER  
Product code : 1400097

### 1.2. Recommended use and restrictions on use

Recommended use : Alkaline cleaner  
Restrictions on use : Food Plant, Industrial and Institutional use only

### 1.3. Supplier

Project Clean Inc.  
12 James St N, Suite 201A  
Hamilton, Ontario L8R 2J9  
T 1 800 663 9925  
[regulatory@projectclean.com](mailto:regulatory@projectclean.com) - [www.projectclean.ca](http://www.projectclean.ca)

### 1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Canada	CHEMTREC Chemical Emergency	<a href="http://www.chemtrec.com">www.chemtrec.com</a>	1 800 424 9300	24hr/day 7days/week within USA and Canada
Canada	CANUTEC Transportation Emergency	<a href="http://www.canutec.com">www.canutec.com</a>	1 888 226 8832 *666 on a cell phone	24hr/day 7days/week within USA and Canada

## SECTION 2: Hazard identification

### 2.1. Classification of the substance or mixture

#### Classification (GHS CA)

Corrosive to metals, Category 1	H290	May be corrosive to metals.
Skin corrosion/irritation, Category 1	H314	Causes severe skin burns and eye damage.
Serious eye damage/eye irritation, Category 1	H318	Causes serious eye damage.

Full text of H-statements: see section 16

### 2.2. GHS Label elements, including precautionary statements

#### GHS CA labelling

Hazard pictograms (GHS CA) :



Signal word (GHS CA) : Danger

# BASIC BILGE CLEANER

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Hazard statements (GHS CA) : H290 - May be corrosive to metals.

H314 - Causes severe skin burns and eye damage.

H318 - Causes serious eye damage.

Precautionary statements (GHS CA) : P234 - Keep only in original container.

P260 - Do not breathe fume, mist, vapours or spray.

P264 - Wash hands and forearms thoroughly after handling.

P280 - Wear protective gloves, protective clothing, and eye or face protection.

P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water .

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTER or doctor.

P321 - Specific treatment (see supplemental first aid instruction on the product SDS).

P363 - Wash contaminated clothing before reuse.

P390 - Absorb spillage to prevent material damage.

P405 - Store locked up.

P406 - Store in corrosive resistant container with a resistant inner liner.

P501 - Dispose of contents and or container to city, provincial or federal regulations.

### 2.3. Other hazards

No additional information available

### 2.4. Unknown acute toxicity (GHS CA)

No data available

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Chemical name / Synonyms	Product identifier	% w/w
Sodium metasilicate	silicic acid (H <sub>2</sub> -SiO <sub>3</sub> ), disodium salt	CAS-No.: 6834-92-0	1 – 5
Sodium hydroxide	Sodium hydroxide	CAS-No.: 1310-73-2	1 – 5

# BASIC BILGE CLEANER

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Name	Chemical name / Synonyms	Product identifier	% w/w
C9-11, Ethoxylated Alcohol	(C9-C11) Alkyl alcohol, ethoxylate	CAS-No.: 68439-46-3	1 – 5

*\*The exact concentrations have been withheld as a trade secret. Les concentrations exactes ont été retenues en tant que secret commercial.*

Full text of hazard classes and H-statements : see section 16

## SECTION 4: First-aid measures

### 4.1. Description of first aid measures

- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.
- First-aid measures after skin contact : Rinse skin with water or shower. Take off immediately all contaminated clothing. Call a physician immediately.
- First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
- First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately.
- First-aid measures general : Call a physician immediately.

### 4.2. Most important symptoms and effects (acute and delayed)

- Symptoms/effects after skin contact : Burns.
- Symptoms/effects after eye contact : Serious damage to eyes.
- Symptoms/effects after ingestion : Burns.
- Chronic symptoms : No effects known.
- Expected Symptoms/Effects, Acute and Delayed : Corrosion of the eye tissue. May cause skin irritation, dermatitis, or skin burns. Irritating to the digestive tract. May cause burns.

### 4.3. Immediate medical attention and special treatment, if necessary

- Other medical advice or treatment : Treat symptomatically.

## SECTION 5: Fire-fighting measures

### 5.1. Suitable extinguishing media

- Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

### 5.2. Unsuitable extinguishing media

No additional information available

### 5.3. Specific hazards arising from the hazardous product

- Hazardous decomposition products in case of fire : Toxic fumes may be released.

### 5.4. Special protective equipment and precautions for fire-fighters

- Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

# BASIC BILGE CLEANER

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

### SECTION 6: Accidental release measures

General measures : Avoid contact with skin and eyes. Clean up any spills as soon as possible, using an absorbent material to collect it. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous.

#### 6.1.1. For non-emergency personnel

Protective equipment : Gloves (EN 374). Protective clothing (EN 14605 or EN 13034). Chemical goggles or face shield with safety glasses.

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe fume, mist, vapours, or spray.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls or personal protection".

Emergency procedures : Evacuate unnecessary personnel. Cover spill with non combustible material, e.g.: sand or earth. Reuse if possible. Otherwise dispose recovered material in accordance with all local, Provincial or Federal regulations.

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

For containment : Contain large spillage with sand or earth.

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not breathe fume, mist, vapours, or spray. Wear personal protective equipment.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

Additional hazards when processed : May be corrosive to metals.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in dry, cool, well-ventilated area. Store in original container. Store in corrosive resistant container with a resistant inner liner. Keep only in original container. Store locked up.

Incompatible products : Strong acids.

Incompatible materials : Alkali metals and their alloys. Organic materials. Hydrocarbons, halogenated.

# BASIC BILGE CLEANER

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

Sodium hydroxide (1310-73-2)	
USA - OSHA - Occupational Exposure Limits	
Local name	Sodium hydroxide
OSHA PEL TWA [1]	2 mg/m <sup>3</sup>
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1

#### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.  
Environmental exposure controls : Avoid release to the environment.

#### 8.3. Individual protection measures/Personal protective equipment

##### Personal protective equipment:

Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

##### Materials for protective clothing:

Nitrile rubber/PVC

##### Hand protection:

Protective gloves against chemicals (EN 374)

##### Eye protection:

Chemical goggles or safety glasses. Safety glasses

##### Skin and body protection:

Corrosion-proof clothing (EN 14605)

##### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

##### Personal protective equipment symbol(s):



# BASIC BILGE CLEANER

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Blue, Clear liquid.
Colour	: Blue
Odour	: mild Quaternary ammonia odour
Odour threshold	: No data available
pH	: > 12
Relative evaporation rate (butylacetate=1)	: No data available
Relative evaporation rate (ether=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: > 100 °C
Auto-ignition temperature	: Not self-igniting
Decomposition temperature	: No data available
Upper and lower flammability or explosive limit	: Not flammable
Vapour pressure	: No data available
Relative vapour density at 20°C	: No data available
Relative density	: 1 – 1.05
Solubility	: soluble in water.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: Not explosive.
Explosive limits	: No data available

#### 9.2. Other information

No additional information available

### SECTION 10: Stability and reactivity

Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use.
Conditions to avoid	: None under recommended storage and handling conditions (see section 7).
Incompatible materials	: Alkali metals and their alloys. Strong acids. Organic materials. Halogenated hydrocarbons. organic nitro-compounds.

# BASIC BILGE CLEANER

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Hazardous decomposition : Under normal conditions of storage and use, hazardous decomposition products should not be produced.  
Hardening time: : No additional information available

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

BASIC BILGE CLEANER	
LD50 oral rat	69246 mg/kg
LD50 dermal rat	75000 mg/kg
ATE CA (oral)	69246 mg/kg bodyweight
ATE CA (Dermal)	75000 mg/kg bodyweight
Sodium metasilicate (6834-92-0)	
LD50 oral rat	1152 – 1349 mg/kg bodyweight (Rat, Male / female, Experimental value, Oral, 7 day(s))
LD50 dermal rat	> 5000 mg/kg bodyweight (EPA OPPTS 870.1200: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))
LC50 Inhalation - Rat	> 2.06 mg/l (EPA OPPTS 870.1300: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Inhalation (vapours), 14 day(s))
Sodium hydroxide (1310-73-2)	
LD50 dermal rabbit	1350 mg/kg
ATE CA (Dermal)	1350 mg/kg bodyweight
C9-11, Ethoxylated Alcohol (68439-46-3)	
LD50 oral rat	1378 mg/kg (Rat, Oral)
LD50 dermal rabbit	> 2000 mg/kg (Rabbit, Dermal)
ATE CA (oral)	1378 mg/kg bodyweight

Skin corrosion/irritation : Causes severe skin burns.

Serious eye damage/irritation : Causes serious eye damage.

Respiratory or skin sensitization : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

# BASIC BILGE CLEANER

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

Sodium metasilicate (6834-92-0)	
STOT-single exposure	May cause respiratory irritation.

STOT-repeated exposure : Not classified

Sodium metasilicate (6834-92-0)	
NOAEL (oral, rat, 90 days)	227 – 237 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)

Aspiration hazard : Not classified

Likely routes of exposure : Skin and eyes contact. Ingestion. Inhalation.

Expected Symptoms/Effects, Acute and Delayed : Corrosion of the eye tissue. May cause skin irritation, dermatitis, or skin burns. Irritating to the digestive tract. May cause burns.

Symptoms/effects after skin contact : Burns.

Symptoms/effects after eye contact : Serious damage to eyes.

Symptoms/effects after ingestion : Burns.

Chronic symptoms : No effects known.

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : Before neutralisation, the product may represent a danger to aquatic organisms.

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

BASIC BILGE CLEANER	
Partition coefficient n-octanol/water (Log Kow)	No data available
Sodium metasilicate (6834-92-0)	
LC50 - Fish [1]	210 mg/l (ISO 7346-1, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value)
EC50 - Crustacea [1]	1700 mg/l (EU Method C.2, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
EC50 72h - Algae [1]	207 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
Partition coefficient n-octanol/water (Log Pow)	-5.65



# BASIC BILGE CLEANER

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

### 12.2. Persistence and degradability

#### BASIC BILGE CLEANER

Persistence and degradability Not established.

Sodium metasilicate (6834-92-0)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)
C9-11, Ethoxylated Alcohol (68439-46-3)	
Persistence and degradability	Readily biodegradable in water.

### 12.3. Bioaccumulative potential

#### BASIC BILGE CLEANER

Bioaccumulative potential Not established.

Partition coefficient n-octanol/water (Log Kow) No data available

Sodium metasilicate (6834-92-0)	
Bioaccumulative potential	Not bioaccumulative.
Partition coefficient n-octanol/water (Log Pow)	-5.65
C9-11, Ethoxylated Alcohol (68439-46-3)	
Bioaccumulative potential	No bioaccumulation data available.

### 12.4. Mobility in soil

#### BASIC BILGE CLEANER

Ecology - soil No (test) data on mobility of the substance available.

Partition coefficient n-octanol/water (Log Kow) No data available

Sodium metasilicate (6834-92-0)	
Surface tension	No data available in the literature
Ecology - soil	Low potential for adsorption in soil.
Partition coefficient n-octanol/water (Log Pow)	-5.65

### 12.5. Other adverse effects

Ozone : Not classified

# BASIC BILGE CLEANER

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

### SECTION 13: Disposal considerations

#### 13.1. Disposal methods

Product/Packaging disposal : Non-refillable container. Do not reuse or refill this container. Offer for recommendations recycling, if available or puncture and dispose of in a sanitary landfill.  
Ecology - waste materials : Avoid release to the environment.

### SECTION 14: Transport information

#### 14.1. UN number

Not regulated for transport

#### 14.2. UN proper shipping name

Proper Shipping Name (TDG) : Not applicable

#### 14.3. Transport hazard class(es)

##### TDG

Transport hazard class(es) (TDG) : Not applicable

#### 14.4. Packing group

Packing group (TDG) : Not applicable

#### 14.5. Environmental hazards

Other information : No supplementary information available.

#### 14.6. Special precautions for user

##### TDG

No data available

#### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

### SECTION 15: Regulatory information

#### 15.1. National regulations

##### Sodium metasilicate (6834-92-0)

Listed on the Canadian DSL (Domestic Substances List)

##### Sodium hydroxide (1310-73-2)

Listed on the Canadian DSL (Domestic Substances List)

# BASIC BILGE CLEANER

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

### C9-11, Ethoxylated Alcohol (68439-46-3)

Listed on the Canadian DSL (Domestic Substances List)

## 15.2. International regulations

### Sodium metasilicate (6834-92-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on INSQ (Mexican National Inventory of Chemical Substances)

### Sodium hydroxide (1310-73-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on INSQ (Mexican National Inventory of Chemical Substances)

### C9-11, Ethoxylated Alcohol (68439-46-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on INSQ (Mexican National Inventory of Chemical Substances)

## SECTION 16: Other information

Issue date : 12/27/2023

Revision date : 12/27/2023

### Full text of H-statements:

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.

It is the responsibility of the user to provide a safe workplace, using the health and safety information contained herein as a guide. Project Clean Inc. will accept no liability for damages or loss incurred from the improper handling and use of this product.

The information provided in the Safety Data Sheet has been obtained from current sources and is believed to be reliable.