

**SECTION 1: Identification**

**1.1. Product identifier**

Product name : SKYBRITE  
Product code : 1401225

**1.2. Recommended use and restrictions on use**

Recommended use : Approved water-based aircraft cleaner  
Restrictions on use : Industrial and Institutional use only

**1.3. Supplier**

Project Clean Inc.  
12 James St N, Suite 201A  
Hamilton, Ontario L8R 2J9  
T 1 800 663 9925  
[regulatory@projectclean.com](mailto:regulatory@projectclean.com) - [www.projectclean.ca](http://www.projectclean.ca)

**1.4. Emergency telephone number**

Country	Organisation/Company	Address	Emergency number	Comment
Canada	CHEMTREC Chemical Emergency	<a href="http://www.chemtrec.com">www.chemtrec.com</a>	1 800 424 9300	24hr/day 7days/week within USA and Canada
Canada	CANUTEC Transportation Emergency	<a href="http://www.canutec.com">www.canutec.com</a>	1 888 226 8832 *666 on a cell phone	24hr/day 7days/week within USA and Canada

**SECTION 2: Hazard identification**



**2.1. Classification of the substance or mixture**

**Classification (GHS CA)**

Serious eye damage/eye irritation, Category 1 H318 Causes serious eye damage.  
Specific target organ toxicity – Repeated exposure, H372 Causes damage to organs through prolonged or  
Category 1 repeated exposure.  
Full text of H-statements: see section 16

**2.2. GHS Label elements, including precautionary statements**

**GHS CA labelling**

Hazard pictograms (GHS CA) :  

Signal word (GHS CA) : Danger

# SKYBRITE

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Hazard statements (GHS CA) : H318 - Causes serious eye damage.  
H372 - Causes damage to organs through prolonged or repeated exposure.

Precautionary statements (GHS CA) : P260 - Do not breathe mist, vapours, or spray.  
P264 - Wash hands, forearms and face thoroughly after handling.  
P270 - Do not eat, drink or smoke when using this product.  
P280 - Wear protective gloves and eye protection.  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 - Immediately call a POISON CENTER or doctor.  
P314 - Get medical advice/attention if you feel unwell.  
P501 - Dispose of contents and or container to hazardous or special waste collection point, in accordance with local, regional, national and or international regulation.

### 2.3. Other hazards

No additional information available

### 2.4. Unknown acute toxicity (GHS CA)

No data available

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Chemical name / Synonyms	Product identifier	% w/w
C9-11, Ethoxylated Alcohol	(C9-C11) Alkyl alcohol, ethoxylate	CAS-No.: 68439-46-3	10 – 30
Butyl glycolether	2-Butoxyethanol	CAS-No.: 111-76-2	3 – 7

*\*The exact concentrations have been withheld as a trade secret. Les concentrations exactes ont été retenues en tant que secret commercial.*

Full text of hazard classes and H-statements : see section 16

## SECTION 4: First-aid measures

### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.

# SKYBRITE

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

First-aid measures general : Get medical advice/attention if you feel unwell.

### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after eye contact : Serious damage to eyes.

Chronic symptoms : No effects known.

Expected Symptoms/Effects, Acute and Delayed : May cause dermatitis, eye irritation, corneal oedema and chemical burns.

### 4.3. Immediate medical attention and special treatment, if necessary

Other medical advice or treatment : Treat symptomatically.

## SECTION 5: Fire-fighting measures

### 5.1. Suitable extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

### 5.2. Unsuitable extinguishing media

No additional information available

### 5.3. Specific hazards arising from the hazardous product

Hazardous decomposition products in case of fire : Toxic fumes may be released.

### 5.4. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## SECTION 6: Accidental release measures

General measures : Avoid contact with skin and eyes. Do not handle until all safety precautions have been read and understood. Clean up any spills as soon as possible, using an absorbent material to collect it.

### 6.1.1. For non-emergency personnel

Protective equipment : Gloves (EN 374). Face shield (EN 166).

Emergency procedures : Ventilate spillage area. Do not breathe mist, vapours, or spray. Avoid contact with skin and eyes.

### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls or personal protection".

# SKYBRITE

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Emergency procedures : Ventilate area. Evacuate unnecessary personnel. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous. Reuse if possible. Otherwise dispose recovered material in accordance with all local, Provincial or Federal regulations.

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Do not breathe mist, vapours, or spray. Avoid contact with skin and eyes. Wear personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

No additional information available

### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

### 8.3. Individual protection measures/Personal protective equipment

#### Personal protective equipment:

Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

#### Materials for protective clothing:

Nitrile rubber/PVC

#### Hand protection:

Protective gloves

# SKYBRITE

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

### Eye protection:

Safety glasses

### Skin and body protection:

Not required for normal conditions of use

### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

### Personal protective equipment symbol(s):



## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Blue, Clear liquid.
Colour	: Blue
Odour	: No added fragrance
Odour threshold	: No data available
pH	: 10 – 11
Relative evaporation rate (butylacetate=1)	: No data available
Relative evaporation rate (ether=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: > 100 °C
Auto-ignition temperature	: Not self-igniting
Decomposition temperature	: No data available
Upper and lower flammability or explosive limit	: Combustible, Not applicable
Vapour pressure	: No data available
Relative vapour density at 20°C	: No data available
Relative density	: 0.95 – 1.05
Solubility	: Soluble in water.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: Thin like water
Explosive properties	: Product is not explosive.

# SKYBRITE

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Explosive limits : No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No dangerous reactions known under normal conditions of use.

Conditions to avoid : None under recommended storage and handling conditions (see section 7).

Incompatible materials : No additional information available

Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Hardening time: : No additional information available

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

SKYBRITE	
LD50 oral rat	7722.8 mg/kg
LC50 Inhalation - Rat	30.12 mg/l/4h
ATE CA (oral)	7722.8 mg/kg bodyweight
ATE CA (vapours)	30.12 mg/l/4h
ATE CA (dust,mist)	30.12 mg/l/4h
C9-11, Ethoxylated Alcohol (68439-46-3)	
LD50 oral rat	1378 mg/kg (Rat, Oral)
LD50 dermal rabbit	> 2000 mg/kg (Rabbit, Dermal)
ATE CA (oral)	1378 mg/kg bodyweight
Butyl glycolether (111-76-2)	
LD50 oral rat	1746 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male, Experimental value, Oral, 14 day(s))

# SKYBRITE

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

<b>Butyl glycoether (111-76-2)</b>	
LD50 oral	1414 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Guinea pig, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rat	> 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, Rat, Male / female, Experimental value, Dermal, 14 day(s))
LC50 Inhalation - Rat	> 4.26 mg/l (4 h, Rat, Male / female, Experimental value, Inhalation (vapours), 14 day(s))
ATE CA (oral)	1414 mg/kg bodyweight
ATE CA (Gases)	4500 ppmv/4h
ATE CA (vapours)	11 mg/l/4h
ATE CA (dust,mist)	1.5 mg/l/4h

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Causes damage to organs through prolonged or repeated exposure.

<b>Butyl glycoether (111-76-2)</b>	
NOAEL (dermal, rat/rabbit, 90 days)	> 150 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study), Remarks on results: other:
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard	: Not classified
Likely routes of exposure	: Skin and eyes contact. Inhalation. Ingestion.
Expected Symptoms/Effects, Acute and Delayed	: May cause dermatitis, eye irritation, corneal oedema and chemical burns.
Symptoms/effects after eye contact	: Serious damage to eyes.
Chronic symptoms	: No effects known.

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
-------------------	---

# SKYBRITE

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

SKYBRITE	
Partition coefficient n-octanol/water (Log Pow)	No data available
Butyl glycoether (111-76-2)	
LC50 - Fish [1]	1474 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, Nominal concentration)
EC50 - Crustacea [1]	1550 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)
ErC50 algae	1840 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Nominal concentration)
EC50 72h - Algae [1]	911 mg/l Source: ECHA
NOEC chronic fish	≥ 100 mg/l Test organisms (species): Oryzias latipes Duration: '14 d'
NOEC (chronic)	100 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
Partition coefficient n-octanol/water (Log Pow)	0.81 (Experimental value, BASF test, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0.451 - 0.882 (log Koc, SRC PCKOCWIN v2.0, Calculated value)

### 12.2. Persistence and degradability

#### SKYBRITE

Persistence and degradability Contains readily biodegradable component(s).

C9-11, Ethoxylated Alcohol (68439-46-3)	
Persistence and degradability	Readily biodegradable in water.
Butyl glycoether (111-76-2)	
Persistence and degradability	Readily biodegradable in water.

### 12.3. Bioaccumulative potential

#### SKYBRITE

Bioaccumulative potential No bioaccumulation data available.



# SKYBRITE

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

### SKYBRITE

Partition coefficient n-octanol/water (Log Pow) No data available

<b>C9-11, Ethoxylated Alcohol (68439-46-3)</b>	
Bioaccumulative potential	No bioaccumulation data available.
<b>Butyl glycoether (111-76-2)</b>	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
Partition coefficient n-octanol/water (Log Pow)	0.81 (Experimental value, BASF test, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0.451 – 0.882 (log Koc, SRC PCKOCWIN v2.0, Calculated value)

### 12.4. Mobility in soil

#### SKYBRITE

Partition coefficient n-octanol/water (Log Pow) No data available

<b>Butyl glycoether (111-76-2)</b>	
Surface tension	65.03 mN/m (20 °C, 2 g/l)
Ecology - soil	Highly mobile in soil.
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0.451 – 0.882 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Partition coefficient n-octanol/water (Log Pow)	0.81 (Experimental value, BASF test, 25 °C)

### 12.5. Other adverse effects

Ozone : Not classified

## SECTION 13: Disposal considerations

### 13.1. Disposal methods

- Waste treatment methods : Dispose of contents and or container in accordance with licensed collector's sorting instructions.
- Product/Packaging disposal recommendations : Non-refillable container. Do not reuse or refill this container. Offer for recycling, if available or puncture and dispose of in a sanitary landfill.
- Ecology - waste materials : Avoid release to the environment.

## SECTION 14: Transport information

### 14.1. UN number

Not regulated for transport

# SKYBRITE

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

### 14.2. UN proper shipping name

Proper Shipping Name (TDG) : Not applicable

### 14.3. Transport hazard class(es)

#### TDG

Transport hazard class(es) (TDG) : Not applicable

### 14.4. Packing group

Packing group (TDG) : Not applicable

### 14.5. Environmental hazards

Other information : No supplementary information available.

### 14.6. Special precautions for user

#### TDG

No data available

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. National regulations

#### C9-11, Ethoxylated Alcohol (68439-46-3)

Listed on the Canadian DSL (Domestic Substances List)

#### Butyl glycolether (111-76-2)

Listed on the Canadian DSL (Domestic Substances List)

### 15.2. International regulations

#### C9-11, Ethoxylated Alcohol (68439-46-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active  
Listed on INSQ (Mexican National Inventory of Chemical Substances)

#### Butyl glycolether (111-76-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active  
Listed on INSQ (Mexican National Inventory of Chemical Substances)

## SECTION 16: Other information

Issue date : 12/29/2023

# SKYBRITE

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Full text of H-statements:	
H318	Causes serious eye damage.
H372	Causes damage to organs through prolonged or repeated exposure.

It is the responsibility of the user to provide a safe workplace, using the health and safety information contained herein as a guide. Project Clean Inc. will accept no liability for damages or loss incurred from the improper handling and use of this product.

The information provided in the Safety Data Sheet has been obtained from current sources and is believed to be reliable.