

SECTION 1: Identification

1.1. Product identifier

Product name : NEUTRAPOWER
Product code : 1300725

1.2. Recommended use and restrictions on use

Recommended use : Neutral floor cleaner
Restrictions on use : Food Plant, Industrial and Institutional use only

1.3. Supplier

Project Clean Inc.
12 James St N, Suite 202
Hamilton, Ontario L8R 2J9
T 1 800 663 9925
regulatory@projectclean.com - www.projectclean.ca

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Canada	CHEMTREC Chemical Emergency	www.chemtrec.com	1 800 424 9300	24hr/day 7days/week within USA and Canada
Canada	CANUTEC Transportation Emergency	www.canutec.com	1 888 226 8832 *666 on a cell phone	24hr/day 7days/week within USA and Canada

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Classification (GHS CA)

Serious eye damage/eye irritation, Category 1	H318	Causes serious eye damage.
Skin sensitisation, Category 1	H317	May cause an allergic skin reaction.
Hazardous to the aquatic environment – Acute Hazard, Category 3	H402	Harmful to aquatic life
Hazardous to the aquatic environment – Chronic Hazard, Category 3	H412	Harmful to aquatic life with long lasting effects.

Full text of H-statements: see section 16

NEUTRAPOWER

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

2.2. GHS Label elements, including precautionary statements

GHS CA labelling

Hazard pictograms (GHS CA) :



Signal word (GHS CA) :

Danger

Hazard statements (GHS CA) :

H317 - May cause an allergic skin reaction.

H318 - Causes serious eye damage.

H402 - Harmful to aquatic life

H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (GHS CA) :

P261 - Avoid breathing fume, mist vapours, or spray.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves, protective clothing, and eye or face protection.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTER or doctor.

P321 - Specific treatment (see supplemental first aid instruction in section 4 of SDS or on the product SDS).

P333+P313 - If skin irritation or rash occurs: Get medical advice or attention.

P362+P364 - Take off contaminated clothing and wash it before reuse.

P501 - Dispose of contents and or container to hazardous or special waste collection point, in accordance with local, regional, national and or international regulation.

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS CA)

No data available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

NEUTRAPOWER

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

3.2. Mixtures

Name	Chemical name / Synonyms	Product identifier	% w/w
C9-11, Ethoxylated Alcohol	(C9-C11) Alkyl alcohol, ethoxylate	CAS-No.: 68439-46-3	3 - 7
D-Limonene	(R)-1-Methyl-4-(1-methylethenyl)cyclohexene	CAS-No.: 5989-27-5	0.1 - 1

*The exact concentrations have been withheld as a trade secret. Les concentrations exactes ont été retenues en tant que secret commercial.

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.
- First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice or attention.
- First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
- First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

- Symptoms/effects after skin contact : May cause an allergic skin reaction.
- Symptoms/effects after eye contact : Serious damage to eyes.
- Chronic symptoms : Cracking of the skin. Dry skin. Inflammation/damage of the eye tissue.
- Expected Symptoms/Effects, Acute and Delayed : May cause skin irritation, dermatitis, or skin burns. May produce an allergic reaction.

4.3. Immediate medical attention and special treatment, if necessary

- Other medical advice or treatment : Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

- Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Unsuitable extinguishing media

No additional information available

5.3. Specific hazards arising from the hazardous product

- Hazardous decomposition products in case of fire : Toxic fumes may be released.

NEUTRAPOWER

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

5.4. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

General measures : Avoid contact with skin and eyes. Do not handle until all safety precautions have been read and understood. Clean up any spills as soon as possible, using an absorbent material to collect it.

6.1.1. For non-emergency personnel

Protective equipment : Chemical goggles or face shield with safety glasses. Gloves (EN 374). Protective clothing (EN 14605 or EN 13034).

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing fume, mist, vapours, or spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls or personal protection".

Emergency procedures : Ventilate area. Evacuate unnecessary personnel. Cover spill with non combustible material, e.g.: sand or earth. Reuse if possible. Otherwise dispose recovered material in accordance with all local, Provincial or Federal regulations.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Avoid breathing fume, mist, vapours, or spray. Wear personal protective equipment.

Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in dry, cool, well-ventilated area.

NEUTRAPOWER

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.
Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Materials for protective clothing:
Nitrile rubber/PVC
Hand protection:
Protective gloves against chemicals (EN 374)
Eye protection:
Safety glasses
Skin and body protection:
Wear suitable protective clothing
Respiratory protection:
In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Green, Clear liquid.
Colour : Green
Odour : Citrus scent
Odour threshold : No data available
pH : 6 – 8
Relative evaporation rate (butylacetate=1) : No data available

NEUTRAPOWER

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Relative evaporation rate (ether=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: Non flammable
Auto-ignition temperature	: Not self-igniting
Decomposition temperature	: No data available
Upper and lower flammability or explosive limit	: No data available Not flammable
Vapour pressure	: No data available
Relative vapour density at 20°C	: No data available
Relative density	: 1 – 1.05
Solubility	: Soluble in water.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: Thin like water
Explosive properties	: Product is not explosive.
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use.
Conditions to avoid	: None under recommended storage and handling conditions (see section 7).
Incompatible materials	: No additional information available
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Hardening time:	: No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified.
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

NEUTRAPOWER

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

NEUTRAPOWER	
LD50 oral rat	30622.2 mg/kg
ATE CA (oral)	30622.2 mg/kg bodyweight
C9-11, Ethoxylated Alcohol (68439-46-3)	
LD50 oral rat	1378 mg/kg (Rat, Oral)
LD50 dermal rabbit	> 2000 mg/kg (Rabbit, Dermal)
ATE CA (oral)	1378 mg/kg bodyweight
D-Limonene (5989-27-5)	
LD50 oral rat	> 2000 mg/kg bodyweight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	> 5000 mg/kg bodyweight (Equivalent or similar to OECD 402, 24 h, Rabbit, Read-across, Dermal, 7 day(s))

Skin corrosion/irritation	: Not classified.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Likely routes of exposure	: Skin and eyes contact. Inhalation.
Expected Symptoms/Effects, Acute and Delayed	: May cause skin irritation, dermatitis, or skin burns. May produce an allergic reaction.
Symptoms/effects after skin contact	: May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Serious damage to eyes.
Chronic symptoms	: Cracking of the skin. Dry skin. Inflammation/damage of the eye tissue.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Harmful to aquatic life.

NEUTRAPOWER

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Hazardous to the aquatic environment, long-term (chronic) : Harmful to aquatic life with long lasting effects.

NEUTRAPOWER	
Partition coefficient n-octanol/water (Log Kow)	No data available
D-Limonene (5989-27-5)	
LC50 - Fish [1]	720 µg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value)
LC50 - Fish [2]	702 µg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [1]	0.307 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semi-static system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [2]	0.51 mg/l Test organisms (species): Daphnia magna
ErC50 algae	0.32 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)
EC50 72h - Algae [1]	0.32 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	0.214 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
BCF - Fish [1]	864.8 l/kg (BCFBAF v3.01, Pisces, QSAR, Fresh weight)
Partition coefficient n-octanol/water (Log Pow)	4.38 (Experimental value, Equivalent or similar to OECD 117, 37 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.049 - 3.801 (log Koc, SRC PCKOCWIN v2.0, Calculated value)

12.2. Persistence and degradability

NEUTRAPOWER

Persistence and degradability

The polymers are not biodegradable, but they would be removed in biological wastewater treatment plants by adsorption to biosolids. No bioconcentration of the polymeric component is expected.

NEUTRAPOWER

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

C9-11, Ethoxylated Alcohol (68439-46-3)	
Persistence and degradability	Readily biodegradable in water.
D-Limonene (5989-27-5)	
Persistence and degradability	Readily biodegradable in water.
ThOD	3.29 g O ₂ /g substance

12.3. Bioaccumulative potential

NEUTRAPOWER

Bioaccumulative potential Not established.

Partition coefficient n-octanol/water (Log Kow) No data available

C9-11, Ethoxylated Alcohol (68439-46-3)	
Bioaccumulative potential	No bioaccumulation data available.
D-Limonene (5989-27-5)	
Bioaccumulative potential	Potential for bioaccumulation ($4 \leq \text{Log Kow} \leq 5$).
BCF - Fish [1]	864.8 l/kg (BCFBFAF v3.01, Pisces, QSAR, Fresh weight)
Partition coefficient n-octanol/water (Log Pow)	4.38 (Experimental value, Equivalent or similar to OECD 117, 37 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.049 – 3.801 (log Koc, SRC PCKOCWIN v2.0, Calculated value)

12.4. Mobility in soil

NEUTRAPOWER

Ecology - soil No (test) data on mobility of the substance available.

Partition coefficient n-octanol/water (Log Kow) No data available

D-Limonene (5989-27-5)	
Surface tension	No data available in the literature
Ecology - soil	Low potential for mobility in soil.
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.049 – 3.801 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Partition coefficient n-octanol/water (Log Pow)	4.38 (Experimental value, Equivalent or similar to OECD 117, 37 °C)

NEUTRAPOWER

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

12.5. Other adverse effects

Ozone : Not classified

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents and or container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Reuse if possible. Otherwise dispose recovered material in accordance with all local, Provincial or Federal regulations.

Ecological information : Avoid release to the environment.

SECTION 14: Transport information

14.1. UN number

Not regulated for transport

14.2. UN proper shipping name

Proper Shipping Name (TDG) : Not applicable

Proper Shipping Name (IMDG) : Not applicable

14.3. Transport hazard class(es)

TDG
Transport hazard class(es) (TDG) : Not applicable

IMDG
Transport hazard class(es) (IMDG) : Not applicable

14.4. Packing group

Packing group (TDG) : Not applicable

Packing group (IMDG) : Not applicable

14.5. Environmental hazards

Other information : No supplementary information available.

14.6. Special precautions for user

TDG
No data available

IMDG
No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

NEUTRAPOWER

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

SECTION 15: Regulatory information

15.1. National regulations

C9-11, Ethoxylated Alcohol (68439-46-3)

Listed on the Canadian DSL (Domestic Substances List)

D-Limonene (5989-27-5)

Listed on the Canadian DSL (Domestic Substances List)

15.2. International regulations

NEUTRAPOWER

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

C9-11, Ethoxylated Alcohol (68439-46-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active
Listed on INSQ (Mexican National Inventory of Chemical Substances)

D-Limonene (5989-27-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active
Listed on INSQ (Mexican National Inventory of Chemical Substances)

SECTION 16: Other information

Issue date : 02/16/2023
Revision date : 06/25/2024

Full text of H-statements:

H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H402	Harmful to aquatic life
H412	Harmful to aquatic life with long lasting effects.

It is the responsibility of the user to provide a safe workplace, using the health and safety information contained herein as a guide. Project Clean Inc. will accept no liability for damages or loss incurred from the improper handling and use of this product.

The information provided in the Safety Data Sheet has been obtained from current sources and is believed to be reliable.