

### SECTION 1: Identification

#### 1.1. Product identifier

Trade name : PROMAX MAX BOOSTER  
Product code : 1200588

#### 1.2. Recommended use and restrictions on use

Recommended use : Liquid laundry booster  
Restrictions on use : Industrial and Institutional use only

#### 1.3. Supplier

Project Clean Inc.  
12 James St N, Suite 202  
Hamilton, Ontario L8R 2J9  
T 1 800 663 9925  
[regulatory@projectclean.com](mailto:regulatory@projectclean.com) - [www.projectclean.ca](http://www.projectclean.ca)

#### 1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Canada	CHEMTREC Chemical Emergency	<a href="http://www.chemtrec.com">www.chemtrec.com</a>	1 800 424 9300	24hr/day 7days/week within USA and Canada
Canada	CANUTEC Transportation Emergency	<a href="http://www.canutec.com">www.canutec.com</a>	1 888 226 8832 *666 on a cell phone	24hr/day 7days/week within USA and Canada

### SECTION 2: Hazard identification

#### 2.1. Classification of the substance or mixture

##### Classification (GHS CA)

Corrosive to metals, Category 1 H290 May be corrosive to metals.  
Skin corrosion/irritation, Category 1 H314 Causes severe skin burns and eye damage.  
Serious eye damage/eye irritation, Category 1 H318 Causes serious eye damage.

Full text of H-statements: see section 16

#### 2.2. GHS Label elements, including precautionary statements

##### GHS CA labelling

Hazard pictograms (GHS CA) :



Signal word (GHS CA) : Danger

# PROMAX MAX BOOSTER

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Hazard statements (GHS CA)	: H290 - May be corrosive to metals. H314 - Causes severe skin burns and eye damage. H318 - Causes serious eye damage.
Precautionary statements (GHS CA)	: P234 - Keep only in original container. P260 - Do not breathe fume, mist, vapours, or spray. P264 - Wash hands, forearms and face thoroughly after handling. P280 - Wear protective gloves, protective clothing, and eye protection. P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water . P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER or doctor. P321 - Specific treatment (see supplemental first aid instruction on the product SDS). P363 - Wash contaminated clothing before reuse. P390 - Absorb spillage to prevent material damage. P405 - Store locked up. P406 - Store in corrosive resistant container with a resistant inner liner. P501 - Dispose of contents and or container to hazardous or special waste collection point, in accordance with local, regional, national and or international regulation.

### 2.3. Other hazards

No additional information available

### 2.4. Unknown acute toxicity (GHS CA)

No data available

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Chemical name / Synonyms	Product identifier	% w/w
Sodium hydroxide	Sodium hydroxide	CAS-No.: 1310-73-2	15 - 40
Sodium silicate	Sodium metasilicate	CAS-No.: 1344-09-8	1 - 5

# PROMAX MAX BOOSTER

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

*\*The exact concentrations have been withheld as a trade secret. Les concentrations exactes ont été retenues en tant que secret commercial.*

Full text of hazard classes and H-statements : see section 16

### SECTION 4: First-aid measures

#### 4.1. Description of first aid measures

- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.
- First-aid measures after skin contact : Rinse skin with water or shower. Take off immediately all contaminated clothing. Call a physician immediately.
- First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
- First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately.
- First-aid measures general : Call a physician immediately.

#### 4.2. Most important symptoms and effects (acute and delayed)

- Symptoms/effects after skin contact : Burns.
- Symptoms/effects after eye contact : Serious damage to eyes.
- Symptoms/effects after ingestion : Burns.
- Chronic symptoms : No effects known.
- Expected Symptoms/Effects, Acute and Delayed : Corrosion of the eye tissue. May cause skin irritation, dermatitis, or skin burns. Irritating to the digestive tract. May cause burns.

#### 4.3. Immediate medical attention and special treatment, if necessary

- Other medical advice or treatment : Treat symptomatically.

### SECTION 5: Fire-fighting measures

#### 5.1. Suitable extinguishing media

- Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

#### 5.2. Unsuitable extinguishing media

No additional information available

#### 5.3. Specific hazards arising from the hazardous product

- Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.4. Special protective equipment and precautions for fire-fighters

- Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

# PROMAX MAX BOOSTER

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

### SECTION 6: Accidental release measures

#### 6.1.1. For non-emergency personnel

- Protective equipment : Protective goggles (EN 166). Safety glasses (EN 166). Protective clothing (EN 14605 or EN 13034).
- Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe fume, mist, vapours, or spray.

#### 6.1.2. For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment.
- Emergency procedures : Ventilate area. Evacuate unnecessary personnel. Cover spill with non combustible material, e.g.: sand or earth. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous. Reuse if possible. Otherwise dispose recovered material in accordance with all local, Provincial or Federal regulations.

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Take up liquid spill into absorbent material.
- Other information : Dispose of materials or solid residues at an authorized site.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

- Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not breathe fume, mist, vapours, or spray. Wear personal protective equipment.
- Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Store locked up. Store in a well-ventilated place. Keep cool.
- Incompatible products : Strong acids. Strong oxidizing agents.
- Incompatible materials : Metals. Organic materials. Alkali metals and their alloys.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

# PROMAX MAX BOOSTER

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

<b>Sodium hydroxide (1310-73-2)</b>	
<b>Canada (Alberta) - Occupational Exposure Limits</b>	
Local name	Sodium hydroxide
OEL C	2 mg/m <sup>3</sup>
Notations and remarks	Occupational exposure limit is based on irritation effects and its adjustment to compensate for unusual work schedules is not required.
Regulatory reference	Alberta Regulation 191/2021
<b>Canada (Quebec) - Occupational Exposure Limits</b>	
Local name	Sodium hydroxide
Plafond (OEL C)	2 mg/m <sup>3</sup>
Notations and remarks	RP
Regulatory reference	S-2.1, r. 13 - Regulation respecting occupational health and safety
<b>Canada (British Columbia) - Occupational Exposure Limits</b>	
Local name	Sodium hydroxide
OEL C	2 mg/m <sup>3</sup>
Regulatory reference	OHS Guidelines Part 5: Chemical Agents and Biological Agents (WorkSafe BC)
<b>Canada (Manitoba) - Occupational Exposure Limits</b>	
Local name	Sodium hydroxide
OEL C	2 mg/m <sup>3</sup>
Notations and remarks	TLV® Basis: URT, eye, & skin irr
Regulatory reference	ACGIH 2022
<b>Canada (Newfoundland and Labrador) - Occupational Exposure Limits</b>	
Local name	Sodium hydroxide
OEL C	2 mg/m <sup>3</sup>
Notations and remarks	TLV® Basis: URT, eye, & skin irr
Regulatory reference	ACGIH 2022
<b>Canada (Nova Scotia) - Occupational Exposure Limits</b>	
Local name	Sodium hydroxide

# PROMAX MAX BOOSTER

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

<b>Sodium hydroxide (1310-73-2)</b>	
OEL C	2 mg/m <sup>3</sup>
Notations and remarks	TLV® Basis: URT, eye, & skin irr
Regulatory reference	ACGIH 2022
<b>Canada (Nunavut) - Occupational Exposure Limits</b>	
Local name	Sodium hydroxide
OEL C	2 mg/m <sup>3</sup>
Regulatory reference	Occupational Health and Safety Regulations, Nu Reg 003-2016 (Amendment R-044-2021)
<b>Canada (Northwest Territories) - Occupational Exposure Limits</b>	
Local name	Sodium hydroxide
OEL C	2 mg/m <sup>3</sup>
Regulatory reference	Occupation Health and Safety Regulations R-039-2015 (R-013-2020)
<b>Canada (Ontario) - Occupational Exposure Limits</b>	
Local name	Sodium hydroxide
OEL C	2 mg/m <sup>3</sup>
Regulatory reference	Ontario Occupational Exposure Limits under Regulation 833
<b>Canada (Prince Edward Island) - Occupational Exposure Limits</b>	
Local name	Sodium hydroxide
OEL C	2 mg/m <sup>3</sup>
Notations and remarks	TLV® Basis: URT, eye, & skin irr
Regulatory reference	ACGIH 2022
<b>Canada (Saskatchewan) - Occupational Exposure Limits</b>	
Local name	Sodium hydroxide
OEL C	2 mg/m <sup>3</sup>
Regulatory reference	The Occupational Health and Safety Regulations, 2020. Chapter S-15.1 Reg 10
<b>USA - ACGIH - Occupational Exposure Limits</b>	
Local name	Sodium hydroxide
ACGIH OEL C	2 mg/m <sup>3</sup>

# PROMAX MAX BOOSTER

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

<b>Sodium hydroxide (1310-73-2)</b>	
Remark (ACGIH)	TLV® Basis: URT, eye, & skin irr
Regulatory reference	ACGIH 2022
<b>USA - OSHA - Occupational Exposure Limits</b>	
Local name	Sodium hydroxide
OSHA PEL TWA [1]	2 mg/m <sup>3</sup>
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1

### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.  
Environmental exposure controls : Avoid release to the environment.

### 8.3. Individual protection measures/Personal protective equipment

<b>Materials for protective clothing:</b>
Nitrile rubber/PVC
<b>Hand protection:</b>
Protective gloves
<b>Eye protection:</b>
Safety glasses
<b>Skin and body protection:</b>
Wear suitable protective clothing
<b>Respiratory protection:</b>
In case of insufficient ventilation, wear suitable respiratory equipment

#### Personal protective equipment symbol(s):



## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

# PROMAX MAX BOOSTER

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Appearance	: Blue, Clear liquid.
Colour	: Blue
Odour	: No added fragrance
Odour threshold	: No data available
pH	: 13 – 14
Relative evaporation rate (butylacetate=1)	: No data available
Relative evaporation rate (ether=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: > 100 °C
Auto-ignition temperature	: Not self-igniting
Decomposition temperature	: No data available
Upper and lower flammability or explosive limit	: No data available Not applicable
Vapour pressure	: No data available
Relative vapour density at 20°C	: No data available
Relative density	: 1.2 – 1.5
Solubility	: Soluble in water.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: Product is not explosive.
Explosive limits	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use.
Conditions to avoid	: None under recommended storage and handling conditions (see section 7).
Incompatible materials	: Acids. Metals. Organic materials. Oxidizing agent.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Hardening time:	: No additional information available



# PROMAX MAX BOOSTER

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

PROMAX MAX BOOSTER	
LD50 dermal rat	≥ 4230 mg/kg
Sodium hydroxide (1310-73-2)	
LD50 dermal rabbit	1350 mg/kg
ATE CA (Dermal)	1350 mg/kg bodyweight
Sodium silicate (1344-09-8)	
LD50 oral rat	> 2000 mg/kg (Rat, Oral)

Skin corrosion/irritation : Causes severe skin burns.  
Serious eye damage/irritation : Causes serious eye damage.  
Respiratory or skin sensitization : Not classified  
Germ cell mutagenicity : Not classified  
Carcinogenicity : Not classified  
Reproductive toxicity : Not classified  
STOT-single exposure : Not classified  
STOT-repeated exposure : Not classified  
Aspiration hazard : Not classified  
Likely routes of exposure : Skin and eyes contact. Inhalation. Ingestion.  
Expected Symptoms/Effects, Acute and Delayed : Corrosion of the eye tissue. May cause skin irritation, dermatitis, or skin burns. Irritating to the digestive tract. May cause burns.  
Symptoms/effects after skin contact : Burns.  
Symptoms/effects after eye contact : Serious damage to eyes.  
Symptoms/effects after ingestion : Burns.  
Chronic symptoms : No effects known.

### SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - general : Before neutralisation, the product may represent a danger to aquatic organisms.  
Hazardous to the aquatic environment, short-term (acute) : Not classified  
Hazardous to the aquatic environment, long-term (chronic) : Not classified  
Partition coefficient n-octanol/water (Log Pow) No data available

# PROMAX MAX BOOSTER

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Sodium silicate (1344-09-8)	
LC50 - Fish [1]	210 mg/l (96 h, Brachydanio rerio, Pure substance)
EC50 - Crustacea [1]	216 mg/l (96 h, Daphnia magna, Pure substance)
EC50 72h - Algae [1]	345 mg/l Source: SIDS

### 12.2. Persistence and degradability

Persistence and degradability                      Biodegradability: not applicable.

Sodium silicate (1344-09-8)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable

### 12.3. Bioaccumulative potential

Bioaccumulative potential                                      No test data available.

Partition coefficient n-octanol/water (Log Pow)      No data available

Sodium silicate (1344-09-8)	
Bioaccumulative potential	No bioaccumulation data available.

### 12.4. Mobility in soil

Ecology - soil    No (test) data on mobility of the substance available.

Partition coefficient n-octanol/water (Log Pow)      No data available

Sodium silicate (1344-09-8)	
Ecology - soil	No (test) data on mobility of the component(s) available.

### 12.5. Other adverse effects

Ozone    : Not classified

## SECTION 13: Disposal considerations

### 13.1. Disposal methods

Waste treatment methods                                      : Dispose of contents and or container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations                                      : Non-refillable container. Do not reuse or refill this container. Offer for recycling, if available or puncture and dispose of in a sanitary landfill.

# PROMAX MAX BOOSTER

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Ecology - waste materials : Avoid release to the environment.

### SECTION 14: Transport information

#### 14.1. UN number

UN-No. (TDG) : UN1824

#### 14.2. UN proper shipping name

Proper Shipping Name (TDG) : SODIUM HYDROXIDE SOLUTION  
Transport document description (TDG) : UN1824 SODIUM HYDROXIDE SOLUTION, 8, II

#### 14.3. Transport hazard class(es)

##### TDG

Transport hazard class(es) (TDG) : 8  
Hazard labels (TDG) : 8



#### 14.4. Packing group

Packing group (TDG) : II

#### 14.5. Environmental hazards

Other information : No supplementary information available.

#### 14.6. Special precautions for user

##### TDG

UN-No. (TDG) : UN1824  
Explosive Limit and Limited Quantity Index : 1 L  
Excepted quantities (TDG) : E2  
Passenger Carrying Road Vehicle or Passenger : 1 L  
Carrying Railway Vehicle Index  
Emergency Response Guide (ERG) Number : 154

#### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

### SECTION 15: Regulatory information

#### 15.1. National regulations

Sodium hydroxide (1310-73-2)

Listed on the Canadian DSL (Domestic Substances List)

# PROMAX MAX BOOSTER

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

### Sodium silicate (1344-09-8)

Listed on the Canadian DSL (Domestic Substances List)

## 15.2. International regulations

### Sodium hydroxide (1310-73-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on INSQ (Mexican National Inventory of Chemical Substances)

### Sodium silicate (1344-09-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on INSQ (Mexican National Inventory of Chemical Substances)

## SECTION 16: Other information

Issue date : 12.01.2023

### Full text of H-statements:

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.

It is the responsibility of the user to provide a safe workplace, using the health and safety information contained herein as a guide. Project Clean Inc. will accept no liability for damages or loss incurred from the improper handling and use of this product.

The information provided in the Safety Data Sheet has been obtained from current sources and is believed to be reliable.