

SECTION 1: Identification

1.1. Product identifier

Product name : PROZYME LIQUID LAUNDRY
Product code : 1201100

1.2. Recommended use and restrictions on use

Recommended use : Concentrated laundry detergent
Restrictions on use : Industrial and Institutional use only

1.3. Supplier

Project Clean Inc.
12 James St N, Suite 202
Hamilton, Ontario L8R 2J9
T 1 800 663 9925
regulatory@projectclean.com - www.projectclean.ca

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Canada	CHEMTREC Chemical Emergency	www.chemtrec.com	1 800 424 9300	24hr/day 7days/week within USA and Canada
Canada	CANUTEC Transportation Emergency	www.canutec.com	1 888 226 8832 *666 on a cell phone	24hr/day 7days/week within USA and Canada

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture



Classification (GHS CA)

Skin corrosion/irritation, Category 1 H314 Causes severe skin burns and eye damage.
Serious eye damage/eye irritation, Category 1 H318 Causes serious eye damage.
Skin sensitisation, Category 1 H317 May cause an allergic skin reaction.

Full text of H-statements: see section 16

2.2. GHS Label elements, including precautionary statements

GHS CA labelling

Hazard pictograms (GHS CA) :  

Signal word (GHS CA) : Danger

PROZYME LIQUID LAUNDRY

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

- Hazard statements (GHS CA) : H314 - Causes severe skin burns and eye damage.
H317 - May cause an allergic skin reaction.
H318 - Causes serious eye damage.
- Precautionary statements (GHS CA) : P260 - Do not breathe fume, mist, vapours, or spray.
P261 - Avoid breathing fume, mist, vapours, or spray.
P264 - Wash hands, forearms and face thoroughly after handling.
P272 - Contaminated work clothing should not be allowed out of the workplace.
P280 - Wear protective gloves, protective clothing, and eye or face protection.
P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
P302+P352 - IF ON SKIN: Wash with plenty of water.
P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water .
P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 - Immediately call a POISON CENTER or doctor.
P321 - Specific treatment (see supplemental first aid instruction on the product SDS).
P333+P313 - If skin irritation or rash occurs: Get medical advice or attention.
P362+P364 - Take off contaminated clothing and wash it before reuse.
P363 - Wash contaminated clothing before reuse.
P405 - Store locked up.
P501 - Dispose of contents and or container to hazardous or special waste collection point, in accordance with local, regional, national and or international regulation.

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS CA)

No data available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

PROZYME LIQUID LAUNDRY

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

3.2. Mixtures

Name	Chemical name / Synonyms	Product identifier	% w/w
C9-11, Ethoxylated Alcohol	(C9-C11) Alkyl alcohol, ethoxylate	CAS-No.: 68439-46-3	10 – 30
Alkyl (C10-16) benzenesulfonic acid	Benzenesulfonic acid alkyl(C=10-16) derivs.	CAS-No.: 68584-22-5	7 – 13
Monoethanolamine	Monoethanolamine	CAS-No.: 141-43-5	1 – 5
N,N-bis(hydroxyethyl)coco amides	N,N-bis(2-hydroxyethyl) cocoamide	CAS-No.: 68603-42-9	1 – 5
Dipropylene glycol	Oxi-dipropanol	CAS-No.: 25265-71-8	0.1 – 1

*The exact concentrations have been withheld as a trade secret. Les concentrations exactes ont été retenues en tant que secret commercial.

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.
- First-aid measures after skin contact : Rinse skin with water or shower. Take off immediately all contaminated clothing. Call a physician immediately.
- First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
- First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately.
- First-aid measures general : Call a physician immediately.

4.2. Most important symptoms and effects (acute and delayed)

- Symptoms/effects after skin contact : Burns. May cause an allergic skin reaction.
- Symptoms/effects after eye contact : Serious damage to eyes.
- Symptoms/effects after ingestion : Burns.
- Chronic symptoms : No effects known.
- Expected Symptoms/Effects, Acute and Delayed : May cause skin irritation, dermatitis, or skin burns. Corrosion of the eye tissue. May produce an allergic reaction.

4.3. Immediate medical attention and special treatment, if necessary

- Other medical advice or treatment : Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

- Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

PROZYME LIQUID LAUNDRY

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

5.2. Unsuitable extinguishing media

No additional information available

5.3. Specific hazards arising from the hazardous product

Fire hazard : Not flammable.
Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.4. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Evacuate area. Use water spray or fog for cooling exposed containers.
Protection during firefighting : Do not attempt to take action without suitable protective equipment.
Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

General measures : Evacuate area. Do not handle until all safety precautions have been read and understood. Clean up any spills as soon as possible, using an absorbent material to collect it.

6.1.1. For non-emergency personnel

Protective equipment : Chemical goggles or face shield with safety glasses. Gloves (EN 374). Protective clothing (EN 14605 or EN 13034).
Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe fume, mist, vapours, or spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment.
Emergency procedures : Ventilate area. Evacuate unnecessary personnel. Reuse if possible. Otherwise dispose recovered material in accordance with all local, Provincial or Federal regulations.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.
Other information : Dispose of materials or solid residues at an authorized site.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes.
Do not breathe fume, mist, vapours, or spray. Wear personal protective equipment.

PROZYME LIQUID LAUNDRY

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in dry, cool, well-ventilated area. Store locked up.

Incompatible products : Strong acids. Strong oxidizing agents. Strong reducing agents. Strong bases.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Monoethanolamine (141-43-5)	
Canada (Alberta) - Occupational Exposure Limits	
Local name	Ethanolamine (2-Aminoethanol)
OEL TWA	7,5 mg/m ³
OEL TWA	3 ppm
OEL STEL	15 mg/m ³
OEL STEL	6 ppm
Notations and remarks	Occupational exposure limit is based on irritation effects and its adjustment to compensate for unusual work schedules is not required.
Regulatory reference	Alberta Regulation 191/2021
Canada (Quebec) - Occupational Exposure Limits	
Local name	2-Aminoethanol (Ethanolamine)
VECD (OEL STEV)	15 mg/m ³
VECD (OEL STEV)	6 ppm
VEMP (OEL TWAEV)	7,5 mg/m ³
VEMP (OEL TWAEV)	3 ppm
Regulatory reference	S-2.1, r. 13 - Regulation respecting occupational health and safety
Canada (British Columbia) - Occupational Exposure Limits	
Local name	Ethanolamine
OEL TWA	3 ppm
OEL STEL	6 ppm

PROZYME LIQUID LAUNDRY

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Monoethanolamine (141-43-5)	
Regulatory reference	OHS Guidelines Part 5: Chemical Agents and Biological Agents (WorkSafe BC)
Canada (Manitoba) - Occupational Exposure Limits	
Local name	Ethanolamine
OEL TWA	3 ppm
OEL STEL	6 ppm
Notations and remarks	TLV® Basis: Eye & skin irr
Regulatory reference	ACGIH 2022
Canada (New Brunswick) - Occupational Exposure Limits	
Local name	Ethanolamine
OEL TWA	3 ppm
OEL STEL	6 ppm
Notations and remarks	Eye & skin irr
Canada (Newfoundland and Labrador) - Occupational Exposure Limits	
Local name	Ethanolamine
OEL TWA	3 ppm
OEL STEL	6 ppm
Notations and remarks	TLV® Basis: Eye & skin irr
Regulatory reference	ACGIH 2022
Canada (Nova Scotia) - Occupational Exposure Limits	
Local name	Ethanolamine
OEL TWA	3 ppm
OEL STEL	6 ppm
Notations and remarks	TLV® Basis: Eye & skin irr
Regulatory reference	ACGIH 2022
Canada (Nunavut) - Occupational Exposure Limits	
Local name	Ethanolamine
OEL TWA	3 ppm
OEL STEL	6 ppm

PROZYME LIQUID LAUNDRY

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Monoethanolamine (141-43-5)	
Regulatory reference	Occupational Health and Safety Regulations, Nu Reg 003-2016 (Amendment R-044-2021)
Canada (Northwest Territories) - Occupational Exposure Limits	
Local name	Ethanolamine
OEL TWA	3 ppm
OEL STEL	6 ppm
Regulatory reference	Occupation Health and Safety Regulations R-039-2015 (R-013-2020)
Canada (Ontario) - Occupational Exposure Limits	
Local name	Ethanolamine
OEL TWA	3 ppm
OEL STEL	6 ppm
Regulatory reference	Ontario Occuational Exposure Limits under Regulation 833
Canada (Prince Edward Island) - Occupational Exposure Limits	
Local name	Ethanolamine
OEL TWA	3 ppm
OEL STEL	6 ppm
Notations and remarks	TLV® Basis: Eye & skin irr
Regulatory reference	ACGIH 2022
Canada (Saskatchewan) - Occupational Exposure Limits	
Local name	Ethanolamine
OEL TWA	3 ppm
OEL STEL	6 ppm
Regulatory reference	The Occupational Health and Safety Regulations, 2020. Chapter S-15.1 Reg 10
USA - ACGIH - Occupational Exposure Limits	
Local name	Ethanolamine
ACGIH OEL TWA [ppm]	3 ppm
ACGIH OEL STEL [ppm]	6 ppm
Remark (ACGIH)	TLV® Basis: Eye & skin irr

PROZYME LIQUID LAUNDRY

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Monoethanolamine (141-43-5)	
Regulatory reference	ACGIH 2022
USA - OSHA - Occupational Exposure Limits	
Local name	Ethanolamine
OSHA PEL TWA [1]	6 mg/m ³
OSHA PEL TWA [2]	3 ppm
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.
Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

Materials for protective clothing:
Nitrile rubber/PVC
Hand protection:
Protective gloves
Eye protection:
Safety glasses
Skin and body protection:
Wear suitable protective clothing
Respiratory protection:
In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):



PROZYME LIQUID LAUNDRY

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Cloudy. Blue. Liquid.
Colour	: Cloudy Blue
Odour	: Citrus scent
Odour threshold	: No data available
pH	: 8.5 – 9.5
Relative evaporation rate (butylacetate=1)	: No data available
Relative evaporation rate (ether=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: > 100 °C
Auto-ignition temperature	: Not self-igniting
Decomposition temperature	: No data available
Upper and lower flammability or explosive limit	: No data available, Not applicable
Vapour pressure	: No data available
Relative vapour density at 20°C	: No data available
Relative density	: 1 – 1.1
Solubility	: Dispersible in water.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: Thin like water
Explosive properties	: Not explosive.
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use.
Conditions to avoid	: None under recommended storage and handling conditions (see section 7).
Incompatible materials	: Strong acids. Strong bases. Strong oxidizing agents. Strong reducing agents.

PROZYME LIQUID LAUNDRY

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Hardening time: : No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

PROZYME LIQUID LAUNDRY	
LD50 oral rat	4256 mg/kg
LD50 dermal rat	91386 mg/kg
LC50 Inhalation - Rat	13,674 mg/l/4h
Alkyl (C10-16) benzenesulfonic acid (68584-22-5)	
LD50 oral rat	1350 (500 – 2000) mg/kg Source: IUCLID;
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other:
LC50 Inhalation - Rat	> 1,9 mg/l Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Remarks on results: other:
ATE CA (oral)	1350 mg/kg bodyweight
ATE CA (dust,mist)	1,5 mg/l/4h
Monoethanolamine (141-43-5)	
LD50 oral rat	1089 mg/kg Source: OECD SIDS
LD50 dermal rabbit	2504 mg/kg Source: OECD SIDS
LC50 Inhalation - Rat (Vapours)	> 1487 mg/l Source: ECHA
ATE CA (oral)	1089 mg/kg bodyweight
ATE CA (Dermal)	2504 mg/kg bodyweight
N,N-bis(hydroxyethyl)coco amides (68603-42-9)	
LD50 oral rat	> 5000 mg/kg (Rat, Oral)
LD50 dermal rabbit	> 2000 mg/kg Source: NLM; ChemIDPlus;
C9-11, Ethoxylated Alcohol (68439-46-3)	
LD50 oral rat	1378 mg/kg (Rat, Oral)

PROZYME LIQUID LAUNDRY

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

C9-11, Ethoxylated Alcohol (68439-46-3)	
LD50 dermal rabbit	> 2000 mg/kg (Rabbit, Dermal)
ATE CA (oral)	1378 mg/kg bodyweight
Dipropylene glycol (25265-71-8)	
LD50 oral rat	> 5000 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral)
LD50 dermal rabbit	> 5010 mg/kg bodyweight (Equivalent or similar to OECD 402, Rabbit, Male / female, Experimental value, Dermal)
LC50 Inhalation - Rat	2,34 mg/l (Equivalent or similar to OECD 403, Rat, Male / female, Experimental value, Inhalation)
ATE CA (vapours)	2,34 mg/l/4h
ATE CA (dust,mist)	2,34 mg/l/4h

Skin corrosion/irritation	: Causes severe skin burns.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified

Alkyl (C10-16) benzenesulfonic acid (68584-22-5)	
NOAEL (oral, rat, 90 days)	500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)
NOAEL (dermal, rat/rabbit, 90 days)	> 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study)

Aspiration hazard	: Not classified
Likely routes of exposure	: Skin and eyes contact. Ingestion.
Expected Symptoms/Effects, Acute and Delayed	: May cause skin irritation, dermatitis, or skin burns. Corrosion of the eye tissue. May produce an allergic reaction.
Symptoms/effects after skin contact	: Burns. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Serious damage to eyes.
Symptoms/effects after ingestion	: Burns.
Chronic symptoms	: No effects known.

PROZYME LIQUID LAUNDRY

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Before neutralisation, the product may represent a danger to aquatic organisms.

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

Partition coefficient n-octanol/water (Log Pow) No data available

Alkyl (C10-16) benzenesulfonic acid (68584-22-5)	
LC50 - Fish [1]	3 mg/l Source: IUCLID
EC50 - Crustacea [1]	2,9 mg/l Source: IUCLID
EC50 72h - Algae [1]	> 1000 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 96h - Algae [1]	170 mg/l Source: IUCLID
Partition coefficient n-octanol/water (Log Pow)	2
Monoethanolamine (141-43-5)	
LC50 - Fish [1]	170 mg/l Source: OECD SIDS
EC50 - Crustacea [1]	32,6 mg/l
ErC50 algae	2,1 mg/l Source: ECHA
Partition coefficient n-octanol/water (Log Pow)	-1,31 Source: ICSC
N,N-bis(hydroxyethyl)coco amides (68603-42-9)	
LC50 - Fish [1]	4 mg/l (96 h, Brachydanio rerio, Semi-static system)
EC50 - Crustacea [1]	2,39 mg/l (48 h, Daphnia pulex)
EC50 96h - Algae [1]	2,2 mg/l (OECD 201: Alga, Growth Inhibition Test, Scenedesmus subspicatus)
Partition coefficient n-octanol/water (Log Pow)	3,52 (Calculated)
Dipropylene glycol (25265-71-8)	
LC50 - Fish [1]	> 1000 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oryzias latipes, Semi-static system, Fresh water, Experimental value)
LC50 - Fish [2]	> 1000 mg/l Test organisms (species): Oryzias latipes
LC50 - Other aquatic organisms [1]	3181 mg/l (Other, 48 h, Xenopus laevis, Fresh water, Experimental value)

PROZYME LIQUID LAUNDRY

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Dipropylene glycol (25265-71-8)	
EC50 - Crustacea [1]	> 100 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value)
EC50 72h - Algae [1]	> 100 mg/l (OECD 201: Alga, Growth Inhibition Test, Desmodesmus subspicatus, Fresh water, Experimental value)
EC50 96h - Algae [1]	1064,8 mg/l Source: ECOTOX
Partition coefficient n-octanol/water (Log Pow)	-0,462 (Test data, Equivalent or similar to OECD 107, 21.7 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0,78 (log Koc, Calculated value)

12.2. Persistence and degradability

Persistence and degradability

Biodegradability in soil: no data available. Biodegradability in water: no data available.

N,N-bis(hydroxyethyl)coco amides (68603-42-9)	
Persistence and degradability	Readily biodegradable in water.

C9-11, Ethoxylated Alcohol (68439-46-3)	
Persistence and degradability	Readily biodegradable in water.

Dipropylene glycol (25265-71-8)	
Persistence and degradability	Readily biodegradable in water.

12.3. Bioaccumulative potential

Bioaccumulative potential

No test data available.

Partition coefficient n-octanol/water (Log Pow) No data available

Alkyl (C10-16) benzenesulfonic acid (68584-22-5)	
Partition coefficient n-octanol/water (Log Pow)	2

Monoethanolamine (141-43-5)	
Partition coefficient n-octanol/water (Log Pow)	-1,31 Source: ICSC

N,N-bis(hydroxyethyl)coco amides (68603-42-9)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
Partition coefficient n-octanol/water (Log Pow)	3,52 (Calculated)

PROZYME LIQUID LAUNDRY

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

C9-11, Ethoxylated Alcohol (68439-46-3)	
Bioaccumulative potential	No bioaccumulation data available.
Dipropylene glycol (25265-71-8)	
Bioaccumulative potential	Bioaccumulation: not applicable.
Partition coefficient n-octanol/water (Log Pow)	-0,462 (Test data, Equivalent or similar to OECD 107, 21.7 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0,78 (log Koc, Calculated value)

12.4. Mobility in soil

Ecology - soil No (test) data on mobility of the substance available.

Partition coefficient n-octanol/water (Log Pow) No data available

Alkyl (C10-16) benzenesulfonic acid (68584-22-5)	
Mobility in soil	1064
Partition coefficient n-octanol/water (Log Pow)	2
Monoethanolamine (141-43-5)	
Partition coefficient n-octanol/water (Log Pow)	-1,31 Source: ICSC
N,N-bis(hydroxyethyl)coco amides (68603-42-9)	
Mobility in soil	45,02
Partition coefficient n-octanol/water (Log Pow)	3,52 (Calculated)
Dipropylene glycol (25265-71-8)	
Surface tension	71,4 mN/m (22 °C, 1.01 g/l)
Ecology - soil	Low potential for adsorption in soil.
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0,78 (log Koc, Calculated value)
Partition coefficient n-octanol/water (Log Pow)	-0,462 (Test data, Equivalent or similar to OECD 107, 21.7 °C)

12.5. Other adverse effects

Ozone : Not classified

PROZYME LIQUID LAUNDRY

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

SECTION 13: Disposal considerations

13.1. Disposal methods

- Waste treatment methods : Dispose of contents and or container in accordance with licensed collector's sorting instructions.
- Product/Packaging disposal recommendations : Non-refillable container. Do not reuse or refill this container. Offer for recycling, if available or puncture and dispose of in a sanitary landfill.
- Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

14.1. UN number

Not regulated for transport

14.2. UN proper shipping name

Proper Shipping Name (TDG) : Not applicable

14.3. Transport hazard class(es)

TDG

Transport hazard class(es) (TDG) : Not applicable

14.4. Packing group

Packing group (TDG) : Not applicable

14.5. Environmental hazards

Other information : No supplementary information available.

14.6. Special precautions for user

TDG

No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. National regulations

Alkyl (C10-16) benzenesulfonic acid (68584-22-5)
Listed on the Canadian DSL (Domestic Substances List)

Monoethanolamine (141-43-5)
Listed on the Canadian DSL (Domestic Substances List)

PROZYME LIQUID LAUNDRY

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

N,N-bis(hydroxyethyl)coco amides (68603-42-9)

Listed on the Canadian DSL (Domestic Substances List)

C9-11, Ethoxylated Alcohol (68439-46-3)

Listed on the Canadian DSL (Domestic Substances List)

Dipropylene glycol (25265-71-8)

Listed on the Canadian DSL (Domestic Substances List)

15.2. International regulations

Alkyl (C10-16) benzenesulfonic acid (68584-22-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Monoethanolamine (141-43-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active
Listed on INSQ (Mexican National Inventory of Chemical Substances)

N,N-bis(hydroxyethyl)coco amides (68603-42-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active
Listed on INSQ (Mexican National Inventory of Chemical Substances)

C9-11, Ethoxylated Alcohol (68439-46-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active
Listed on INSQ (Mexican National Inventory of Chemical Substances)

Dipropylene glycol (25265-71-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active
Listed on INSQ (Mexican National Inventory of Chemical Substances)

SECTION 16: Other information

Issue date : 12.04.2023

Full text of H-statements:

H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.

PROZYME LIQUID LAUNDRY

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

It is the responsibility of the user to provide a safe workplace, using the health and safety information contained herein as a guide. Project Clean Inc. will accept no liability for damages or loss incurred from the improper handling and use of this product.

The information provided in the Safety Data Sheet has been obtained from current sources and is believed to be reliable.